

mxODBC

ODBC Database Interface
for Python

Version 3.2

Copyright © 1997-2000 by IKDS Marc-André Lemburg, Langenfeld
Copyright © 2000-2013 by eGenix.com GmbH, Langenfeld

All rights reserved. No part of this work may be reproduced or used in any form or by any means without written permission of the publisher.

All product names and logos are trademarks of their respective owners.

The product names "mxBeeBase", "mxCGIPython", "mxCounter", "mxCrypto", "mxDateTime", "mxHTMLTools", "mxIP", "mxLicenseManager", "mxLog", "mxNumber", "mxODBC", "mxODBC Connect", "mxODBC Zope DA", "mxObjectStore", "mxProxy", "mxQueue", "mxStack", "mxTextTools", "mxTidy", "mxTools", "mxUID", "mxURL", "mxXMLTools", "eGenix Application Server", "PyRun", "PythonHTML", "eGenix" and "eGenix.com" and corresponding logos are trademarks or registered trademarks of eGenix.com GmbH, Langenfeld

Printed in Germany.

Contents

1.	Introduction.....	1
1.1	Technical Overview.....	1
1.2	Features.....	2
1.3	Requirements	3
	Windows.....	3
	Unix	4
	Mac OS X.....	4
2.	Installation.....	6
2.1	Download the Software.....	6
2.1.1	Automatic download	6
2.1.2	Manual Download.....	6
	Operating System Platform.....	7
	Python Build Version	7
	Python Build Architecture (32 bit or 64 bit)	7
	Unicode Variant (UCS2 or UCS4)	8
2.2	Installation using Windows installers.....	8
2.2.1	Prerequisites.....	8
2.2.2	Before You Start.....	8
	Upgrading	8
	License Files	9
2.2.3	Step-by-step Installation Guide.....	9
	Step 1	9

mxODBC - Python ODBC Database Interface

	Step 2	10
	Step 3	10
	Step 4	10
2.2.4	Uninstall	10
2.3	Installation using egg package archives	11
	Setuptools	11
2.3.2	Before You Start	11
	Upgrading.....	11
	License Files	11
2.3.3	Step-by-step Installation Guide	12
	Step 1	12
	Step 2	12
	Step 3	13
	Step 4	13
2.3.4	Uninstall	14
2.4	Installation using prebuilt package archives	14
2.4.1	Before You Start	14
	Upgrading.....	14
	License Files	14
2.4.2	Step-by-step Installation Guide	15
	Step 1	15
	Step 2	15
	Step 3	16
	Step 4	16
2.4.3	Uninstall	17
	Automatic Uninstall	17
	Manual Uninstall	17
3.	Access Databases using mxODBC	18
3.1	ODBC Application Stack	18
3.1.1	Architecture: 32-bit vs. 64-bit	18
3.2	Accessing Databases from Windows.....	19

Contents

3.2.1	Looking for Windows ODBC Drivers ?	19
3.2.2	Installing Windows ODBC Drivers	20
3.2.3	Setting up an ODBC Data Source	20
	ODBC on 64-bit Windows Versions	20
3.2.4	ODBC Configuration Files	20
	ODBC.INI - ODBC Data Source Configuration	21
	[ODBC]	21
	[ODBC Data Sources]	21
	ODBCINST.INI - ODBC Driver Configuration	21
	[ODBC Drivers]	21
	Windows Registry Keys	21
	HKEY_LOCAL_MACHINE\Software\ODBC\ODBC.INI	21
	HKEY_LOCAL_MACHINE\Software\ODBC\ODBCINST.INI	21
	HKEY_CURRENT_USER\Software\ODBC\ODBC.INI	21
3.2.5	Available Data Source Types (DSNs)	22
	User Data Sources (User-DSN)	22
	System Data Sources (System-DSN)	22
	File Data Sources (File-DSN)	22
3.2.6	DSN-less Connections	23
	Pros and Cons of using DSN-less Connections	23
	DNS-less Connection String	23
3.3	Accessing Databases from Unix	24
3.3.1	Looking for Unix ODBC Drivers ?	24
3.3.2	mxODBC Connect - a general purpose client-server solution	25
3.3.3	Installing Unix ODBC Drivers	25
3.3.4	Setting up an ODBC Data Source	26
3.3.5	ODBC Configuration Files	26
	/etc/odbc.ini - System ODBC Data Source Configuration	26
	[ODBC]	27
	[ODBC Data Sources]	27
	~/odbc.ini - User ODBC Data Source Configuration	27
	/etc/odbcinst.ini - System ODBC Driver Configuration	27
	[ODBC]	27
	[ODBC Drivers]	28
	~/odbcinst.ini - User ODBC Driver Configuration	28
	Environment Variables: ODBCINI and ODBCINSTINI	28
	ODBCINI	28
	ODBCINSTINI	28

3.3.6	Available Data Source Types (DSNs).....	29
	User Data Sources (User-DSN).....	29
	System Data Sources (System-DSN).....	29
	File Data Sources (File-DSN).....	30
3.3.7	DSN-less Connections.....	30
	Pros and Cons of using DSN-less Connections.....	30
	DNS-less Connection String.....	31

4. Accessing Popular Databases 32

4.1	MS SQL Server.....	32
4.1.1	Available ODBC Drivers.....	32
	MS SQL Server Native Client for SQL Server 2005, 2008 and later .	32
	Finding the latest version of the SQL Server Native Client	32
	Optimizing SQL Server Native Client Performance	33
	Configuring the SQL Server Native Client Network Protocol.....	33
	Multiple active result sets (MARS) on a single connection	33
	MS SQL Server ODBC Driver for SQL Server 2000.....	34
	Configuring the SQL Server ODBC Driver Client Network Protocol.....	34
	MS SQL Server Native Client for Linux.....	34
	Driver Limitations.....	34
	Example Configuration for Unix.....	35
	EasySoft ODBC Driver for SQL Server	35
	OpenLink ODBC Driver for SQL Server	35
	DataDirect ODBC Driver for SQL Server	35
	Actual Technologies Mac OS X ODBC Driver for SQL Server.....	36
	FreeTDS Unix ODBC Driver for SQL Server.....	36
	Driver Limitations.....	36
	Example Configuration for Unix.....	37
4.1.2	General Notes.....	37
	ODBC API Extensions and the SQL Server Native Client.....	37
	Static vs. forward-only Cursors.....	37
	Multiple Cursors on Connections	38
	International Character Data.....	38
	Access Violations	38
	Distributed Transaction Managers	39
	Other Common Problems and Solutions	39
4.2	MS Access Database.....	39

Contents

4.2.1	Available ODBC Drivers	39
	MS Access ODBC Driver.....	39
	MDBTools ODBC Driver	40
4.3	Oracle	40
4.3.1	Available ODBC Drivers	40
	Oracle Instant Client ODBC driver	40
	Driver Notes	40
	Example Configuration for Unix.....	41
	EasySoft ODBC Driver for Oracle.....	42
	OpenLink ODBC Driver for Oracle.....	42
	DataDirect ODBC Driver for Oracle.....	42
	Actual Technologies Mac OS X ODBC Driver for Oracle	42
4.3.2	General Notes	42
	Oracle tnsnames.ora file.....	42
4.4	IBM DB2	43
4.4.1	Available ODBC Drivers	43
	IBM ODBC Driver for Unix/Windows DB2 servers.....	43
	Example Configuration for Unix.....	43
	IBM ODBC Driver for iSeries / AS/400 DB2 servers.....	43
	OpenLink ODBC Driver for DB2	43
	DataDirect ODBC Driver for DB2	43
4.4.2	General Notes	44
	ODBC API Extensions and the IBM CLI	44
	Configuring Database Access	44
	Environment Variables on Unix	44
	Linker Paths.....	44
	Database Setup for ODBC Access	45
	Static vs. forward-only Cursors.....	45
4.5	Sybase ASE	45
4.5.1	Available ODBC Drivers	45
	Sybase ASE ODBC driver.....	45
	NULL issues with Sybase ODBC driver	46
	BIGINT columns can cause data corruption.....	46
	Driver Notes	46
	Example Configuration for Unix.....	46
	EasySoft ODBC Driver for Sybase.....	47
	OpenLink ODBC Driver for Sybase	47

mxODBC - Python ODBC Database Interface

	DataDirect ODBC Driver for Sybase.....	47
	Actual Technologies Mac OS X ODBC Driver for Sybase	47
4.6	PostgreSQL	47
4.6.1	Available ODBC Drivers	47
	PostgreSQL ODBC Driver	47
	Driver Notes.....	48
	Example Configuration for Unix.....	48
	EasySoft ODBC Driver for PostgreSQL	49
	OpenLink ODBC Driver for PostgreSQL	49
	DataDirect ODBC Driver for PostgreSQL	49
	Actual Technologies Mac OS X ODBC Driver for PostgreSQL.....	49
4.7	MySQL.....	49
4.7.1	Available ODBC Drivers	49
	MySQL ODBC Driver	49
	Driver Notes.....	49
	Example Configuration for Unix.....	50
	OpenLink ODBC Driver for MySQL.....	51
	DataDirect ODBC Driver for MySQL.....	51
	Actual Technologies Mac OS X ODBC Driver for MySQL	51
4.7.2	General Notes.....	51
4.8	SAP MaxDB / SAPDB.....	51
4.8.1	Available ODBC Drivers	51
	MaxDB ODBC driver	51
	Example Configuration for Unix.....	52
4.8.2	General Database Notes	52
	Warnings when deleting/update more than one row at a time	52
4.9	Teradata	53
4.9.1	Available ODBC Drivers	53
	Teradata ODBC Driver	53
	Driver Notes.....	53
	Example Configuration for Unix.....	54
	DataDirect ODBC Driver for Teradata	54
4.10	Netezza.....	55
4.10.1	Available ODBC Drivers	55

Contents

	Netezza ODBC Driver	55
	Recommended Setup	55
	Netezza and Unicode	55
	Example Configuration for Unix.....	55
	DataDirect ODBC Driver for Netezza.....	56
4.11	Other Databases	56
4.11.1	EasySoft ODBC Driver Packages.....	57
4.11.2	OpenLink.....	57
4.11.3	DataDirect.....	57
4.11.4	Other Vendors.....	57
4.11.5	Alternative solution: mxODBC Connect	57
5.	mxODBC Overview	58
5.1	mxODBC and the Python Database API Specification	58
5.1.1	Differences	58
5.2	mxODBC and the ODBC Specification.....	59
5.2.1	Full access to most ODBC features.....	59
5.3	Supported ODBC Versions.....	60
5.3.1	ODBC Managers	60
5.3.2	Changes between ODBC 2.x and 3.x.....	60
5.4	Thread Safety & Thread Friendliness	61
5.4.1	Connections and Cursors	61
5.4.2	Unlocking the Python Global Interpreter Lock (GIL)	61
5.4.3	Threading Support.....	61
5.5	Transaction Support	61
5.5.1	Auto-Commit.....	61
5.5.2	Manual Commit	62
	Transaction Start and End	62
	Data Sources without Transaction Support.....	62

mxODBC - Python ODBC Database Interface

5.5.3	Adjusting the Connection Commit Mode.....	63
5.6	Stored Procedures.....	63
5.6.1	Input/Output and Output Parameters	63
	Using result sets to pass back output data	64
	Oracle Ref Cursors make this easy.....	64
5.6.2	SQL Output Statements in Stored Procedures.....	65
5.7	ODBC Cursor Types	65
5.7.1	Adjusting/Inspecting the ODBC Cursor Type	65
	SQL.CURSOR_FORWARD_ONLY	65
	SQL.CURSOR_STATIC	65
	SQL.CURSOR_KEYSET_DRIVEN	66
	SQL.CURSOR_DYNAMIC	66
5.7.2	Default Cursor Type.....	66
5.7.3	Database Specific Cursor Type Notes	66
	MS SQL Server	66
	Oracle	67
	PostgreSQL.....	67
	IBM DB2.....	67
5.8	mxODBC Subpackages	67
5.8.1	One API for all Subpackages	68
6.	mxODBC Connection Objects.....	69
6.1	Subpackage Support	69
6.2	Connection Type Object	69
6.3	Connection Object Constructors	69
	Connect(dsn, user=", password=", clear_auto_commit=1, errorhandler=None, connection_options=()).....	69
	connect(dsn, user=", password=", clear_auto_commit=1, errorhandler=None).....	70
	DriverConnect(DSN_string, clear_auto_commit=1, errorhandler=None).....	70
	ODBC(dsn, user=", password=", clear_auto_commit=1, errorhandler=None).....	71

Contents

6.4	Default Transaction Settings	71
6.4.1	Overriding the Default.....	71
6.4.2	Errors due to missing Transaction Support	72
6.5	Connection objects as context managers.....	72
6.5.1	Introduction to Context Managers	72
6.5.2	Using connection objects as context object	72
6.6	Unicode/ANSI Connections	73
6.6.1	Unicode ODBC Interface.....	73
6.6.2	ANSI ODBC Interface	73
6.7	Connection Object Methods	74
	.close()	74
	.commit()	74
	.cursor(name=None, cursor_options=())	74
	.getconnectoption(option)	74
	.getinfo(info_id).....	74
	.nativesql(command).....	75
	.rollback().....	75
	.setconnectoption(option, value)	75
	.__enter__().....	76
	.__exit__(exc_type, exc_value, exc_tb)	76
6.8	Connection Object Attributes.....	76
	.autocommit.....	76
	.bindmethod	76
	.closed	76
	.converter.....	76
	.cursortype.....	76
	SQL.CURSOR_FORWARD_ONLY.....	77
	SQL.CURSOR_STATIC.....	77
	SQL.CURSOR_KEYSET_DRIVEN	77
	SQL.CURSOR_DYNAMIC.....	77
	.datetimeformat.....	77
	DATETIME_DATETIMEFORMAT (default)	77
	PYDATETIME_DATETIMEFORMAT	77
	TIMEVALUE_DATETIMEFORMAT	77
	TUPLE_DATETIMEFORMAT.....	77
	STRING_DATETIMEFORMAT	78
	.dbms_name	78
	.dbms_version.....	78

	.decimalformat	78
	FLOAT_DECIMALFORMAT (default)	78
	DECIMAL_DECIMALFORMAT	78
	.driver_name	78
	.driver_version.....	78
	.encoding	78
	.errorhandler	79
	.license	79
	.messages.....	79
	.paramstyle.....	79
	'qmark' (default).....	79
	'named'	79
	.stringformat.....	80
	EIGHTBIT_STRINGFORMAT (default)	80
	MIXED_STRINGFORMAT.....	80
	UNICODE_STRINGFORMAT	80
	NATIVE_UNICODE_STRINGFORMAT	81
	.timestampresolution.....	81
	.warningformat	82
	ERROR_WARNINGFORMAT (default)	82
	WARN_WARNINGFORMAT	82
	IGNORE_WARNINGFORMAT.....	82
6.8.1	Additional Attributes	82
7.	mxODBC Cursor Objects.....	84
7.1	Relationship between Cursors and Connections	84
7.1.1	Dependency on the Connection Object.....	84
7.1.2	Using multiple Cursor Objects on a single Connection.....	84
7.2	Subpackage Support	85
7.3	Cursor objects as context managers.....	85
7.3.1	Using cursor objects as context objects	85
7.4	Cursor Type Object.....	85
7.5	Cursor Object Constructors	86
	connection.cursor(name=None, cursor_options=())	86
7.6	Cursor Object Methods	86

Contents

	.callproc(procname[, parameters])	86
	.close()	86
	.execute(sqlcmd, parameters=(), direct=-1)	86
	.executedirect(sqlcmd, parameters=())	87
	.executemany(sqlcmd, batch=(), direct=0)	87
	.fetchall()	87
	.fetchmany([size=cursor.arraysize])	88
	.fetchone()	88
	.flush()	88
	.getcolattribute(position, info_id)	88
	.getcursorname()	90
	.getcursoroption(option)	90
	.next()	91
	.nextset()	91
	.prepare(sqlcmd)	92
	.scroll(value, mode='relative')	92
	.setconverter(converter)	92
	.setcursorname(name)	92
	.setcursoroption(option, value)	93
	.setinputsizes(sizes)	94
	.setoutputsize(size[, column])	94
	.__iter__()	94
	.__enter__()	94
	.__exit__(exc_type, exc_value, exc_tb)	94
7.6.1	Catalog Methods	95
	Common Interface	95
	Result Set Layouts	95
	Search Pattern Parameters	95
	Case-sensitivity of Search Patterns	95
	Switching between Search Patterns and Identifier Matching	96
	Unicode	96
	Available Catalog Methods	96
	.columns(qualifier=None, owner=None, table=None, column=None)	96
	.columnprivileges(qualifier=None, owner=None, table=None, column=None)	99
	.foreignkeys(primary_qualifier=None, primary_owner=None, primary_table=None, foreign_qualifier=None, foreign_owner=None, foreign_table=None)	100
	primary_table	100
	foreign_table	100
	.gettypeinfo(sqltype)	101
	.primarykeys(qualifier=None, owner=None, table=None)	104
	.procedures(qualifier=None, owner=None, procedure=None)	105
	.procedurecolumns(qualifier=None, owner=None, procedure=None, column=None)	106

	.specialcolumns(qualifier=None, owner=None, table=None, coltype=SQL.BEST_ROWID, scope=SQL.SCOPE_SESSION, nullable=SQL.NO_NULLS).....	109
	SQL_BEST_ROWID.....	109
	SQL_ROWVER.....	109
	SQL.SCOPE_CURROW.....	109
	SQL.SCOPE_TRANSACTION	109
	SQL.SCOPE_SESSION	109
	SQL.NO_NULLS	109
	SQL.NULLABLE.....	109
	.statistics(qualifier=None, owner=None, table=None, unique=SQL.INDEX_ALL, accuracy=SQL.QUICK)	111
	SQL.INDEX_UNIQUE	111
	SQL.INDEX_ALL.....	111
	SQL.ENSURE	111
	SQL.QUICK.....	111
	.tables(qualifier=None, owner=None, table=None, type=None).....	113
	.tableprivileges(qualifier=None, owner=None, table=None) ..	113
7.7	Cursor Object Attributes	114
	.arraysize.....	114
	.closed.....	114
	.colcount	115
	.command	115
	.connection	115
	.cursortype	115
	.datetimeformat.....	115
	.decimalformat	115
	.description	115
	.messages.....	116
	.paramcount	116
	.paramstyle.....	116
	'qmark' (default).....	116
	'named'	117
	.rowcount.....	117
	.rownumber	117
	.stringformat.....	117
	.timestampresolution.....	118
	.warningformat	118
8.	Data Types supported by mxODBC	119
8.1	mxODBC Parameter Binding	119
8.1.1	Parameter Binding Styles	120

Contents

8.2	mxODBC Input Binding Modes.....	121
8.2.1	Adjusting the Type Binding Mode.....	122
8.2.2	Per-Statement Binding Mode.....	122
8.3	SQL Type Input Binding.....	122
8.4	Python Type Input Binding.....	126
8.5	Output Conversions.....	129
8.6	Output Type Converter Functions.....	131
	position.....	131
	sqltype.....	131
	sqllen.....	132
	binddata.....	132
8.7	Auto-Conversions.....	132
8.8	Unicode and String Data Encodings.....	133
8.9	Additional Comments.....	134
9.	DB-API Type Objects and Constructors.....	135
	Date(year,month,day).....	135
	Time(hour,minute,second).....	135
	Timestamp(year,month,day,hour,minute,second).....	135
	DateFromTicks(ticks).....	135
	TimeFromTicks(ticks).....	136
	TimestampFromTicks(ticks).....	136
	Binary(string).....	136
	STRING.....	136
	BINARY.....	136
	NUMBER.....	136
	DATETIME.....	136
	ROWID.....	136
10.	mxODBC Exceptions and Error Handling.....	137
10.1	Exception Classes.....	137
	Error.....	137

mxODBC - Python ODBC Database Interface

	Warning.....	138
	InterfaceError.....	138
	DatabaseError.....	138
	DataError.....	138
	OperationalError.....	138
	IntegrityError	138
	InternalError	138
	ProgrammingError	138
	NotSupportedError	138
10.2	SQL Error Mappings.....	139
	errorclass.....	139
10.3	Exception Value Format	139
	sqlstate.....	139
	sqlcode.....	139
	messagetext.....	139
	lineno	139
10.4	Error Handlers	140
10.4.1	Examples	140
10.5	Warning Classes	141
	DatabaseWarning.....	141
10.6	Database Warnings.....	142
10.6.1	Default Error Handler	142
	ERROR_WARNINGFORMAT (default).....	142
	WARN_WARNINGFORMAT	142
	IGNORE_WARNINGFORMAT.....	142
10.6.2	Custom Warning Error Handler	143
11.	mxODBC Functions.....	144
11.1	Subpackage Functions.....	144
	DataSources().....	144
	getenvattr(option).....	144
	setenvattr(option, value).....	144
	statistics()	145
11.2	mx.ODBC Functions	145

Contents

	<code>format_resultset(cursor, headers=None, colsep=' ', headersep='-', stringify=repr)</code>	145
	<code>print_resultset(cursor, headers=None)</code>	145
12.	mxODBC Globals and Constants	146
12.1	Subpackage Globals and Constants	146
	<code>SQL</code>	146
	<code>errorclass</code>	146
	<code>sqltype</code>	146
	<code>CHAR, VARCHAR, LONGVARCHAR, BINARY, VARBINARY, LONGVARBINARY, TINYINT, SMALLINT, INTEGER, BIGINT, DECIMAL, NUMERIC, BIT, REAL, FLOAT, DOUBLE, DATE, TIME, TIMESTAMP [, CLOB, BLOB, TYPE_DATE, TYPE_TIME, TYPE_TIMESTAMP, UNICODE, UNICODE_LONGVARCHAR, UNICODE_VARCHAR, WCHAR, WVARCHAR, WLONGVARCHAR]</code>	146
	<code>threadsafety</code>	146
	<code>apilevel</code>	147
	<code>paramstyle</code>	147
	<code>BIND_USING_SQLTYPE, BIND_USING_PYTHONTYPE</code>	147
	<code>DATETIME_DATETIMEFORMAT, PYDATETIME_DATETIMEFORMAT, TIMEVALUE_DATETIMEFORMAT, TUPLE_DATETIMEFORMAT, STRING_DATETIMEFORMAT</code>	147
	<code>EIGHTBIT_STRINGFORMAT, MIXED_STRINGFORMAT, UNICODE_STRINGFORMAT, NATIVE_UNICODE_STRINGFORMAT</code>	147
	<code>ERROR_WARNINGFORMAT, WARN_WARNINGFORMAT, IGNORE_WARNINGFORMAT</code>	147
	<code>FLOAT_DECIMALFORMAT, DECIMAL_DECIMALFORMAT</code>	148
	<code>HAVE_UNICODE_SUPPORT</code>	148
	<code>license</code>	148
12.2	mx.ODBC Globals and Constants	148
	<code>Error, Warning, InterfaceError, DatabaseError, DataError, OperationalError, IntegrityError, InternalError, ProgrammingError, NotSupportedError</code>	148
13.	mx.ODBC Subpackages	149
13.1	Subpackage Notes	149

mxODBC - Python ODBC Database Interface

13.1.1	Windows Platform Notes	149
13.1.2	Unix Platform Notes	149
13.2	mx.ODBC.Manager -- Generic ODBC Driver Manager ...	149
	Windows Platforms	150
	Unix Platforms	150
13.3	mx.ODBC.Windows -- Windows ODBC Driver Manager	150
13.3.1	Connecting to a Database	150
13.3.2	Supported Datatypes	151
13.3.3	File Data Sources	151
13.4	mx.ODBC.iODBC -- iODBC Driver Manager	151
13.4.1	Notes	151
	General Recommendations	151
	64-bit Platforms	152
13.5	mx.ODBC.unixODBC -- unixODBC Driver Manager	152
13.5.1	Notes	153
	General Recommendations	153
	64-bit Platforms	153
	Threading	153
13.6	mx.ODBC.DataDirect -- DataDirect ODBC Manager	154
13.6.1	Notes	155
	General Recommendations	155
	64-bit Platforms	155
13.7	ODBC Driver Subpackages	155
14.	Hints & Links to other Resources	157
14.1	Running mxODBC from a CGI script	157
14.2	Running mxODBC with mod_wsgi	157
	mod_wsgi and Python 2.7	157
	Manifest work-around	158

Contents

14.3	Freezing mxODBC using py2exe.....	158
14.4	More Sources of Information.....	158
15.	Examples	160
16.	Testing the Database Connection	162
17.	mxODBC Package Structure	163
18.	Support	164
18.1	ODBC Call Level Tracing.....	164
18.1.1	Windows ODBC Manager.....	164
18.1.2	iODBC Driver Manager.....	165
18.1.3	unixODBC Driver Manager.....	165
18.1.4	DataDirect ODBC Driver Manager.....	165
18.1.5	Mac OS X ODBC Driver Manager.....	166
18.2	mxODBC Call Level Tracing.....	166
19.	History & Changes	167
	Changes from 3.2.1 to 3.2.2.....	167
	Feature Enhancements:.....	167
	Driver Compatibility:.....	167
	Fixes:.....	168
	Changes from 3.2.0 to 3.2.1.....	168
	Feature Enhancements:.....	168
	Driver Compatibility:.....	168
	Changes from 3.1.2 to 3.2.0.....	168
	Features:.....	168
	Driver Compatibility:.....	169
	Fixes:.....	170
	Misc:.....	170

Changes from 3.1.1 to 3.1.2	170
Changes from 3.1.0 to 3.1.1	171
Changes from 3.0.4 to 3.1.0	171
Changes from 3.0.3 to 3.0.4	173
Changes from 3.0.2 to 3.0.3	174
Changes from 3.0.1 to 3.0.2	174
Changes from 3.0.0 to 3.0.1	175
Changes from 2.0.7 to 3.0.0	175
Changes from 2.0.6 to 2.0.7:	178
Changes from 2.0.5 to 2.0.6:	178
Changes from 2.0.4 to 2.0.5:	179
Changes from 2.0.3 to 2.0.4:	179
Changes from 2.0.2 to 2.0.3:	179
Changes from 2.0.1 to 2.0.2:	179
Changes from 2.0.0 to 2.0.1:	179

20. Copyright & License 181

1. Introduction

mxODBC has proven to be the most stable and versatile ODBC interface available for Python. It has been in active use for years and is actively maintained by eGenix.com to meet the requirements of modern database applications which our customers have built on top of mxODBC.

This manual will give you an in-depth overview of mxODBC's capabilities and features. It is written as technical manual, so background in Python and database programming is needed.

mxODBC tries to hide many of the complicated details of the ODBC specification from the user, but does provide access to many of the introspection APIs defined in that standard. If you don't need introspection for your applications, you can easily make use of mxODBC without any further knowledge of the underlying ODBC interface.

1.1 Technical Overview

The mxODBC package provides a [Python Database API 2.0](#) compliant interface to databases that are accessible via the ODBC application programming interface (API). Since ODBC is the de-facto standard for connecting to databases, this allows connecting Python to most available databases on the market today.

Accessing the databases can be done through an ODBC manager, e.g. the ODBC manager that comes with Windows, [iODBC](#) or [unixODBC](#) which are free ODBC managers available for Unix, or the DataDirect ODBC manager, which is a proprietary ODBC manager for Unix.

The package supports parallel database interfacing, meaning that you can access multiple different databases from within one process, e.g. one database through the iODBC manager and another through unixODBC.

mxODBC is customizable to many different needs via configuration attributes, e.g. you can use the Python datetime module or the [eGenix.xom mxDateTime](#) package for handling date/time value, eliminating the problems you often face when handling dates before 1.1.1970 and after 2038.

It also supports the Python decimal module, long integer interfacing, Unicode, large binary and text data, as well as stored procedures, prepared statements, database introspection and in-flight customization of connections and cursors.

1.2 Features

- **Python Database API 2.0 Compliance:** the mxODBC API is fully [Python DB-API 2.0](#) compatible and implements a large number of powerful extensions.
- **Support for all recent ODBC Version :** mxODBC works with ODBC drivers implementing the ODBC version specifications 2.0 - 3.52.
- **Uses ODBC 3 APIs:** provided the ODBC driver is capable of using ODBC 3 APIs, mxODBC will use them for added efficiency.
- **32-bit and 64-bit ODBC:** mxODBC supports both 32-bit and 64-bit versions of the ODBC standard - including special 64-bit builds on Unix.
- **Supports all major ODBC driver managers:** mxODBC can work with the MS ODBC Driver Manager on Windows, unixODBC, iODBC and the DataDirect ODBC Driver Manager on Unix and the Mac OS X ODBC Driver Manager on Mac OS X. If needed, multiple ODBC managers can be used at the same time, giving you full flexibility.
- **Stable, robust and reliable:** the mxODBC API has been in active production use since 1997.
- **ODBC Catalog & Introspection Functions:** mxODBC Client API provides methods e.g. to list tables, find column specifications, query index relationships, etc.
- **Dynamic ODBC Configuration:** adjust ODBC connection parameters dynamically, e.g. set timeouts, read-only access, auto-commit, etc.
- **Full Unicode Support:** use Unicode for managing text data in your client applications - even if the database does not natively support Unicode, mxODBC will automatically provide the necessary conversions on-the-fly. mxODBC supports both the Unicode or the ANSI ODBC APIs. You can chose the optimal approach for your driver.
- **Support for Multiple Result Sets:** call stored procedures and access all returned result sets using an easy to API. Easily free up resources in case result sets are no longer needed.
- **Useful DB-API Extensions:**
 - **connection.autocommit** to easily turn on/off the ODBC autocommit feature
 - **cursor and connection objects usable as context managers**

1. Introduction

- **Adjustable .paramstyle:** mxODBC supports both the ODBC question mark positional parameter binding style as well as the named parameter styles used by e.g. Oracle.
- **cursor.scroll()** to scroll the cursor in result sets without actually fetching data.
- **ODBC cursor/connection option methods** to adjust ODBC cursors/connections to your application's needs and optimize performance by e.g. declaring a connection read-only.
- **Configurable Data Type Mappings:**
 - Supports Python type binding and Database type binding for efficient data exchange.
 - Supports **mxDateTime** and **Python's time and datetime modules** for date/time value exchange.
 - Supports standard Python floats, integers, longs and **Python's decimal module** for loss-less numeric value exchange.
 - Automatically handles and **supports unknown data types and user data types** via string conversion.
- **Full Python Support:** mxODBC works with **Python 2.4-2.7** on **32-bit** and **64-bit platforms**.
- **Highly Portable Codebase:** in addition to the already supported platforms for mxODBC, eGenix.com provides [custom porting services](#) for more exotic platforms.
- **Easy installation:** using Windows installers, .egg file package or our Python distutils compatible prebuilt Python packages.
- **Easy configuration:** use ODBC manager GUI tools for easy configuration of ODBC data sources, then access these data sources by name from Python, or use a connection-less way to connect to databases by specifying the driver name and database details in the application.

1.3 Requirements

mxODBC needs these environment on Windows, Unix or Mac OS X for successful installation:

Windows

- All Windows platforms starting with Windows 2000 are supported.

- Python 2.4 or later needs to be installed and working.
- The Windows version of the mxODBC uses the Windows ODBC manager as ODBC manager, so you have to configure your ODBC data sources using its GUI interface which is available through the system settings folder. Alternatively, you can choose to use a DSN-less setup which defines all connection details in the connection string.
- You should setup at least one configured and running ODBC data source for testing purposes.

Unix

- SuSE and RedHat Linux distributions for x86 and x86_64 (AMD64/EM64T) processors, FreeBSD and Sun Solaris are supported Unix platforms. eGenix.com can also provide custom builds for other Unix platforms on request. Please write to sales@egenix.com for details.
- Python 2.4 or later needs to be installed and working.
- On Linux, FreeBSD and Solaris, the binary package includes support for the iODBC, the unixODBC and the DataDirect managers. You must have at least one of these installed in order to be able to connect to ODBC data sources. Please use the ODBC manager GUI interfaces to configure the data sources. Alternatively, you can choose to use a DSN-less setup which defines all connection details in the connection string. `mx.ODBC.Manager` prefers iODBC over unixODBC over DataDirect if more than one ODBC driver manager is installed.
- You should setup at least one configured and running ODBC data source for testing purposes.

Mac OS X

- Mac OS X 10.4/10.5 Intel and PPC 32-bit and Mac OS X 10.6 Intel 64-bit are supported.
- Python 2.4 or later needs to be installed and working.
- Mac OS X uses a variant of iODBC as system ODBC manager. On Mac OS X 10.4 and 10.5 this comes pre-installed with the system. On Mac OS X 10.6, the ODBC manager is available from Apple as separate download. Please use the ODBC manager GUI interfaces to configure the data sources. Alternatively, you can choose to use a DSN-less setup which defines all connection details in the connection string.
- If you want to use the unixODBC manager from [MacPorts](#) instead of the system iODBC manager, you first have to install unixODBC from the [MacPorts](#) and then tell the Mac OS X linker where to find the ports libraries by adjusting the environment variable `DYLD_LIBRARY_PATH` prior to starting Python:

1. Introduction

```
export DYLD_LIBRARY_PATH=/opt/local/lib
```

- You should setup at least one configured and running ODBC data source for testing purposes.

2. Installation

The mxODBC database package is distributed as add-on for the eGenix.com mx Base Distribution (`egenix-mx-base`).

Please visit the [eGenix.com web-site](http://www.egenix.com) to download the latest versions of both the eGenix.com mx Base Distribution and the eGenix.com mxODBC distribution for your platform and Python version.

IMPORTANT NOTE:

Before installing the `egenix-mxodbc` package, you will have to install the `egenix-mx-base` distribution which contains packages needed by mxODBC.

Even though both distributions use the same installation procedure, please refer to the `egenix-mx-base` installation instructions on how to install that package.

2.1 Download the Software

2.1.1 Automatic download

If you want to use `.egg` package archives for the mxODBC installation, package tools such as `easy_install` or `zc.buildout` will download the archives automatically from a special package index on the eGenix.com website.

A separate **manual download is normally not needed**. However, you can still download the files manually and point the package tools directly at the downloaded `.egg` package files, if needed. This may be needed in case the package tools cannot determine which `.egg` package files to download.

For installation using Windows installers or our distutils compatible prebuilt package format, you will also have to manually download the files.

2.1.2 Manual Download

You can download the binary archives (Windows installers, `.egg` files or prebuilt archives) for your combination of platform, Python version and Unicode variant from the eGenix.com web-site at <http://www.egenix.com/>.

2. Installation

Please make sure that you download the right version for your Python installation. If you get import errors or notices of failed initialization, you likely have the wrong product version installed.

These parameters make a difference:

Operating System Platform

All recent versions of these operating systems are supported:

- Windows
- Linux
- Mac OS X
- FreeBSD
- Solaris

Please check the [egenix.com web-site](http://egenix.com) for the detailed list of available downloads for these platforms.

If your platform is not among those listed above or on the web-site, eGenix also provides custom porting services to have mxODBC ported to your platform. Please write to sales@egenix.com for details.

Python Build Version

To check which Python version you are using, startup the Python interpreter using the `-V` option:

```
python -V
```

This will print out the Python version number.

mxODBC supports Python versions 2.3 - 2.7 on most platforms.

Python Build Architecture (32 bit or 64 bit)

On most platforms, eGenix.com supports x86 32-bit and x86_64 (AMD64/EM64T) 64-bit versions of Python.

To find out which Python version you are using, run the following command:

```
python -c 'import struct; print struct.calcsize("P")*8,"bit"'
```

This will print out "32 bit" or "64 bit".

Unicode Variant (UCS2 or UCS4)

On Unix and Mac OS X, Python can be built using two different Unicode variants: UCS2 and UCS4. Windows builds are always UCS2 builds.

To find out which variant your Python version was compiled with, run the following command:

```
python -c 'print "UCS%s"%len(u"x".encode("unicode-internal"))'
```

This will either print out "UCS2" or "UCS4".

2.2 Installation using Windows installers

The installers provided by eGenix.com for use on Windows only include the `mx.ODBC.Windows` subpackage of mxODBC. This subpackage interfaces directly to the Microsoft ODBC Manager, so you can use all available Windows system tools to configure your ODBC data sources.

2.2.1 Prerequisites

- Please make sure that you have a working installation of the `egenix-mx-base` distribution prior to continuing with the installation of the `egenix-mxodbc` add-on. You can easily check this by checking the Windows Software Setup dialog for an entry of the form "Python x.x eGenix.com mx Base Distribution" or by running the following at the command prompt:

```
python -c "import mx.DateTime"
```

If you get an import error, please visit the [eGenix.com web-site](http://egenix.com/web-site) and install the `egenix-mx-base` package first.

- You will need ODBC drivers for all databases you wish to connect to. Windows comes with a very complete set of such drivers, but if you can't find the driver you are looking for, have a look at 14. Hints & Links to other Resources.

2.2.2 Before You Start

Upgrading

When upgrading from a previous version of mxODBC, you can normally install the new version in place of the previous one. If you want to be extra careful, you can also uninstall the previous version using the standard Windows software setup tool. See 2.2.4 Uninstall for details.

2. Installation

If you used a different packaging format for installing the previous version, please see the relevant installation section of this guide for instructions on how to uninstall that variant.

License Files

In order to use mxODBC, you will need license files from eGenix.com.

If you want to test the product before buying it, you can request evaluation licenses via the eGenix.com web-site at <http://www.egenix.com/>.

When buying licenses from the eGenix.com online shop (<http://shop.egenix.com/>), you will receive the license files immediately after purchase.

In both cases, the license files are sent to the email address you specified during the purchase process or from which you wrote the evaluation license request in form of a ZIP license archive attached to the license email – usually named [licenses.zip](#).

The license archive [licenses.zip](#) contains one subdirectory per license you bought. The directories are named after the license key for each license. A typical license archive will have these contents:

```
2100-8789-0322-0926-2568-6429/mxodbc_license.py
2100-8789-0322-0926-2568-6429/mxodbc_license.txt
2100-8089-0312-0926-2668-6529/mxodbc_license.py
2100-8089-0312-0926-2668-6529/mxodbc_license.txt
```

(in the above example, the license archive contains the files for two product licenses).

In order to install the license files, please unzip the license archive to a temporary directory.

In order for mxODBC to pick up the correct license files, please copy them to a location on your `sys.path` or `PYTHONPATH`. If you installed Python to e.g. `C:\Python26`, the typical location for installation of the license files would be `C:\Python26\Lib\site-packages\`.

Use the following command to see the `sys.path` that your Python version uses:

```
python -c "import sys; print ' '.join(sys.path)"
```

2.2.3 Step-by-step Installation Guide

Step 1

After you have downloaded the Windows installer of the `egenix-mxodbc` distribution, double-click on the `.exe` file to start the installer.

Note:

Depending on your Python installation, you may need admin privileges on Windows XP, Vista and 7 to successfully complete the installation.

Step 2

The installer will then ask you to accept the license, choose the Python version and then to start the install process.

If the listbox showing the installed Python versions is empty, it is likely that you have chosen the wrong Windows installer for your Python version. Please go back to the eGenix.com web-site and download the correct version for the installed Python version.

Step 3

In case you are upgrading to a new mxODBC version, the installer will ask you whether you want to overwrite existing files. Answer "yes" to this question. It is safe to allow the installer overwrite files.

The installer will then install all the needed files. Note that it does not setup any links on the desktop or in the start menu.

Step 4

Test the installation by trying to import mxODBC:

```
$ python
Python 2.6.4 (r264:75706, Jan  4 2010, 20:40:33)
[GCC 4.2.1 (SUSE Linux)] on linux2
Type "help", "copyright", "credits" or "license" for more information.

>>> import mx.ODBC.Manager
>>>
```

If you don't get any ImportError, you have successfully installed mxODBC.

2.2.4 Uninstall

The Windows installer will automatically register the installed software with the standard Windows software setup tool.

To uninstall the distribution, run the Windows Software Setup tool and select the "Python x.x eGenix mxODBC x.x" entry for deinstallation.

This will uninstall all files that can safely be removed from the system. It will not remove files which were added to the subpackages after installation, nor will it remove the license files you manually installed.

2.3 Installation using egg package archives

We assume that you have already have *setuptools* and *easy_install* installed in your Python installation. The examples in this section refer to a Unix or Mac OS X installation, but it is also possible to install .egg packages on Windows.

You can check this by searching for *easy_install* in the directory where you've installed the Python interpreter binary:

```
python -c "import setuptools; print 'setuptools installed'"
```

If this reports an `ImportError`, you don't have *setuptools* installed. In that case, please see the next section.

Note that you can also use the information from this section to create a [zc.buildout](#) setup.

Setuptools

In order to be able to install eggs, you need to install a Python package called *setuptools*.

To get this package installed, download the file [ez_setup.py](#) from the URL http://peak.telecommunity.com/dist/ez_setup.py and run it using the Python interpreter that you will be using with mxODBC:

```
python ez_setup.py
```

This will install *setuptools* into your Python `site-packages/` directory as well as a script called *easy_install* in your `bin/` directory. The `easy_install` script is later need to install the mxODBC.

2.3.2 Before You Start

Upgrading

When upgrading from a previous version of mxODBC, you should uninstall the *egenix-mxodbc* package first. Please see 2.3.4 Uninstall for instructions.

License Files

In order to use mxODBC, you will need license files from eGenix.com.

If you want to test the product before buying it, you can request evaluation licenses via the eGenix.com web-site at <http://www.egenix.com/>.

When buying licenses from the eGenix.com online shop (<http://shop.egenix.com/>), you will receive the license files immediately after purchase.

In both cases, the license files are sent to the email address you specified during the purchase process or from which you wrote the evaluation license request in form of a ZIP license archive attached to the license email – usually named [licenses.zip](#).

The license archive [licenses.zip](#) contains one subdirectory per license you bought. The directories are named after the license key for each license. A typical license archive will have these contents:

```
2100-8789-0322-0926-2568-6429/mxodbc_license.py
2100-8789-0322-0926-2568-6429/mxodbc_license.txt
2100-8089-0312-0926-2668-6529/mxodbc_license.py
2100-8089-0312-0926-2668-6529/mxodbc_license.txt
```

(in the above example, the license archive contains the files for two product licenses).

In order to install the license files, please unzip the license archive to a temporary directory.

In order for mxODBC to pick up the correct license files, please copy them to a location on your `sys.path` or `PYTHONPATH`. If you installed Python to e.g. [C:\Python26](#) on Windows or [/usr/local/bin/python](#) on Unix or Mac OS X, the typical location for installation of the license files would be [C:\Python26\Lib\site-packages\](#) or [/usr/local/lib/python2.6/site-packages/](#).

Use the following command to see the `sys.path` that your Python version uses:

```
python -c "import sys; print ';'.join(sys.path)"
```

2.3.3 Step-by-step Installation Guide

Step 1

Determine whether you are using a UCS2 or UCS4 build of Python (Windows users always need the UCS2 version, Mac OS X should also try the UCS2 version first, Unix users will most likely need the UCS4 version).

To find out which variant your Python version was compiled with, run the following command:

```
python -c 'print("UCS%s"%len(u"x".encode("unicode-internal")))'
```

This will either print out “UCS2” or “UCS4”.

Step 2

Next, install the *egenix-mxodbc* egg package in your Python installation.

2. Installation

Note that you may need to have *admin* or *root* privileges in order to successfully complete the following step, unless you are using a [virtualenv-based setup](#).

If you got **UCS2** in step 1, run the following command using the `easy_install` script from the Python installation you intend to use:

```
easy_install -i http://downloads.egenix.com/python/index/ucs2/ \  
egenix-mxodbc
```

If you got **UCS4** in step 1, use this command:

```
easy_install -i http://downloads.egenix.com/python/index/ucs4/ \  
egenix-mxodbc
```

If you **manually downloaded** the egg archive from the eGenix.com website to a temporary directory, pass the file name directly to `easy_install` to start the installation:

```
easy_install \  
/path-to-egg-file/egenix_mxodbc-3.1.0-py2.6-win32.egg
```

(replace the file name with the one of the file you downloaded)

After installation, the egg file can be removed from the temporary directory without causing harm.

For more information on how to use `easy_install`, please see the [easy install documentation](#).

Step 3

Now that you have installed the product code, you need to install the proper licenses in order for the mxODBC to startup correctly.

Go to the temporary directory where you unzipped the license archive and change to the license subdirectory which contains the license for the installation you are currently working on.

Copy the two files `mxodbc_license.py` and `mxodbc_license.txt` from the license subdirectory to the Python `site-packages/` directory.

Step 4

Test the installation by trying to import mxODBC:

```
$ python  
Python 2.6.4 (r264:75706, Jan 4 2010, 20:40:33)  
[GCC 4.2.1 (SUSE Linux)] on linux2  
Type "help", "copyright", "credits" or "license" for more information.  
  
>>> import mx.ODBC.Manager  
>>>
```

If you don't get any ImportError, you have successfully installed mxODBC.

2.3.4 Uninstall

Since *setuptools* doesn't provide an uninstall command you have to manually remove the installation:

1. remove the `egenix-mxodbc.*` egg directory from your Python `site-packages/` directory and
2. edit the file `easy-install.pth` in that directory to remove the corresponding egg entry.

2.4 Installation using prebuilt package archives

Prebuilt package archives are standard distutils source distribution packages, which have been built on the respective platforms without performing the installation step. The source parts are also removed from those packages.

You can think of the prebuilt packages as source package installations that were frozen just before running the install command.

When installing these , you just need to run the last step after unpacking the package: the distutils `install` command.

No additional software is needed to install these packages.

2.4.1 Before You Start

Upgrading

When upgrading from a previous version of mxODBC, you can either install the new version over the previous version or first uninstall the previous version. See 2.4.3 Uninstall for instructions.

License Files

In order to use mxODBC, you will need license files from eGenix.com.

If you want to test the product before buying it, you can request evaluation licenses via the eGenix.com web-site at <http://www.egenix.com/>.

2. Installation

When buying licenses from the eGenix.com online shop (<http://shop.egenix.com/>), you will receive the license files immediately after purchase.

In both cases, the license files are sent to the email address you specified during the purchase process or from which you wrote the evaluation license request in form of a ZIP license archive attached to the license email – usually named [licenses.zip](#).

The license archive [licenses.zip](#) contains one subdirectory per license you bought. The directories are named after the license key for each license. A typical license archive will have these contents:

```
2100-8789-0322-0926-2568-6429/mxodbc_license.py
2100-8789-0322-0926-2568-6429/mxodbc_license.txt
2100-8089-0312-0926-2668-6529/mxodbc_license.py
2100-8089-0312-0926-2668-6529/mxodbc_license.txt
```

(in the above example, the license archive contains the files for two product licenses).

In order to install the license files, please unzip the license archive to a temporary directory.

In order for mxODBC to pick up the correct license files, please copy them to a location on your `sys.path` or `PYTHONPATH`. If you installed Python to e.g. `C:\Python26` on Windows or `/usr/local/bin/python` on Unix or Mac OS X, the typical location for installation of the license files would be `C:\Python26\Lib\site-packages\` or `/usr/local/lib/python2.6/site-packages/`.

Use the following command to see the `sys.path` that your Python version uses:

```
python -c "import sys; print ','.join(sys.path)"
```

2.4.2 Step-by-step Installation Guide

Step 1

Determine whether you are using a UCS2 or UCS4 build of Python (Windows users always need the UCS2 version, Mac OS X should also try the UCS2 version first, Unix users will most likely need the UCS4 version).

To find out which variant your Python version was compiled with, run the following command:

```
python -c 'print("UCS%s"%len(u"x".encode("unicode-internal")))'
```

This will either print out “UCS2” or “UCS4”.

Step 2

Next, install the *egenix-mxodbc* prebuilt package in your Python installation.

Note that you may need to have *admin* or *root* privileges in order to successfully complete the following step, unless you are using a [virtualenv-based setup](#).

1. First, unzip the downloaded prebuilt package archive to a temporary directory.
2. Then run the following command using the Python installation you intend to use in the package directory `egenix-mxodbc-3.1.*`:

```
python setup.py install
```

Note that you can use the standard `distutils` `install` command options, e.g. to install the package to a different prefix (using `--prefix`) or a home directory (using `--home`). For more information on the available options, please have a look at the `distutils` [install command documentation](#).

After installation, you can remove the temporary directory without causing harm. Please keep the prebuilt package archive around, in case you want to uninstall the package again.

Step 3

Now that you have installed the product code, you need to install the proper licenses in order for the mxODBC to startup correctly.

Go to the temporary directory where you unzipped the license archive and change to the license subdirectory which contains the license for the installation you are currently working on.

Copy the two files `mxodbc_license.py` and `mxodbc_license.txt` from the license subdirectory to the Python `site-packages/` directory.

Step 4

Test the installation by trying to import mxODBC:

```
$ python
Python 2.6.4 (r264:75706, Jan 4 2010, 20:40:33)
[GCC 4.2.1 (SUSE Linux)] on linux2
Type "help", "copyright", "credits" or "license" for more information.

>>> import mx.ODBC.Manager
>>>
```

If you don't get any `ImportError`, you have successfully installed mxODBC.

2. Installation

2.4.3 Uninstall

Automatic Uninstall

In order to uninstall the mxODBC package, run the [setup.py](#) of the installation package using the `uninstall` command and the same options you passed to the `install` command when you installed the package:

```
python setup.py uninstall
```

Manual Uninstall


If you no longer have the older installation package, just remove the [site-packages/mx/ODBC](#) directory with all its subdirectories.

3. Access Databases using mxODBC

mxODBC provides an easy to use way of accessing the ODBC API of ODBC managers and drivers from Python. Together with a suitable ODBC driver installed on the machine where you are running the Python application, you can connect to your databases with a single Python call.

3.1 ODBC Application Stack

The typical ODBC application setup looks like this:



The upper blue part in the diagram executes within the process of the Python application. The green part usually runs in a separate process and possibly also on a different machine.

3.1.1 Architecture: 32-bit vs. 64-bit

As a result of this process setup outlined in the previous section, it is important that you choose the right ODBC driver type for your application:

3. Access Databases using mxODBC

- If you are running a **64-bit Python application**, you will also have to have a 64-bit ODBC manager and ODBC driver installed.
- If you are running a **32-bit Python application**, you need an 32-bit ODBC manager and ODBC driver.

Note that the ODBC manager may be capable of translating 32-bit or 64-bit function calls to whatever the ODBC driver supports (this is called *thunking*). Please check the documentation of your ODBC manager for details.

3.2 Accessing Databases from Windows

Most database ship with ODBC drivers for Windows, so setting up database access for Python applications on Windows is fairly straight forward.

Once you've installed the ODBC drivers on the machine you are running your Python application on, you will need to setup an *ODBC Data Source*. This can be done using the *ODBC Manager on Windows*.

To avoid problems with system permissions, eGenix.com recommends setting up System Data Sources, as these are usually accessible by all accounts on a Windows machine.

Using the mxODBC connection constructor `mx.ODBC.Windows.DriverConnect()` you can then setup a connection to the database.

3.2.1 Looking for Windows ODBC Drivers ?

Microsoft supports a whole range of (desktop) ODBC drivers for various databases and file formats. These are available under the name "ODBC Desktop Database Drivers" (search the MS web-site for the exact URL) [wx1350.exe] and also included in the more up-to-date "Microsoft Data Access Components" (MDAC) archive [mdac_typ.exe].

It includes ODBC drivers for: Access, dBase, Excel, Oracle, Paradox, Text (flat file CSV), FoxPro, MS SQL Server.

If you need to connect to databases running on other hosts, please contact the database vendor or check the [SQLSummit list of ODBC drivers](#).

3.2.2 Installing Windows ODBC Drivers

Please consult the documentation of your database for ODBC driver installation instructions. These are usually installed in the same way as any other application on Windows, but their respective setup wizards and options are usually different in layout and depend on the target database.

3.2.3 Setting up an ODBC Data Source

Data sources are setup using the *Windows ODBC Manager* on Windows. This can be found in the *Control Panel* as *Administrative Tools* and is called *Data Sources (ODBC)*. See the [Windows ODBC documentation](#) for details.

Starting the ODBC manager will bring up a dialog with tabs for data source creation, ODBC tracing and connection pooling as well as a few information tabs showing the versions of installed drivers.

ODBC on 64-bit Windows Versions

On 64-bit versions of Windows, there are two separate ODBC managers which also keep and manage different lists of ODBC data sources: the 64-bit version can be found in `C:\windows\system32\odbcad32.exe`, the 32-bit version is located in `C:\windows\sysWOW64\odbcad32.exe`.

64-bit applications can only use the 64-bit ODBC manager and drivers, whereas 32-bit applications can only use the 32-bit ODBC manager and drivers.

Please make sure that you use the right variant of the ODBC manager when configuring ODBC data sources on 64-bit Windows. If not, you will get errors from the ODBC manager mentioning problems in finding the given ODBC data source or an architecture mismatch, e.g. `[Microsoft][ODBC Driver Manager] The specified DSN contains an architecture mismatch between the Driver and Application`

3.2.4 ODBC Configuration Files

On Windows, you should always use the Windows ODBC Manager to configure ODBC data sources.

Even though the Windows ODBC Manager also exposes the standard ODBC configuration files `C:\Windows\ODBC.INI` and `C:\Windows\ODBCINST.INI`, these do not contain the full configuration information, since this is stored in the Windows registry.

3. Access Databases using mxODBC

ODBC.INI - ODBC Data Source Configuration

This INI-file provides data source information using one INI-section per data source.

In addition to the data source sections, there are also a number of higher-level sections:

[ODBC]

This section is used to configure driver related ODBC manager settings such as ODBC call tracing. The settings in this section apply to all data sources.

[ODBC Data Sources]

This section contains one entry per configured data source, mapping the data source name to a description.

ODBCINST.INI - ODBC Driver Configuration

This INI-file provides one INI-section per installed ODBC driver.

In addition to the data source sections, there are also a number of higher-level sections:

[ODBC Drivers]

This section contains one entry per configured and installed ODBC driver, mapping the driver name to the string "Installed".

Windows Registry Keys

The following registry keys provide the ODBC configuration information in much the same way the formerly used INI-files did:

`HKEY_LOCAL_MACHINE\Software\ODBC\ODBC.INI`

One entry per INI-section of the ODBC.INI file, used for system-wide settings and system DSNs. See 3.2.5 Available Data Source Types (DSNs) for details on the different DSN types.

`HKEY_LOCAL_MACHINE\Software\ODBC\ODBCINST.INI`

One entry per INI-section of the ODBCINST.INI file, used for managing the installed ODBC drivers.

`HKEY_CURRENT_USER\Software\ODBC\ODBC.INI`

One entry per INI-section of the ODBC.INI file, used for user specific settings and user DSNs. See 3.2.5 Available Data Source Types (DSNs) for details on the different DSN types.

3.2.5 Available Data Source Types (DSNs)

There are three kinds of data sources that you can install on Windows machines:

1. [User Data Sources \(User-DSN\)](#)
2. [System Data Sources \(System-DSN\)](#)
3. [File Data Sources \(File-DSN\)](#)

User Data Sources (User-DSN)

User data sources are only visible to the user creating them. Other users normally do not have access to these data source definitions.

When running an application that is meant to run as service, you have to make sure that you create the user data source under the user name of the service.

If you intend a data source to be available for all users, or to avoid permissions problems, creating a system data source is a better option.

When connecting to a user DSN, you have to specify the DSN name as part of the connection string of `mx.ODBC.Windows.DriverConnect()` using the form `"DSN=mydsn"`. If you use the `mx.ODBC.Windows.Connect()` API to connect, pass the DSN name as first parameter.

System Data Sources (System-DSN)

System data sources are available to all users of the system. This is the recommended setup, if you run services that need to access the data sources from more than just one account.

When connecting to a system DSN, you have to specify the DSN name as part of the connection string of `mx.ODBC.Windows.DriverConnect()` using the form `"DSN=mydsn"`. If you use the `mx.ODBC.Windows.Connect()` API to connect, pass the DSN name as first parameter.

File Data Sources (File-DSN)

File data sources are special in the sense that they store the data source connection information and options in a dedicated file rather than in the registry.

This can be useful if you want to manage data sources across many servers and keep the data source files on a central file server.

You create such DSN files using the ODBC manager.

In order to connect to such a data source, you have to use the `mx.ODBC.Windows.DriverConnect()` API and provide a `"FILEDSN=c:\myfile.dsn"` entry instead of the usual `"DSN=mydsn"` as part for the connection string.

3. Access Databases using mxODBC

See the [ODBC File Data Source documentation](#) for more details.

3.2.6 DSN-less Connections

If you don't want to bother setting up a data source in the ODBC manager, you can also use a DSN-less connection setup.

Pros and Cons of using DSN-less Connections

These setups include all required driver and connection information in the connection string itself. All connection information is thus under the control of the application, without any system ODBC manager being aware of the connection setup.

This has both up- and downsides. The most important downside is that changes to the server system can no longer be administered through the ODBC manager, but instead have to be repeated in each application using a DSN-less setup. Even you upgrade an ODBC driver to a newer version, you may have to change all DSN-less connection setups due to changes in the ODBC driver name.

We recommend to only use DSN-less setups if absolutely necessary, or in cases where access to the ODBC configuration files is otherwise not possible.

DSN-less Connection String

A DSN-less connection provides all configuration information you'd normally configure in the ODBC manager for a data source. Instead of a DSN name, you provide a textual representation of the driver name enclosed in curly brackets, e.g.

```
"Driver={MySQL ODBC 3.51 Driver}; Server=mysql.example.net;  
Database=mydb"
```

The name given in curly brackets must match the driver name as listed in the ODBC manager (under *Name* on the *Driver* tab). The ODBC manager will then map the name to the registered driver.

A "DSN=mydsn" entry in the connection string is no longer needed.

For a list of common DSN-less connection strings, have a look at the [ConnectionStrings.com](#) website.

In order to connect to a database using a DSN-less connection string, you simply pass the string to the `mx.ODBC.Windows.DriverConnect()` API.

3.3 Accessing Databases from Unix

mxODBC is often used to access databases across a network. A very typical use case is that of connecting to MS SQL Server, Oracle or DB2 from a Unix machine.

eGenix.com has collected some information in the next section 4. Accessing Popular Databases which may help you in finding the right solution for this kind of setup. We recommend that you always use an ODBC manager on Unix to access these driver setups, e.g. unixODBC, iODBC, or the DataDirect ODBC manager.

Once you've installed the ODBC drivers on the machine you are running your Python application on, you will need to setup an *ODBC Data Source*. This can be done using the ODBC manager GUIs which try to mimic the Windows ODBC Manager, or using a text editor by editing either the system wide ODBC configuration files (usually `/etc/odbc.ini` and `/etc/odbcinst.ini`; Mac OS X uses `/Library/ODBC/odbc.ini` and `/Library/ODBC/odbcinst.ini`) or the user home directory versions (usually `~/.odbc.ini` and `~/.odbcinst.ini`).

To avoid problems with system permissions, eGenix.com recommends setting up data sources as System Data Sources using the GUI tools or in the system configuration file `/etc/odbc.ini` using a text editor, as these are usually accessible by all accounts on a Unix server.

Using the mxODBC connection constructor `mx.ODBC.Manager.DriverConnect()` you can then setup a connection to the database.

3.3.1 Looking for Unix ODBC Drivers ?

Many database vendors also provide ODBC for various Unix platforms. If you are looking for Linux drivers, the situation has cleared up a lot in recent years. On other platforms such as Mac OS X, AIX, Solaris or the BSDs, the situation is a lot less encouraging.

If you have trouble finding a suitable driver, you can contact the database vendor or check the [SQLSummit list of ODBC drivers](#).

eGenix.com also provides a generic solution to such problems in form of the [mxODBC Connect](#) product, which helps you work around the problem of finding a suitable ODBC driver for the client platform. See the next section for detail.

3. Access Databases using mxODBC

3.3.2 mxODBC Connect - a general purpose client-server solution

Since finding good quality ODBC drivers for Unix platforms is often not easy, eGenix has developed a new general solution to the problem, a client-server product called [mxODBC Connect](#).

The product provides a highly portable client side Python interface module *mxODBC Connect Client* which connects to a server side service application called *mxODBC Connect Server*.

On the client side, the mxODBC Connect Client provides an interface which is almost 100% compatible to the standard mxODBC Python interface, so you can easily port applications using mxODBC or other DB-API compatible adapters to the mxODBC Connect Client.

On the server side, the mxODBC Connect Server takes care of managing the incoming network connections from the mxODBC Connect Clients and interfaces directly to the database using an ODBC driver on the server machine. Since the mxODBC Connect Server is typically installed on the database server itself, the ODBC driver can then communicate with the database using low-level and high performance interfaces such as shared memory, pipes, etc.

Using the mxODBC Connect product, you no longer need to search and install ODBC drivers for all your client platforms. Instead, you just need one ODBC driver installation on the server which is then shared by all clients.

The mxODBC Connect also provides better performance, since it doesn't require as many network roundtrips to the server as a low-level ODBC driver on the client side needs in order to provide the database connectivity.

Please see our website <http://www.egenix.com/> for more information on [mxODBC Connect](#).

3.3.3 Installing Unix ODBC Drivers

Please consult the documentation of your database for ODBC driver installation instructions.

These often have to be installed by running a shell script or using the system packaging manager.

There are no standards for the driver directory location. Some drivers install in `/opt`, others in `/usr/local`, yet others can be unzipped anywhere in the system, provided the linker is setup to find the driver files.

3.3.4 Setting up an ODBC Data Source

Data sources are setup using the ODBC manager GUI tools on Unix or by editing the respective ODBC configuration files.

The GUI tools can typically be found in the System part of the menu.

For more details description please see the ODBC manager manuals:

- [unixODBC User Manual](#)
- [iODBC User Manual](#)
- [DataDirect User Manual](#)
- [Mac OS X ODBC Administrator Manual](#)¹

Since the layout and operation of these tools is often similar to the Windows ODBC manager, you can also have a look at the [Windows ODBC documentation](#) for details.

Starting the ODBC manager will bring up a dialog with tabs for data source creation, ODBC tracing and connection pooling as well as a few information tabs showing the versions of installed drivers.

3.3.5 ODBC Configuration Files

On Windows, you should always use the Windows ODBC Manager to configure ODBC data sources.

Even though the Windows ODBC Manager also exposes the standard ODBC configuration files C:\Windows\ODBC.INI and C:\Windows\ODBCINST.INI, these do not contain the full configuration information, since this is stored in the Windows registry.

/etc/odbc.ini - System ODBC Data Source Configuration

Depending on your ODBC manager installation or OS, the file may also reside in a different directory. Please consult your ODBC manager documentation for details. On Mac OS X, the file is located in [/Library/ODBC/odbc.ini](#).

This INI-file provides data source information using one INI-section per data source.

In addition to the data source sections, there are also a number of higher-level sections:

¹ For Mac OS X 10.6 (Snow Leopard) you may have to install the ODBC Administrator separately. It is available from Apple as disk image: <http://support.apple.com/kb/DL895>

3. Access Databases using mxODBC

[ODBC]

This section is used to configure driver related ODBC manager settings such as ODBC call tracing. The settings in this section apply to all data sources.

iODBC needs this section in the `odbc.ini` file. unixODBC in the `odbcinst.ini` file. More recent DataDirect ODBC manager versions accept the section in both files, older version need it in the `odbc.ini` file.

[ODBC Data Sources]

This section contains one entry per configured data source, mapping the data source name to a description.

Example:

```
[ODBC]
Trace = 0
TraceFile = /tmp/odbc.log

[ODBC Data Sources]
sybasease12 = Sybase ASE 12 on sybasease12.example.net

[sybasease12]
Driver           = /opt/sybase/DataAccess/ODBC/lib/libsybdrvodb.so
Description      = Adaptive Server Enterprise
Server           = sybasease12.egenix.internal
Port             = 5000
Database         = mydb
TextSize         = 10000000
#UseCursor       = 1
FileUsage        = -1
Trace            = 0
TraceFile        = /tmp/sybase.log
```

~/odbc.ini - User ODBC Data Source Configuration

This INI-file provides data source information on a per user basis. It uses the same structure as the system wide `/etc/odbc.ini` file.

The data sources defined in this file are only visible to the user account for which it is defined.

/etc/odbcinst.ini - System ODBC Driver Configuration

Depending on your ODBC manager installation or OS, the file may also reside in a different directory. Please consult your ODBC manager documentation for details. On Mac OS X, the file is located in `/Library/ODBC/odbcinst.ini`.

This INI-file provides one INI-section per installed ODBC driver.

In addition to the data source sections, there are also a number of higher-level sections:

[ODBC]

This section is used to configure driver related ODBC manager settings such as ODBC call tracing. The settings in this section apply to all data sources.

iODBC needs this section in the odbc.ini file. unixODBC in the odbcinst.ini file. More recent DataDirect ODBC manager versions accept the section in both files, older version need it in the odbc.ini file.

```
[ODBC Drivers]
```

This section contains one entry per configured and installed ODBC driver, mapping the driver name to the string "Installed".

Example:

```
[ODBC]
Trace = 0
TraceFile = /tmp/odbc.log

[ODBC Drivers]
OracleInstantClient = Installed

[OracleInstantClient]
Description = Oracle 11g ODBC Driver
Driver = /usr/local/oracle/instantclient_11_2/libsqora.so.11.1
Setup =
FileUsage =
CPOutput =
CPTimeout =
CPReuse =
```

~/.odbcinst.ini - User ODBC Driver Configuration

This INI-file provides ODBC driver information on a per user basis. It uses the same structure as the system wide */etc/odbcinst.ini* file.

The drivers defined in this file are only visible to the user account for which it is defined.

Environment Variables: ODBCINI and ODBCINSTINI

In order to override the default search path used by the ODBC manager for the above configuration files, the ODBC managers honor a few environment variables which can be used to direct them to specific alternate files:

ODBCINI

This environment is used by the ODBC manager to find the ODBC data source configuration file, if set.

ODBCINSTINI

This environment is used by the ODBC manager to find the ODBC driver configuration file, if set.

3. Access Databases using mxODBC

Note that some driver manager do not support this environment variable: unixODBC and iODBC support the variable, the DataDirect ODBC manager doesn't.

3.3.6 Available Data Source Types (DSNs)

There are three kinds of data sources that you can install on Windows machines:

1. [User Data Sources \(User-DSN\)](#)
2. [System Data Sources \(System-DSN\)](#)
3. [File Data Sources \(File-DSN\)](#)

User Data Sources (User-DSN)

User data sources are only visible to the user creating them. Other users normally do not have access to these data source definitions.

The user DSNs can be defined via the ODBC manager GUI administration tools or by editing the user ODBC configuration file `~/odbc.ini`. See 3.3.5 ODBC Configuration Files for details.

When running an application that is meant to run as service or daemon, you have to make sure that you create the user data source under the user name of the service or daemon.

If you intend a data source to be available for all users, or to avoid permissions problems, creating a system data source is a better option.

When connecting to a user DSN, you have to specify the DSN name as part of the connection string of `mx.ODBC.Manager.DriverConnect()` using the form `"DSN=mydsn"`. If you use the `mx.ODBC.Manager.Connect()` API to connect, pass the DSN name as first parameter.

System Data Sources (System-DSN)

System data sources are available to all users of the system. This is the recommended setup, if you run services that need to access the data sources from more than just one account.

Systems DSNs can be defined via the ODBC manager GUI administration tools or by editing the system ODBC configuration file `/etc/odbc.ini`. See 3.3.5 ODBC Configuration Files for details.

When connecting to a system DSN, you have to specify the DSN name as part of the connection string of `mx.ODBC.Windows.DriverConnect()` using the form `"DSN=mydsn"`. If you use the `mx.ODBC.Windows.Connect()` API to connect, pass the DSN name as first parameter.

File Data Sources (File-DSN)

File data sources are special in the sense that they store the data source connection information and options in a dedicated file rather than in the registry.

This can be useful if you want to manage data sources across many servers and keep the data source files on a central file server.

You create such DSN files using the ODBC manager (if supported) or by using a text editor.

A DSN file uses the same syntax as the ODBC connection strings, with the difference that the file must start with the line `[ODBC]` and each keyword-value pair must be on a separate line, e.g. [postgresql.dns](#):

```
[ODBC]
Driver = /usr/local/postgresql/lib/psqlodbcw.so
Database = mydb
ServerName = postgresql.example.net
Port = 5432
#Debug = 0
#Optimizer = 0
#CommLog = 0
#ReadOnly = 0
#SSLmode = require
ByteaAsLongVarChar = 1
TextAsLongVarchar = 1
```

Please see the [FILEDSN MS Knowledge-Base article 165866](#) for details regarding the file format.

In order to connect to such a data source, you have to use the `mx.ODBC.Manager.DriverConnect()` API and provide a `"FILEDSN=/etc/postgresql.dns"` entry instead of the usual `"DSN=mydsn"` as part for the connection string.

See the [ODBC File Data Source documentation](#) for more details.

3.3.7 DSN-less Connections

If you don't want to bother setting up a data source in the ODBC manager, you can also use a DSN-less connection setup.

Pros and Cons of using DSN-less Connections

These setups include all required driver and connection information in the connection string itself. All connection information is thus under the control of the application, without any system ODBC manager being aware of the connection setup.

This has both up- and downsides. The most important downside is that changes to the server system can no longer be administered through the ODBC manager, but instead have to be repeated in each application using a DSN-less setup. Even

3. Access Databases using mxODBC

you upgrade an ODBC driver to a newer version, you may have to change all DSN-less connection setups due to changes in the ODBC driver name.

We recommend to only use DSN-less setups if absolutely necessary or in cases where access to the ODBC configuration files is otherwise not possible.

DSN-less Connection String

A DSN-less connection provides all configuration information you'd normally place into the `~/.odbc.ini` file, including a textual representation of the driver location (based on the name used in `~/.odbcinst.ini`), e.g.

```
"Driver={MySQL ODBC 3.51 Driver}; Server=mysql.example.net;  
Database=mydb"
```

Note the curly brackets around the driver name. The name given here must match the one used in the `~/.odbcinst.ini` or `/etc/odbcinst.ini` file. The ODBC manager will then map the name to the registered driver file location.

A `"DSN=mydsn"` entry in the connection string is no longer needed.

For a list of common DSN-less connection strings, have a look at the ConnectionStrings.com website.

In order to connect to a database using a DSN-less connection string, you simply pass the string to the `mx.ODBC.Manager.DriverConnect()` API.

4. Accessing Popular Databases

This section provides information on available ODBC drivers for various popular database as well as notes regarding setup, functionality or available workarounds for compatibility problems eGenix.com found with the drivers.

We have also included the resp. version information of the drivers we have tested successfully with mxODBC.

4.1 MS SQL Server

4.1.1 Available ODBC Drivers

MS SQL Server Native Client for SQL Server 2005, 2008 and later

Homepage: <http://msdn.microsoft.com/en-us/sqlserver/connectivity.aspx>

Tested with MS SQL Server Native Client for 2005, 2008, 2008R2 and 2012

SQL Server Native Client is the new native client and ODBC driver for SQL Server 2005, 2008 and later on Windows. Versions for 32-bit and 64-bit Windows are available.

Finding the latest version of the SQL Server Native Client

Microsoft always ships the SQL Server Native Client ODBC driver together with the SQL Server database packages, but also makes it available as separate download in the feature packs for each new SQL Server version.

Since the client can typically also be used with older SQL Server installations, it's worth trying the latest available version in case of problems or to benefit from new features. As of this writing, the latest version is SQL Server Native Client 11.

Here's a list of feature packs that include the SQL Server Native Client. You have to look for an installation file called [sqlncli.msi](#) on the pages:

- [Microsoft SQL Server 2012 Feature Pack](#)

Supports SQL Server 2005, 2008, 2008R2, 2012. This version no longer supports SQL Server 2000.

- [Microsoft SQL Server 2008 R2 SP1 Feature Pack](#)

4. Accessing Popular Databases

Supports SQL Server 2000, 2005, 2008, 2008R2.

- [Microsoft SQL Server 2008 Service Pack 2 Feature Pack](#)

Supports SQL Server 2000, 2005, 2008.

- [Microsoft SQL Server 2005 Feature Pack Downloads](#)

Supports SQL Server 2000 and 2005.

Optimizing SQL Server Native Client Performance

When installing the SQL Server Native Client, please make sure that you choose the most efficient database access method. If the ODBC driver resides on the same server as the database, shared memory is the most efficient protocol available. For most other purposes, TCP/IP is the best option. See <http://msdn.microsoft.com/en-us/library/ms187892.aspx> for details.

Configuring the SQL Server Native Client Network Protocol

When configuring an ODBC data source using the SQL Server Native Client you can choose the protocol by providing a server address with protocol prefix:

`tcp:db.example.com,1434` - connect to the server db.example.com using TCP/IP over port 1434 (the default SQL Server port is 1433)

`lpc:LOCALHOST\SQLEXPRESS` - connect to the instance SQLEXPRESS running on the local host via shared memory

`np:\\EXAMPLE\pipe\MSSQL$SQLEXPRESS\sql\query` - connect to the instance SQLEXPRESS running on the computer EXAMPLE via named pipe

See <http://msdn.microsoft.com/en-us/library/ms188635.aspx> for details on the various formats and how to configure them.

Multiple active result sets (MARS) on a single connection

The SQL Server Native Client per default does not support having more than one active result set per connection. This means that you cannot have two cursors on the same connection, which both have active result sets.

Starting with SQL Server 2005, there is a connection option which can be used to enable the [MARS feature of SQL Server Native Client](#), which enables working with multiple active result sets on the same connection:

```
from mx.ODBC.Manager import DriverConnect, SQL
options = [(SQL.COPT_SS_MARS_ENABLED, SQL.MARS_ENABLED_YES)]
db = DriverConnect('DSN=mssql_server2008;UID=sa;PWD=dbs0R-X9.rxD',
                  connection_options=options)
```

This option is available on SQL Server Native Client for Windows and Linux. The FreeTDS ODBC driver 0.91 does not support this option.

MS SQL Server ODBC Driver for SQL Server 2000

Tested with MS SQL Server ODBC driver from MDAC 2.8 SP1.

If you still use SQL Server 2000, please get the latest ODBC driver for SQL Server from the Microsoft MDAC package. MDAC 2.8 SP1 can be downloaded from this page:

<http://www.microsoft.com/downloads/details.aspx?familyid=78CAC895-EFC2-4F8E-A9E0-3A1AFBD5922E&displaylang=en>

Configuring the SQL Server ODBC Driver Client Network Protocol

When configuring an ODBC data source using the MDAC SQL Server ODBC Driver you can choose the protocol by clicking on the Client Configuration button on the second wizard page.

Note that the MDAC ODBC drivers do not support shared memory access. Use named pipes as best connectivity option when connecting to a database server running on the same machine.

MS SQL Server Native Client for Linux

Homepage:

<http://msdn.microsoft.com/en-us/library/hh477150%28v=sql.10%29.aspx>

Tested with MS SQL Server Native Client for Linux 1.0

The new Microsoft SQL Server Native Client for Linux is a port of the SQL Server Native Client for Windows to Linux. It provides an ODBC driver for SQL Server 2008 R2 and 2012 on Linux, but also works with SQL Server 2005 and 2008. At the moment, only a 64-bit version is available and then only for RedHat RHEL 5 and 6 systems.

This driver also support the MARS feature. See Multiple active result sets (MARS) on a single connection.

Driver Limitations

- Version 1.0 still has some issues and can produce segfaults, but it's already good enough for testing and simple setups.
- Version 1.0 only works on 64-bit Linux distributions and requires the unixODBC 2.3.1 ODBC manager (2.2 won't work due to ABI differences).
- The mxODBC `DriverConnect()` API cannot be used with Unicode connection strings when using this driver: the SQL Server Native Driver causes a segfaults when trying to connect using a Unicode connection string (which triggers the use of Unicode ODBC APIs).

4. Accessing Popular Databases

Example Configuration for Unix

Here is a sample setup for the SQL Server Native Client for Linux:

- Install the driver following the [instructions given by Microsoft](#). Here's quick version:

```
tar xvfz sqlncli-11.0.1790.0.tar.gz
cd sqlncli-11.0.1790.0/
mkdir -p /opt/microsoft/sqlncli/bin
mkdir -p /opt/microsoft/sqlncli/lib
./install.sh install --force --accept-license --bin-
dir=/opt/microsoft/sqlncli/bin --lib-
dir=/opt/microsoft/sqlncli/lib
```

You can ignore any warnings. Note that using the driver directly from the untarred archive is not possible, since the installation location appears to be hardwired in the driver.

- Depending on your Linux distribution, you may have to add symlinks to your OpenSSL libraries to match the ones used on RedHat:

```
cd /lib64
ln -sf libssl.so.1.0.0 libssl.so.10
ln -sf libcrypto.so.1.0.0 libcrypto.so.10
ldconfig
```

- Add the driver to the /etc/odbcinst.ini (or ~/.odbcinst.ini):

```
[ODBC Drivers]
MSNativeClient = Installed

[MSNativeClient]
Driver = /opt/microsoft/sqlncli/lib64/libsqlncli-11.0.so.1790.0
Description = MS SQL Server Native Client 11
Threading = 1
```

- Add a data source to the /etc/odbc.ini (or ~/.odbc.ini):

```
[mssqlserver2008]
Driver = /opt/microsoft/sqlncli/lib64/libsqlncli-11.0.so.1790.0
Description = MS SQL Server 2008 running on Picasso (MS Native
Client)
Server = tcp:picasso\SQLSERVER2008,1436
Database = testdb
```

The syntax for the Server entry is described in the MSDN article [SQL Server Native Client ODBC Connection String Format](#).

EasySoft ODBC Driver for SQL Server

Homepage: <http://www.easysoft.com/>

OpenLink ODBC Driver for SQL Server

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for SQL Server

Homepage: <http://www.datadirect.com/>

Actual Technologies Mac OS X ODBC Driver for SQL Server

Homepage: <http://www.actualtech.com/>

When using the driver on Mac OS X 10.6 (Snow Leopard), be sure to use version 3.0.9 or higher, since earlier versions had a problem with fetching data.

FreeTDS Unix ODBC Driver for SQL Server

Homepage: <http://www.freetds.org/>

Tested with FreeTDS 0.91 ODBC driver compiled against unixODBC 2.3.1.

The FreeTDS ODBC driver implements the client side of the TDS wire protocol used by Sybase ASA and Microsoft SQL Server installations. It allows you to directly connect to a SQL Server database from a Unix machine.

Driver Limitations

- The FreeTDS ODBC driver version 0.91 introduces Unicode support for the first time in its version history. The previous stable version 0.82 did not have Unicode support. We've had most success using the `NATIVE_UNICODE_STRINGFORMAT` mode.
- Most other operations work as expected, but please note that the driver is still under heavy development in some areas. You should test it thoroughly before using it on a production system.
- The FreeTDS website mentions that the driver has some restrictions. Please see the [FreeTDS user guide](#) for details.
- Be sure to use the same ODBC manager with FreeTDS as the one you have compiled it with. If you mix e.g. unixODBC and iODBC, you can easily run into **Unicode data corruption issues**. The two ODBC managers use different default data types for Unicode data, so a FreeTDS ODBC driver compiled against unixODBC (2-bytes Unicode data type) will not return correct Unicode data when used with the iODBC ODBC manager (4-bytes Unicode data type).
- There are other ODBC drivers available from commercial vendors which implement the full ODBC3 API, including a free one from Microsoft for Linux. Alternatively, you can use our [mxODBC Connect](#) product to use the SQL Server Native Client on Windows from all supported Python platforms and without the need for a client-side ODBC driver.
- The FreeTDS driver does not support the MARS feature. Only one active result set is allowed per connection. This driver also support the MARS feature. See Multiple active result sets (MARS) on a single connection for details.

4. Accessing Popular Databases

Example Configuration for Unix

Here is a sample setup for FreeTDS on Linux talking to MS SQL Server 2008 on Windows:

- Add this section to `/usr/local/freetds/etc/freetds.conf` (the `freetds.conf` configuration file may be in a different location on your machine):

```
# MS SQL Server 2000 running on server MONET
[MONET]
host = monet.example.net
port = 1433
tds version = 8.0
```

- Add this section to `/etc/odbc.ini` (the `odbc.ini` configuration file may be in a different location on your machine). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[mssql]
Driver = /usr/local/freetds/lib/libtdsodbc.so
Description = MS SQL Server 2008 running on Monet
Trace = 0
Servername = MONET
Database = tempdb
```

Note that the `libtdsodbc.so` file may be located in a different directory on your machine.

- Using these settings, you can then connect to SQL Server using a simple connection string such as:

```
"DSN=mssql;UID=username;PWD=password"
```

4.1.2 General Notes

ODBC API Extensions and the SQL Server Native Client

The ODBC API is the native MS SQL Server call level interface and provides the best performance when interfacing to SQL Server.

Microsoft has also extended ODBC with various custom extensions they make available in their SQL Server Native Client API. If you need support for those extensions, please contact support@egenix.com.

Static vs. forward-only Cursors

MS SQL Server supports static ODBC cursors and this results in mxODBC 3.2 to default to using static cursors on all connections.²

While static cursors allow scrolling through the result set and also provides ways of accessing the correct `.rowcount` value, it does come with a significant performance penalty. We have seen **slow-downs in fetching rows of 2-3x times** for average queries, **up to 300x** for simple ones, so we recommend configuring

² Please note that in mxODBC 3.3, this will always be the default value.

connections that do not need scroll support to use forward-only cursors per default:

```
connection = mx.ODBC.Windows.DriverConnect(...)
connection.cursortype = mx.ODBC.Windows.SQL.CURSOR_FORWARD_ONLY
# All cursors created on connection will then default to forward
# only cursor type.
```

Please refer to section 5.7 ODBC Cursor Types for more details on cursor types.

Multiple Cursors on Connections

If you have troubles with multiple cursors on connections to MS SQL Server the MS Knowledge Base Article 140896 [INF: Multiple Active Microsoft SQL Server Statements](#) has some valuable information for you.

It seems that you'll have to force the usage of server side cursors to be able to execute multiple statements on a single connection to MS SQL Server. According to the article this is done by setting the connection option SQL.CURSOR_TYPE to e.g. SQL.CURSOR_DYNAMIC:

```
dbc.setconnectoption(SQL.CURSOR_TYPE, SQL.CURSOR_DYNAMIC)
```

(thanks to Damien Morton for tracking this down and digging up the MS KB article).

International Character Data

If you are experiencing problems with MS SQL Server not storing or fetching international character data (Unicode, Asian encodings, etc.) correctly, please have a look at the following MS Knowledge Base Articles:

- [232580 - INF: Storing UTF-8 Data in SQL Server](#)
- [257668 - FIX: SQL Server ODBC Driver May Cause Incorrect Code Conversion of Some Characters](#)
- [234748 - PRB: SQL Server ODBC Driver Converts Language Events to Unicode](#)

More information about the MS SQL Server ODBC Driver and the various connection parameters and options are available on the MSDN Library site: [MS SQL Server ODBC Driver Programmer's Guide](#).

Access Violations

If you are experiencing problems related to access violations, like e.g.

```
ProgrammingError: ('37000', 0, '[Microsoft][ODBC SQL Server Driver]Syntax error or access violation', 4498)
```

a possible reason could be that you are using a function or stored procedure which is generating output using PRINT or that it uses RAISEERROR to report an error with the parameters or values.

4. Accessing Popular Databases

Another possible reason is that the ODBC driver for SQL Server does not support the syntax you are using or that bound parameters are not allowed at that location in the SQL statement. As work-around you can use Python string formatting to insert the data verbatim directly into the SQL statement.

Distributed Transaction Managers

If you are using a transaction manager (e.g. MS DTC), you can sometimes get warnings like the following:

```
mxODBC.Warning: ('01000', 7312, [Microsoft][ODBC SQL Server Driver][SQL Server][OLE/DB provider returned message: New transaction cannot enlist in the specified transaction coordinator.], 4606)
```

This is a problem related to the used transaction manager rather than mxODBC or the database. Please consult your DBA for help.

Note that even though the above exception is raised by the `cursor.execute()` method, the fact that it is a warning suggests that the executed operation was indeed executed on the cursor.

Other Common Problems and Solutions

A **general description of the problems** you might experience when accessing the MS SQL Server using ODBC is described in the article [Using ODBC with Microsoft SQL Server](#). Even though it's dated September 1997 it provides some insights into the design and workings of the MS SQL ODBC driver.

4.2 MS Access Database

4.2.1 Available ODBC Drivers

MS Access ODBC Driver

Tested with MDAC 2.8 SP1 Access ODBC driver.

MS Access ships with an ODBC driver for the database which is then installed on the same machine as MS Access (or Office). The drivers are also available separately as part of the MDAC package.

MDAC 2.8 SP1 can be downloaded from this page:

<http://www.microsoft.com/downloads/details.aspx?familyid=78CAC895-EFC2-4F8E-A9E0-3A1AFBD5922E&displaylang=en>

MDBTools ODBC Driver

Homepage: <http://mdbtools.sourceforge.net/>

This package provides a very limited ODBC driver which allows accessing Access database files directly without having to install or run MS Access. It is mostly used on Unix platforms to extract data from existing MS Access database files.

4.3 Oracle

4.3.1 Available ODBC Drivers

Oracle Instant Client ODBC driver

Homepage: <http://www.oracle.com/technology/tech/oci/instantclient/index.html>

Tested with Oracle Instant Client ODBC driver 11.2.

The Oracle Instant Client ships with an ODBC driver (part of the *ODBC Supplement*) for most supported platforms.

mxODBC works well when using the Oracle Instant Client 11.2 with the unixODBC ODBC manager package `mx.ODBC.unixODBC` on Unix or the `mx.ODBC.Windows` package on Windows.

Driver Notes

- eGenix.com has had reports about memory leaks occurring with the Oracle driver when used in long running applications. mxODBC itself does not have any known memory leaks and there are no problems with other available drivers for Oracle.
- Oracle regards empty strings as NULL values as a result inserting an empty string into a VARCHAR column can result in the Oracle driver returning NULL for that column when fetching data.
- The Oracle driver returns numeric values as floats, even integers, so unless you use a converter function, you will get floats when querying integer columns.
- The automatic reuse of prepared SQL commands does not work with the Oracle driver, so the optimization for the `cursor.execute()` method does not work with the Oracle driver.

4. Accessing Popular Databases

- `cursor.executedirect()` as well as the other execute methods used with the `direct=1` option don't work when used with parameters. It results in function sequence errors. This is likely a bug in the Oracle driver we have tested, so may work in later versions.
- The Oracle driver does not support scrollable cursors, meaning that `cursor.scroll()` will only work using the built-in mxODBC emulation for forward scrolling.

Example Configuration for Unix

- To be able to use the Oracle Instant Client, you have to create a `~/tnsnames.ora` file providing the network configuration details of the target database:

```
ORACLE11GR2 =
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCP)
      (HOST = oracle11gr2.example.net)
      (PORT = 1521))
    (CONNECT_DATA =
      (SERVER = DEDICATED)
      (SERVICE_NAME = oracle11gr2.example.net)
    )
  )
```

- Add an Oracle driver section to the `~/odbcinst.ini` file (the location of the driver file may be different on your system):

```
[ODBC Drivers]
OracleInstantClient = Installed

[OracleInstantClient]
Description = Oracle 11g ODBC Driver
Driver = /opt/oracle/instantclient_11_2/libsqora.so.11.1
Setup =
FileUsage =
CPOutput =
CPReuse =
```

- Edit the `~/odbc.ini` file based on the above `~/tnsnames.ora` settings. Note that the location of the driver file depends on your installation. It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[oracle11gr2]
Driver = /opt/oracle/instantclient_11_2/libsqora.so.11.1
ServerName = oracle11gr2
# DSN driver options
Application Attributes = T
Attributes = W
BatchAutocommitMode = IfAllSuccessful
BindAsFLOAT = F
CloseCursor = F
DisableDPM = F
DisableMTS = T
EXECSchemaOpt =
EXECSyntax = T
Failover = T
FailoverDelay = 10
FailoverRetryCount = 10
FetchBufferSize = 64000
ForceWCHAR = F
Lobs = T
Longs = T
```

```
MaxLargeData = 0
MetadataIdDefault = F
QueryTimeout = T
ResultSets = T
#SQLGetData extensions = F
SQLGetData extensions = T
Translation DLL =
Translation Option = 0
DisableRULEHint = T
#UserID =
StatementCache=F
CacheBufferSize=20
UseOCIDescribeAny=F
```

- Using these settings, you can then connect to Oracle using a simple connection string such as:

```
"DSN=oracle11gr2;UID=username;PWD=password"
```

EasySoft ODBC Driver for Oracle

Homepage: <http://www.easysoft.com/>

OpenLink ODBC Driver for Oracle

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for Oracle

Homepage: <http://www.datadirect.com/>

Actual Technologies Mac OS X ODBC Driver for Oracle

Homepage: <http://www.actualtech.com/>

When using the driver on Mac OS X 10.6 (Snow Leopard), be sure to use version 3.0.9 or higher, since earlier versions had a problem with fetching data.

4.3.2 General Notes

Oracle tnsnames.ora file

When connecting to Oracle database you typically have to provide a [~/tnsnames.ora](#) file which has the network connection information of your Oracle database servers.

If you want to use a different file location, be sure to set the environment variable `TNS_ADMIN` to the path of the [tnsnames.ora](#) file.

4.4 IBM DB2

4.4.1 Available ODBC Drivers

IBM ODBC Driver for Unix/Windows DB2 servers

Tested with IBM DB2 9.7 ODBC driver.

IBM DB2 ships with ODBC drivers for DB2 on Windows, Linux and other Unix systems. These can also be used to connect to DB2 database over a network.

Please see [this page](#) for more information:

<http://publib.boulder.ibm.com/infocenter/db2luw/v9/index.jsp?topic=/com.ibm.db2.udb.apdv.cli.doc/doc/c0023378.htm>

Example Configuration for Unix

- Setup the network details of your DB2 database in the `~/.db2cli.ini` file:

```
[ibmdb2]
DBAlias=SAMPLE
Hostname=db2.example.net
```

- Using the same section name, add a new section to your `~/.odbc.ini` file.

```
[ibmdb2]
Driver = /usr/local/odbc-drivers/db2/clidriver/lib/libdb2.so
```

You will have to change the driver entry to the location where you copied the ODBC driver and add the `lib/` directory of the driver to your `LD_LIBRARY_PATH`.

- You can then connect to your database via the connection string `"DSN=ibmdb2;UID=username;PWD=password"`.

IBM ODBC Driver for iSeries / AS/400 DB2 servers

IBM has a Linux ODBC driver which makes this setup possible. See their webpage on the "iSeries ODBC driver for Linux" for details:

<http://www-03.ibm.com/systems/i/software/access/linux/guide/index.html>

OpenLink ODBC Driver for DB2

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for DB2

Homepage: <http://www.datadirect.com/>

4.4.2 General Notes

ODBC API Extensions and the IBM CLI

The ODBC API is the native IBM DB2 call level interface and provides the best performance when interfacing to DB2.

IBM has also extended ODBC with various custom extensions they make available as CLI interface. If you need support for those extensions, please contact support@egenix.com.

Configuring Database Access

If you want to use the `DriverConnect()` API with IBM DB2, you'll have to configure the IBM ODBC driver's data source INI file which is named `~/db2cli.ini` and usually found in the same directory as the above script files. The file is needed in addition to the `~/odbc.ini` file and the entries must match.

If you place the `db2cli.ini` file into a different directory, make sure that you setup the environment variable `DB2CLIINIPATH` to point to the full path of the file.

Environment Variables on Unix

If you don't use a `db2cli.ini` file, you can configure the access details using environment variables:

In order to connect to the IBM DB2 database the `DB2INSTANCE` environment variable must be set to the name of the DB2 instance you would like to connect to.

There may be more environment variables needed, please check the scripts that come with DB2 called `db2profile` (for bash) or `db2cshrc` (for C shell) which set the environment variables. Without having these set, mxODBC will fail to load and give you a traceback:

```
Traceback (most recent call last):
...
  from mxODBC import *
ImportError: initialization of module mxODBC failed
(mxODBC.InterfaceError:failed to retrieve error information (line 6778,
rc=-1))
```

Linker Paths

Unfortunately, the provided `db2profile` / `db2cshrc` shell scripts are buggy in some versions of DB2, so simply sourcing them won't necessarily work.

You will have to carefully create your own to work around these issues.

A typical problem is that the scripts set `LIBPATH` or `LD_LIBRARY_PATH` (without paying attention to possibly existing settings) which then causes the following linker-related traceback when trying to load mxODBC:

4. Accessing Popular Databases

```
Traceback (most recent call last):  
...  
ImportError: from module mxODBC.so No such file or directory
```

Database Setup for ODBC Access

Unlike many other databases, DB2 needs to be explicitly told that you want to connect to the database using ODBC.

This is done by binding the IBM CLI driver against the database in order to setup ODBC related views and stored procedures. Please consult the IBM DB2 documentation for details on how this is done.

Static vs. forward-only Cursors

DB2 supports static ODBC cursors and this results in mxODBC 3.2 to default to using static cursors on all connections.³

While static cursors allow scrolling through the result set and also provides ways of accessing the correct .rowcount value, it does come with a significant performance penalty. We have seen **slow-downs in fetching rows of around 2x times** for average queries, so we recommend configuring connections that do not need scroll support to use forward-only cursors per default:

```
connection = mx.ODBC.Windows.DriverConnect(...)  
connection.cursortype = mx.ODBC.Windows.SQL.CURSOR_FORWARD_ONLY  
# All cursors created on connection will then default to forward  
# only cursor type.
```

Please refer to section 5.7 ODBC Cursor Types for more details on cursor types.

4.5 Sybase ASE

4.5.1 Available ODBC Drivers

Sybase ASE ODBC driver

Homepage: <http://www.sybase.com/>

Tested with Sybase ASE 15.5 ODBC driver

Sybase ASE 15.5 ships with ODBC drivers for both 32-bit and 64-bit platforms. The drivers are part of the ASE server packages.

³ Please note that in mxODBC 3.3, this will always be the default value.

The ASE 15.5 ODBC driver can also be used to connect to a Sybase ASE 12.x server database. In fact, this setup is recommended, since the 15.5 version of the driver fixes a couple of issues that are present in the 12.x ODBC driver.

NULL issues with Sybase ODBC driver

We have had reports of the Sybase ODBC driver producing errors when trying to set a character column to NULL (by passing None to mxODBC for that column). The problem appears to have been fixed in the Sybase ODBC driver versions of Sybase ASE 15.5 ESD 3 for the Windows and Linux 32-bit versions.

The **64-bit versions** still have this issue, even with ESD 3: instead of inserting NULLs, random data is put into the database.

A user reported that in some Sybase configurations (notably when using a statement cache in the server), the problem also occurs with the 32-bit versions of the driver. According to Sybase, a work-around is to turn on trace flag numbers 8021 and 7741 in the server.

BIGINT columns can cause data corruption

Even though Sybase ASE 15 does support a BIGINT column type, the Sybase ESD 3 ODBC driver has problems interfacing to it and data is corrupted. As example, inserting a -2 to a BIGINT columns results in 1 being read back; inserting -2147483648 results in 47493012874424 read from the column.

Since this is a bug in the ODBC driver, future ESDs may fix the issue. In any case, please carefully check for this problem before using BIGINT columns with the driver.

Driver Notes

- The Sybase ASE driver only supports forward scrolling, so `cursor.scroll()` will just work with relative and positive increments.
- There is no support for `cursor.rownumber` in the driver.

Example Configuration for Unix

- Add a Sybase driver section to the `~/.odbcinst.ini` file (the location of the driver file may be different on your system):

```
[ODBC Drivers]
SybaseASE = Installed

[SybaseASE]
Description = SybaseASE ODBC Driver
Driver = /opt/sybase/DataAccess/ODBC/lib/libsybdrvodb.so
Setup =
```

- Edit the `~/.odbc.ini` file based and add a `sybasease` section(the location of the driver file may be different on your system). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

4. Accessing Popular Databases

```
[sybasease]
Driver = /opt/sybase/DataAccess/ODBC/lib/libsybdrvodbc.so
Description = Adaptive Server Enterprise
Server = sybasease.example.net
Port = 5000
Database = mydb
TextSize = 10000000
#UseCursor = 1
FileUsage = -1
Trace = Off
TraceFile = /tmp/sybase.log
```

- Using these settings, you can then connect to Sybase ASE using a simple connection string such as:

```
"DSN=sybasease;UID=username;PWD=password"
```

EasySoft ODBC Driver for Sybase

Homepage: <http://www.easysoft.com/>

OpenLink ODBC Driver for Sybase

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for Sybase

Homepage: <http://www.datadirect.com/>

Actual Technologies Mac OS X ODBC Driver for Sybase

Homepage: <http://www.actualtech.com/>

When using the driver on Mac OS X 10.6 (Snow Leopard), be sure to use version 3.0.9 or higher, since earlier versions had a problem with fetching data.

4.6 PostgreSQL

4.6.1 Available ODBC Drivers

PostgreSQL ODBC Driver

Homepage: <http://psqlodbc.projects.postgresql.org/>

Tested with psqlodbc 08.02.0200.

The PostgreSQL driver is usually compiled against unixODBC on Unix platforms. Please use the `mx.ODBC.unixODBC` subpackage to connect to PostgreSQL with it.

On Mac OS X, you may need to use the `mx.ODBC.iODBC` subpackage instead, since the Mac OS X ODBC manager is derived from the iODBC manager.

Driver Notes

- Because of deficiencies in the PostgreSQL ODBC drivers, mxODBC operates in Python type binding mode.
- The ODBC driver still has problems with a few important data conversion, e.g. it doesn't properly quote binary data which makes it difficult to send/receive binary data..
- Native Unicode data is not supported by the driver. You can use the auto-transcoding feature of mxODBC with UTF-8 as encoding to work around this.
- The driver only supports forward scrolling with relative increments of +1. Other values result in a driver error. As a result, only `cursor.scroll(+1)` can be used.

Example Configuration for Unix

- Add a PostgreSQL driver section to the `~/.odbcinst.ini` file (the location of the driver file may be different on your system):

```
[ODBC Drivers]
PostgreSQL = Installed

[PostgreSQL]
Description = PostgreSQL ODBC Driver
Driver = /usr/local/postgresql/lib/psqlodbcw.so
Setup =
```

- Edit the `~/.odbc.ini` file based and add a postgresql section(the location of the driver file may be different on your system; be sure to use the Unicode variant which ends with `'...w.so'`). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[postgresql]
Driver = /usr/local/postgresql/lib/psqlodbcw.so
Database = mydb
ServerName = postgresql.example.net
Port = 5432
#Debug = 0
#Optimizer = 0
#CommLog = 0
#ReadOnly = 0
#SSLmode = require
ByteaAsLongVarBinary = 1
TextAsLongVarchar = 1
# This currently doesn't appear to work:
#UseServerSidePrepare = 1
```

- Using these settings, you can then connect to PostgreSQL using a simple connection string such as:

```
"DSN=postgresql;UID=username;PWD=password"
```

4. Accessing Popular Databases

EasySoft ODBC Driver for PostgreSQL

Homepage: <http://www.easysoft.com/>

OpenLink ODBC Driver for PostgreSQL

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for PostgreSQL

Homepage: <http://www.datadirect.com/>

Actual Technologies Mac OS X ODBC Driver for PostgreSQL

Homepage: <http://www.actualtech.com/>

When using the driver on Mac OS X 10.6 (Snow Leopard), be sure to use version 3.0.9 or higher, since earlier versions had a problem with fetching data.

4.7 MySQL

4.7.1 Available ODBC Drivers

MySQL ODBC Driver

Homepage: <http://dev.mysql.com/downloads/connector/odbc/>

Be sure to use the mxODBC ODBC manager subpackage against which the MySQL driver was compiled. This will usually be `mx.ODBC.unixODBC` or `mx.ODBC.iODBC`.

The MySQL ODBC driver documentation recommends using unixODBC with the driver, i.e. the `mx.ODBC.unixODBC` subpackage.

Note that the MySQL 5.1 ODBC driver can also connect to a MySQL 5.0 database server. It is usually best to use the latest available version, even if your database servers hasn't been upgraded yet.

Driver Notes

- There is one particularity with the ODBC driver for MySQL: all input parameters are being processed as strings -- even integers and floats. The ODBC driver implements the necessary conversions. mxODBC uses the

Python Type binding method to bind the input parameters; see the [Python Type Input Binding](#) section 8.4 for more details.

- Native Unicode is not supported by the MySQL ODBC driver. You can use the auto-transcoding feature of mxODBC to work-around this by setting the ODBC driver database character set to 'utf8' and the connection encoding to 'utf-8' on the mxODBC client side.
- Using a MySQL5 Windows ODBC driver character setting of 'utf-8' (with hyphen) can cause the driver to segfaults, so care must be taken, using the right spelling for the character set setting.
- The MySQL ODBC driver does not always update the `.rownumber` to the correct value, especially when using `.scroll()`.
- When using the ODBC driver RPMs available from www.mysql.com, please be sure to also have the MySQL shared libs RPM and the MySQL development RPM installed.
- Some older MySQL + ODBC driver setups eGenix.com has tested showed some serious memory leaks on Linux machines. Please check your setup for such leaks before going into production. There are no known leaks in mxODBC itself.

Example Configuration for Unix

- Add a MySQL driver section to the `~/.odbcinst.ini` file (the location of the driver file may be different on your system):

```
[ODBC Drivers]
MySQL = Installed

[MySQL]
Description = MySQL ODBC Driver
Driver = /usr/local/lib/libmyodbc5.so
Setup =
```

- Edit the `~/.odbc.ini` file based and add a `mysql` section(the location of the driver file may be different on your system). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[myodbc]
Driver = /usr/local/lib/libmyodbc5.so
Description = MySQL 5 Server
Server = mysql.example.net
Port =
# Specifying a database is necessary for MySQL, since you'll
# otherwise won't be able to connect
Database = mydb
# Allow big packets for BLOBs, etc.
option = 8
#Socket =
```

- Using these settings, you can then connect to MySQL using a simple connection string such as:

```
"DSN=mysql;UID=username;PWD=password"
```

4. Accessing Popular Databases

OpenLink ODBC Driver for MySQL

Homepage: <http://www.openlinksw.com/>

DataDirect ODBC Driver for MySQL

Homepage: <http://www.datadirect.com/>

Actual Technologies Mac OS X ODBC Driver for MySQL

Homepage: <http://www.actualtech.com/>

When using the driver on Mac OS X 10.6 (Snow Leopard), be sure to use version 3.0.9 or higher, since earlier versions had a problem with fetching data.

4.7.2 General Notes

Depending on whether you use a transactional MySQL storage backend or not, clearing the auto-commit flag at connection time, which is normally done per default by the connection constructors, will not work.

Be sure to set `clear_auto_commit=0` if you know that the storage backend cannot handle transactions. mxODBC will then default to auto-commit mode. Rollback will not work in that mode.

4.8 SAP MaxDB / SAPDB

4.8.1 Available ODBC Drivers

MaxDB ODBC driver

Homepage: <http://www.sdn.sap.com/irj/sdn/maxdb>

Tested with MaxDB 7.7 ODBC driver

MaxDB ships with ODBC drivers for all supported platforms. The ODBC driver is included in the distribution tar archive of the database as [SDBODBC.TGZ](#).

You can use the drivers with both unixODBC and iODBC.

Note that the MaxDB 7.7 ODBC driver can also connect to a MaxDB 7.6 database server. It is usually best to use the latest available version, even if your database servers hasn't been upgraded yet.

Example Configuration for Unix

- Edit your `~/odbcinst.ini` file and add the MaxDB driver (the location of the driver and setup file may be different on your system):

```
[ODBC Drivers]
MaxDB = Installed

[MaxDB]
Driver = /usr/local/maxdb/lib/libsd bodbcw.so
Description = MaxDB ODBC Driver
```

- Edit your `~/odbc.ini` file and add a MaxDB section (the location of the driver may be different on your system; be sure to use the Unicode variant which ends with `'...w.so'`). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[maxdb]
DRIVER = /usr/local/maxdb/lib/libsd bodbcw.so
ServerDB = MYDB
ServerNode = maxdb.example.net
SQLMode =
IsolationLevel =
Trace = 0
TraceFileName=/tmp/maxdb.log
```

- Using these settings, you can then connect to MaxDB using a simple connection string such as:

```
"DSN=maxdb;UID=username;PWD=password"
```

4.8.2 General Database Notes

Warnings when deleting/update more than one row at a time

MaxDB issues a `mx.ODBC.Error.Warning: ('01001', 0, '[SAP AG][LIBSDBOD SO] Cursor operation conflict', 8416)` warning whenever you try to delete or update more than one row with a single database statement.

You can easily work around this by setting the `cursor.warningformat` to `IGNORE_WARNINGFORMAT`, restoring it afterwards to the default `ERROR_WARNINGFORMAT`, if you just want to ignore this particular warning case.

4.9 Teradata

4.9.1 Available ODBC Drivers

Teradata ODBC Driver

Homepage: <http://www.teradata.com/downloadcenter/>

Tested with Teradata 13.1 ODBC driver and DataDirect 6.0 ODBC manager.

The Teradata ODBC driver was developed by DataDirect and requires the DataDirect ODBC manager, so you will need to use the `mx.ODBC.DataDirect` package on Unix to work with the driver.

Driver Notes

- The `mx.ODBC.DataDirect` package is currently only available for Linux 32-bit and 64-bit systems. If you need the package on other platforms, please write to support@egenix.com for assistance.
- The DataDirect ODBC driver manager is included in the same directory as the Teradata ODBC driver itself. If you setup `LD_LIBRARY_PATH` to the directory where the driver is located, `mxODBC` will automatically use the right DataDirect ODBC driver manager.
- Native Unicode is supported by the driver/manager combination setup with the `CharacterSet = UTF16` setting in the `~/odbc.ini` section for Teradata.
- Trying to use the Teradata ODBC driver with `unixODBC` or `iODBC` usually results in an immediate segfault.
- If you use the Teradata ODBC driver in combination with the DataDirect ODBC manager, be sure to keep the `~/odbc.ini` file short. With longer `~/odbc.ini` files, the combination will segfault.
- The Teradata driver only supports relative forward scrolling in the result set. Backwards scrolling is not supported.
- Teradata has the tendency to return non-ordered result sets in random order. This is due to the way the database works internally. If you need to rely on a reproducible result set order, please add an `ORDER BY` clause to the `SELECT` statements as necessary.

Example Configuration for Unix

- Edit your `~/odbcinst.ini` file and add the Teradata driver (the location of the driver and setup file may be different on your system):

```
[ODBC Drivers]
Teradata = Installed

[Teradata]
Driver=/opt/teradata/client/13.10/odbc_64/lib/tdata.so
APILevel=CORE
ConnectFunctions=YYY
DriverODBCVer=3.51
SQLLevel=1
```

- Edit your `~/odbc.ini` file and add a Teradata section (the location of the driver may be different on your system). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[teradata]
Driver = /opt/teradata/client/13.10/odbc_64/lib/tdata.so
Description = Teradata ODBC
DBCName = 192.168.0.250
DefaultDatabase = mydb
RunInQuietMode = Yes
DSNTraceEnable = No
DSNTraceFilePath = /tmp/teradata.txt
DSNTraceOverwrite = Yes
CharacterSet = UTF16
DateTimeFormat = AAA
# Disable preparing statements
#DisablePREPARE = Yes
# Max. response packet size in bytes
MaxRespSize = 10000000
# Disable parsing of SQL statements by the driver; do not set to
Yes
# if using .callproc() in the application.
NoScan = No
# SessionMode can be Teradata or ANSI
SessionMode =
# Cursor open checks
StCheckLevel = 0
# Enable TCP_NODELAY ?
TCPNoDelay = Yes
# Port to use on the database servers
TDMSTPortNumber =
# Use BLOB and CLOB ?
UseNativeLOBSupport = Yes
```

- Using these settings, you can then connect to Netezza using a simple connection string such as:

```
"DSN=teradata;UID=username;PWD=password"
```

DataDirect ODBC Driver for Teradata

Homepage: <http://www.datadirect.com/>

4.10 Netezza

4.10.1 Available ODBC Drivers

Netezza ODBC Driver

Homepage: <http://www.netezza.com/>

Tested with Netezza 4.6.6 ODBC driver.

The Netezza ODBC driver is available to Netezza customers or partners. eGenix.com partnered up with Netezza to make sure that mxODBC performs well with Netezza's driver.

Recommended Setup

The recommended setup is to use the `mx.ODBC.unixODBC` subpackage together with a **unixODBC 2.3 or later** ODBC manager.

The Netezza driver will also work with the DataDirect ODBC manager that ships with the Netezza driver. If you use this setup, please interface to the DataDirect ODBC manager using the `mx.ODBC.DataDirect` subpackage.

Also note that when using the DataDirect ODBC Manager we have seen segfaults related to the `.odbc.ini` file being too big. You can work around this by either keeping the file short, or by setting up a separate `netezza-odbc.ini` file and pointing the driver manager to it using the `ODBCINI` environment variable.

Netezza and Unicode

Unicode data exchange doesn't work well when using the Netezza driver with the DataDirect manager.

The unixODBC manager interface does not have these issues and works fine with Unicode if the Netezza driver is configured for UTF-16 data using the `UnicodeTranslationOption = utf16` driver configuration option.

Example Configuration for Unix

- Edit your `~/odbcinst.ini` file and add the Netezza driver (the location of the driver and setup file may be different on your system):

```
[ODBC Drivers]
NetezzaSQL = Installed

[NetezzaSQL]
Driver       = /usr/local/nz/lib64/libnzodbc.so
Setup       = /usr/local/nz/lib64/libnzodbc.so
APILevel    = 1
ConnectFunctions = YYN
```

```
Description      = Netezza ODBC driver
DriverODBCVer    = 03.00
DebugLogging     = false
LogPath          = /tmp
# For unixODBC, use the following setting:
UnicodeTranslationOption = utf16
# For DataDirect, use this setting:
UnicodeTranslationOption = utf8
CharacterTranslationOption = all
PreFetch         = 256
Socket           = 8192
```

- Edit your `~/.odbc.ini` file and add a Netezza section (the location of the driver may be different on your system). It is also necessary to point `LD_LIBRARY_PATH` to the directory where the driver itself is located.

```
[netezza]
Driver           = /usr/local/nz/lib64/libnzodbc.so
Description      = NetezzaSQL ODBC
Servername       = netezza.example.net
Port             = 5480
Database         = mydb
Username         =
Password         =
ReadOnly         = false
ShowSystemTables = false
LegacySQLTables  = false
LoginTimeout     = 0
QueryTimeout     = 0
DateFormat       = 1
NumericAsChar    = false
SQLBitOneZero    = true
StripCRLF        = false
securityLevel    = preferredUnSecured
caCertFile       =

# Needed by the DataDirect ODBC manager, values:
# 1=UTF-16, 2=UTF-8
DriverUnicodeType = 1
```

- Using these settings, you can then connect to Netezza using a simple connection string such as:

```
"DSN=netezza;UID=username;PWD=password"
```

DataDirect ODBC Driver for Netezza

Homepage: <http://www.datadirect.com/>

4.11 Other Databases

If you want to run mxODBC in a Unix environment and your database doesn't provide an Unix ODBC driver, you can try the drivers sold by these ODBC driver specialists:

4. Accessing Popular Databases

4.11.1 EasySoft ODBC Driver Packages

Homepage: <http://www.easysoft.com/>

EasySoft also maintains the open source ODBC manager [unixODBC](#).

4.11.2 OpenLink

Homepage: <http://www.openlinksw.com/>

OpenLink maintains the open source ODBC manager [iODBC](#).

4.11.3 DataDirect

Homepage: <http://www.datadirect.com/>

DataDirect drivers ship their own ODBC manager. Since this ODBC manager is not compatible with unixODBC or iODBC, please use the `mx.ODBC.DataDirect` driver manager package when accessing the DataDirect drivers through the DataDirect ODBC manager.

The `mx.ODBC.DataDirect` package is currently only available for Linux 32-bit and 64-bit systems. If you need the package on other platforms, please write to support@egenix.com for assistance.

4.11.4 Other Vendors

For a fairly large list of sources for ODBC drivers have a look on the [SQLSummit list of ODBC drivers](#).

4.11.5 Alternative solution: *mxODBC Connect*

If you would like to connect to a database for which you don't have a Unix ODBC driver, you can also try our [mxODBC Connect Python Database Interface](#) which just needs an ODBC driver on the server side and provides a cross-platform networked interface to this for the client side. This makes it very easy to connect to e.g. a Windows-based database from Unix, BSD or Mac OS X.

5. mxODBC Overview

mxODBC is structured as Python package to support interfaces to many different ODBC managers and drivers. Each of these interfaces is accessible as subpackage of the `mx.ODBC` Python package, e.g. on Windows you'd normally use the `mx.ODBC.Windows` subpackage to access the Windows ODBC manager; on Unix this would typically be the `mx.ODBC.iODBC`, `mx.ODBC.unixODBC` or the `mx.ODBC.DataDirect` package depending on which of these Unix ODBC managers you have installed.

Each of these subpackages behaves as if it were a separate Python database interface, so you actually get more than just one interface with mxODBC. The advantage over other Python database interfaces is that all subpackages share the same logic and programming interfaces, so you don't have to change your application logic when moving from one subpackage to another. This enables programs to run (more or less) unchanged on Windows and Unix, for example.

As you may know, there is a standard for Python database interfaces, the Python Database API Specification or Python DB-API for short. Marc-André Lemburg, the author of the mxODBC package, is the editor of this specification, so great care is taken to make mxODBC as compatible to the DB-API as possible. Since some details cannot easily be mapped to the ODBC API, there are however a few deviations from the standard. Section 5.1 [mxODBC and the Python Database API Specification](#) explains these in more detail.

5.1 mxODBC and the Python Database API Specification

The mxODBC package tries to adhere to the [Python DB API Version 2.0](#) in most details. Many features of the old [Python DB API 1.0](#) are still supported to maintain backwards compatibility and simplify porting old Python applications to the new interface.

5.1.1 Differences

Here is a list of differences between mxODBC and the DB API 2.0 specifications:

- `cursor.description` doesn't return `display_size` and `internal_size`; both values are always `None` since this information is not always available through ODBC interfaces and the values are not commonly used in applications. If you need to access this information, you can use the

5. mxODBC Overview

`cursor.getcolattribute()` method with info ids `SQL.DESC_DISPLAY_SIZE` and `SQL.DESC_OCTET_LENGTH`.

- `cursor.callproc()` is only implemented for input parameters for reasons explained in section 5.6 [Stored Procedures](#).
- `db.setinputsizes()` and `db.setoutputsizes()` are dummy functions; this is allowed by DB API 2.0.
- The type objects / constructors (formerly found in the `dbi` module defined by DB API 1.0) are only needed if you want to write database independent code.
- The connection constructor is available under three different names: `ODBC()` (DB API 1.0), `connect()` (DB API 2.0) and `Connect()` (mxODBC specific). See the next section for details on the used parameters. mxODBC also defines a `DriverConnect()` constructor which is available for ODBC managers and some ODBC drivers. If you can, please use the `DriverConnect()` API since this provides more flexibility in configuring the connection.

mxODBC extends the DB-API specification in a number of ways. If you want to stay compatible to other Python DB-API compliant interface, you should only use those interfaces which are mentioned in the Python DB-API [specification documents](#).

5.2 mxODBC and the ODBC Specification

Since ODBC is a widely supported standard for accessing databases, it should in general be possible to use the package with any ODBC version 2.0 - 3.52 compliant ODBC database driver/manager. mxODBC prefers ODBC 3.x over 2.x in case the driver/manager supports both versions of the standard.

5.2.1 Full access to most ODBC features

The ODBC API is very rich in terms of accessing information about what is stored in the database. mxODBC makes most of these APIs available as additional connection and cursor methods and these can be put to good use for database and schema introspection.

Since many of the parameters and names of the ODBC function names were mapped directly to Python method names (by dropping the SQL prefix and converting them to lower-case), we kindly refer you to the [Microsoft ODBC Documentation](#) and your ODBC driver documentation for low-level details on the various APIs.

You also can access the MS ODBC online reference from the [Microsoft MDAC web-site](#).

Please note that not all ODBC drivers and databases support the complete set of available introspection parameters. When using them, please make sure that the databases supported by your application do implement the parameters used in your application.

5.3 Supported ODBC Versions

mxODBC can be configured to use ODBC 2.x or 3.x interfaces by setting the `ODBCVER` symbol in `mxODBC.h` to the needed value. It uses the value provided by the ODBC driver header files per default which usually is the latest ODBC standard version available.

Most ODBC drivers today support ODBC 3.x and thus mxODBC will try to use APIs from this version if available.

5.3.1 ODBC Managers

All supported ODBC managers (MS ODBC Manager, iODBC, unixODBC and DataDirect) provide the ODBC 3.x interfaces and map these to ODBC 2.x interfaces in case the driver for the database does not comply to ODBC 3.x.

However, some drivers only pretend to be ODBC 3.x compliant and raise `"Driver not capable"` exceptions when using certain ODBC 3.x APIs or features. If you run into such a situation, please contact [support](#) for help. The only way to solve this problem currently lies in adding workarounds which are specific to a database.

To find out which ODBC version is being supported by the ODBC driver, you can use `connection.getinfo(SQL.DRIVER_ODBC_VER) [1]`. This will return a string giving you the ODBC version number, e.g. `'03.51.00'`.

5.3.2 Changes between ODBC 2.x and 3.x

Please also note that there are some changes in behavior between ODBC 2.x and 3.x compatible drivers/managers which means that certain option settings differ slightly between the two versions and that special cases are treated differently for ODBC 3.x than for ODBC 2.x. See the [ODBC Documentation](#) for details.

5.4 Thread Safety & Thread Friendliness

mxODBC itself is written in a thread safe way. There are no module globals being used and thus no locking is necessary.

5.4.1 Connections and Cursors

In general when using a separate database connection for each thread, you shouldn't run into threading problems. If you do, it is more likely that the ODBC driver is not 100% thread safe and thus not 100% ODBC compatible. Note that having threads share cursors is *not* a good idea: there are many very strange transaction related problems you can then run into.

5.4.2 Unlocking the Python Global Interpreter Lock (GIL)

Many of the underlying ODBC SQL function calls are wrapped by macros unlocking the global Python interpreter lock before the call and regaining that lock directly afterwards. The most prominent of those are the connection APIs and the execute and fetch APIs.

Unlocking the interpreter lock during long SQL function calls gives your application more responsiveness. This is especially important for GUI based applications, since no other Python thread can run when the global lock is acquired by one thread.

5.4.3 Threading Support

mxODBC will only support threading if you have built Python itself with thread support enabled. Python for Windows and most recent Python versions for Unix have this enabled per default. Try: `python -c "import threading"` to find out. If you get an exception, thread support is not available.

5.5 Transaction Support

5.5.1 Auto-Commit

ODBC uses auto-commit on new connections per default. This means that all SQL statement executes will directly have an effect on the underlying database even in

those cases where you would really back out of a certain modification, e.g. due to an unexpected error in your program.

mxODBC turns off auto-commit whenever it creates a new connection, ie. it runs the connection in manual commit mode -- unless the connection constructor flag `clear_auto_commit` is set to 0 or the database does not provide transactions.

You can adjust the connection's commit mode after creating it using the `connection.autocommit` attribute. See 5.5.3 Adjusting the Connection Commit Mode for details.

5.5.2 Manual Commit

Using a connection in manual commit mode means that all your commands are grouped in transactions: only the connection will see the changes it has made to the data in the database until an explicit `connection.commit()` is issued.

The commit informs the database to write all changes done during the last transaction into the global data storage making it visible to all other users. A `connection.rollback()` on the other hand, tells the database to discard all modifications processed in the last transaction.

Transaction Start and End

New transactions are started implicitly in the following cases:

- creation of a new connection,
- on return from a `.commit()` and
- after having issued a `.rollback()`.

Unless you perform an explicit `connection.commit()` prior to deleting or closing the connection, mxODBC will try to issue an *implicit rollback* on that connection before actually closing it.

Errors are only reported in case you use the `connection.close()` method. Implicit closing of the connection through Python's garbage collection will ignore any errors occurring during rollback.

Data Sources without Transaction Support

Data sources that do not support transactions, such as flat file databases (e.g. Excel or CSV files on Windows), cause calls to `.rollback()` to fail with an `NotSupportedError`. mxODBC will *not* turn off auto-commit behavior for these sources. The setting of the connection constructor flag `clear_auto_commit` has no effect in this case.

5. mxODBC Overview

Some databases for which mxODBC provides special subpackages such as `MySQL` don't have transaction support, since the database does not provide transaction support. For these subpackages, the `.rollback()` connection method is not available at all (i.e. calling it produces an `AttributeError`) and the `clear_auto_commit` flag on connection constructors defaults to `0`.

5.5.3 Adjusting the Connection Commit Mode

You can adjust the connection's commit mode after creating it using the `connection.autocommit` attribute. Setting the attribute to `True` will cause the connection to operate in auto-commit mode again. Setting it to `False` will have the connection use manual commit. The attribute also allows querying the current commit mode in the same way.

Alternatively, you can use a `connection.setconnectoption(SQL.AUTOCOMMIT, SQL.AUTOCOMMIT_ON)` call to turn on auto commit and `connection.setconnectoption(SQL.AUTOCOMMIT, SQL.AUTOCOMMIT_OFF)` to turn it off again. Similarly, `connection.getconnectoption(SQL.AUTOCOMMIT)` will return the current option value (as tuple).

5.6 Stored Procedures

There are two ways to call a stored procedure in mxODBC, directly using the `.callproc()` cursor method or indirectly using the following standard ODBC syntax for calling stored procedures:

The ODBC syntax for calling a stored procedure is as follows:

```
{call procedure-name [(parameter)[,parameter]...]}
```

Using the above syntax, you can call stored procedures through one of the `.execute*()` calls, e.g.

```
cursor.execute("{call myprocedure(?,?)}", (1,2))
```

will call the stored procedure `myprocedure` with the input parameters `1`, `2`.

After calling `.callproc()` or `.execute*()`, you can then access output from the stored procedure as one or more result sets using the standard `.fetch*()` cursor methods. If the stored procedure has generate multiple result sets, skipping to the next result set is possible by calling the `.nextset()` cursor method.

5.6.1 Input/Output and Output Parameters

mxODBC does not support input/output or output parameters in stored procedures. The reason for this is that the interface for passing back data from the

stored procedure requires knowledge of the data types and sizes before calling the procedure which is often impossible to deduce (e.g. for string data).

Using result sets to pass back output data

Passing back such data in form of one or more result sets gives you a much better alternative which also lets you implement variable length output parameter lists and special output value conversions.

This can easily be done by adding a SELECT to the stored procedure which then returns the data as additional result set:

```
SELECT OutputParam1, OutputParam2
```

or even using multiple result sets:

```
SELECT OutputParam1; SELECT OutputParam2
```

You can then pick up the data using `cursor.nextset()` and `cursor.fetchall()`:

```
rs1 = c.fetchall()
c.nextset()
rs2 = c.fetchall()
c.nextset()
rs3 = c.fetchall()
```

Example:

```
>>> c.execute('select 1; select 2')
>>> c.fetchall()
[(1,)]
>>> c.nextset()
True
>>> c.fetchall()
[(2,)]
```

Oracle Ref Cursors make this easy

Oracle has a very nice feature to make this even easier. Instead of defining an output variable or a set of output variables, you simply define a REF CURSOR as output variable in your stored procedure.

You can then access the open cursor after calling the stored procedure by simply using the standard `.fetch*()` and `.nextset()` APIs to access the results. The key to making this work is by not passing in any variable for the output REF CURSOR when calling the stored procedure.⁴

Oracle Base has a more detailed article on this:

- [Using Ref Cursors To Return Recordsets](#)

⁴ Thanks to Etienne Desgagné for pointing out this solution.

5.6.2 SQL Output Statements in Stored Procedures

You should not use any output SQL statements such as `"PRINT"` in the stored procedures, since this will cause at least some ODBC drivers (notably the MS SQL Server one) to turn the output into an SQL error which causes the execution to fail.

On the other hand, these error messages can be useful to pass along error conditions to the Python program, since the error message string will be the output of the `"PRINT"` statement.

5.7 ODBC Cursor Types

Starting with mxODBC 3.2, mxODBC supports several different ODBC cursor types. These types define how the cursors will be used by the application and whether or not the application will see changes to the result set while fetching the result set rows.

As with other cursor settings, the ODBC cursor type default value can be defined on the mxODBC connection object and the setting is then inherited by the mxODBC cursor objects created on that connection. Subsequent changes to the cursor type on the cursor do not affect the setting on the connection.

5.7.1 Adjusting/Inspecting the ODBC Cursor Type

Both connections and cursors expose a read/write `.cursortype` attribute for this purpose. The attribute uses the ODBC defined values for the cursor types.

The following values are defined in the ODBC standard:⁵

`SQL.CURSOR_FORWARD_ONLY`

The cursor only scrolls forward. This is the default setting in case mxODBC finds that the database does not support scrollable cursors.⁶

`SQL.CURSOR_STATIC`

The result set is made static by creating a static copy of the result set after opening the cursor. As a result, any changes to the result set after opening the cursor will not be visible to the client. mxODBC uses these cursors as default for backends which support scrollable cursors.⁷

⁵ The `SQL` global refers to the mxODBC subpackage global of the same name, e.g. for `mx.ODBC.Windows`, this is accessible as `mx.ODBC.Windows.SQL`.

⁶ Please note that in mxODBC 3.3, this will always be the default value.

⁷ Starting with mxODBC 3.3, the default will always be `SQL.CURSOR_FORWARD_ONLY`.

`SQL.CURSOR_KEYSET_DRIVEN`

Keysets are sets of columns in the result set that provide unique keys to the rows in the result set. Keyset driven cursors fix the memberships and order of the rows in the result set using these keysets. Unlike static cursors, they don't create a copy of the result set.

`SQL.CURSOR_DYNAMIC`

Dynamic cursors are the opposite of static cursors. All changes to the result set after opening it are visible on the next fetch operation.

Please note that using cursor types other than `SQL.CURSOR_FORWARD_ONLY` may have a significant effect on the performance of fetch operations.

5.7.2 Default Cursor Type

mxODBC 3.2 tries to configure the cursors in a way so that scrollable cursors can be supported by the database. If it finds that a database supports static cursors, it configures the cursor to use the cursor type `SQL.CURSOR_STATIC`.

You can check the default cursor type by inspecting the `.cursortype` attribute on a newly created connection object:

```
connection = mx.ODBC.Windows.DriverConnect(...)
if connection.cursortype == mx.ODBC.Windows.SQL.CURSOR_STATIC:
    print "Connection defaults to static cursors."
```

Forward Compatibility Notice:

Please note that mxODBC 3.3 will no longer try to setup static cursor per default. Instead, mxODBC will use the ODBC default, which is `SQL.CURSOR_FORWARD_ONLY`.

5.7.3 Database Specific Cursor Type Notes

MS SQL Server

MS SQL Server supports static cursors, so mxODBC 3.2 default to static cursors for this database backend.⁸

MS SQL Server supports backwards scrolling and other more advanced scrolling modes when using static cursors. With forward only cursors, these scrolling capabilities are no longer available. The attribute `.rownumber` also gives wrong results with forward cursors.

We still recommend setting the `.cursortype` to `SQL.CURSOR_FORWARD_ONLY` in case result set scrolling is not needed by the application, since fetch operations on

⁸ In mxODBC 3.3, this will change to forward-only cursors.

5. mxODBC Overview

static cursors can result in a significant slow-down compared to forward only cursors.

Adjusting the default cursor type can be done on a per connection basis:

```
connection = mx.ODBC.Windows.DriverConnect(...)
connection.cursor_type = mx.ODBC.Windows.SQL.CURSOR_FORWARD_ONLY
# All cursors created on connection will then default to forward
# only cursor type.
```

Performance Hint:

In tests we have seen **slow-downs from 2-3x** for average queries, **up to 300x** for simple ones, when using static cursors compared to forward only ones.

Oracle

mxODBC uses forward only cursors as default, since using other types can cause **segfaults in the ODBC driver**.

PostgreSQL

mxODBC defaults to forward only cursors, since the **driver becomes unusable** with other settings.

IBM DB2

DB2 supports static cursors, so mxODBC 3.2 default to static cursors for this database backend.⁹

There is a performance penalty of about 2x in using static cursors. If you don't need scrolling support for the cursors, we therefore recommend adjusting the default to forward only cursors:

```
connection = mx.ODBC.Windows.DriverConnect(...)
connection.cursor_type = mx.ODBC.Windows.SQL.CURSOR_FORWARD_ONLY
# All cursors created on connection will then default to forward
# only cursor type.
```

Note that with forward cursors, the `.rowcount` attribute does not always give correct results with DB2.

5.8 mxODBC Subpackages

The mxODBC package is organized in subpackages, with one package per support ODBC driver manager and in custom builds, additional subpackages for specific drivers/databases.

See section 13 mx.ODBC Subpackages for details on available subpackages.

⁹ In mxODBC 3.3, this will change to forward-only cursors.

5.8.1 One API for all Subpackages

To make applications portable between ODBC database backends, each of these subpackages use the same names and API signatures, in fact, the same mxODBC implementation is used for each of the subpackages, customized to meet the respective ODBC driver/manager's specific requirements.

As an example, say if you are using the `mx.ODBC.Windows` subpackage, then the constructor to call would be `mx.ODBC.Windows.DriverConnect()`. When porting the application to Unix you'd use e.g. the `mx.ODBC.iODBC` subpackage and the constructor then becomes `mx.ODBC.iODBC.DriverConnect()`.

In your application you'd just have to change the top-level import from

```
from mx.ODBC import Windows as Database
```

to

```
from mx.ODBC import iODBC as Database
```

The subpackage globals such as exception names, helper functions, connection constructors, etc. remain the same, so no additional changes are necessary.

Of course, you will usually have to rely on different ODBC drivers when switching from Windows to Unix or the other way around. While the mxODBC API names and signatures don't change, you will likely have to make some application level changes to accommodate for differences in the ODBC drivers you are using.

6. mxODBC Connection Objects

Connection objects provide the communication link between your Python application and the database. They are also the scope of transactions you perform. Each connection can be setup to your specific needs, multiple connections may be opened at the same time.

6.1 Subpackage Support

Connection objects are supported by all subpackages included in mxODBC.

The extent to which the functionality and number of methods is supported may differ from subpackage to subpackage, so you have to verify the functionality of the used methods (esp. the catalog methods) for each subpackage and database that you intend to use.

6.2 Connection Type Object

mxODBC uses a dedicated object type for connections. Each mxODBC subpackage defines its own object type, but all share the same name: `ConnectionType`.

6.3 Connection Object Constructors

```
Connect(dsn, user='', password='', clear_auto_commit=1,
        errorhandler=None, connection_options=())
```

This constructor returns a connection object for the given data source. It accepts keyword arguments. `dsn` indicates the data source to be used, `user` and `password` are optional and used for database login.

`errorhandler` may be given to set the error handler for the Connection object prior to actually connecting to the database. This is useful to mask e.g. certain warnings which can occur at connection time. The `errorhandler` can be changed after the connection has been established by assigning to the `.errorhandler` attribute of the Connection object. The default error handler raises exceptions for all database warnings and errors.

If you connect to the database through an ODBC manager, you should use the `DriverConnect()` API since this allows passing more configuration information to the manager and thus provides more flexibility over this interface.

See the following section 6.4 Default Transaction Settings for details on `clear_auto_commit`.

`connection_options` may be given as list of `(option, value)` tuples to set pre-connect ODBC connection options. The `option` and `value` arguments must use the same format as the parameters for the `.setconnectoption()` method. This list can be used to e.g. enable the [MARS feature of SQL Server Native Client](#), which enables working with multiple active result sets on the same connection:

```
from mx.ODBC.Manager import DriverConnect, SQL
options = [(SQL.COPT_SS_MARS_ENABLED, SQL.MARS_ENABLED_YES)]
db = DriverConnect('DSN=mssqlserver2008;UID=sa;PWD=dbs0R-X9.rxD',
                  connection_options=options)

connect(dsn, user='', password='', clear_auto_commit=1,
        errorhandler=None)
```

Is just an alias for `Connect()` needed for Python DB API 2.0 compliance.

```
DriverConnect(DSN_string, clear_auto_commit=1, errorhandler=None)
```

This constructor returns a connection object for the given data source which is managed by an ODBC Driver Manager (e.g. the Windows ODBC Manager or iODBC). It allows passing more information to the database than the standard `Connect()` constructor.

`errorhandler` may be given to set the error handler for the Connection object prior to actually connecting to the database. This is useful to mask e.g. certain warnings which can occur at connection time. The `errorhandler` can be changed after the connection has been established by assigning to the `.errorhandler` attribute of the Connection object. The default error handler raises exceptions for all database warnings and errors.

Please refer to the documentation of your ODBC manager and the database for the exact syntax of the `DSN_string`. It typically has this formatting:

'DSN=datasource_name;UID=userid;PWD=password' (case can be important and more entries may be needed to successfully connect to the data source).

See the following section 6.4 Default Transaction Settings for details on `clear_auto_commit`.

`connection_options` may be given as list of `(option, value)` tuples to set pre-connect ODBC connection options. The `option` and `value` arguments must use the same format as the parameters for the `.setconnectoption()` method. This list can be used to e.g. enable the [MARS feature of SQL Server Native Client](#), which enables working with multiple active result sets on the same connection:

```
from mx.ODBC.Manager import DriverConnect, SQL
options = [(SQL.COPT_SS_MARS_ENABLED, SQL.MARS_ENABLED_YES)]
db = DriverConnect('DSN=mssqlserver2008;UID=sa;PWD=dbs0R-X9.rxD',
                  connection_options=options)
```

6. mxODBC Connection Objects

The `DriverConnect()` API is only available if the ODBC driver or ODBC driver manager supports this. It is available on all supported ODBC driver manager subpackages such as the one for Windows and iODBC/unixODBC/DataDirect on Unix platforms. See the [subpackages section](#) for details.

```
ODBC(dsn, user='', password='', clear_auto_commit=1,  
     errorhandler=None)
```

Is just an alias for `Connect()` needed for Python DB API 1.0 compliance.

6.4 Default Transaction Settings

ODBC usually defaults to auto-commit, meaning that all actions on the connection are directly applied to the database. Since this can be dangerous, mxODBC defaults to turning auto-commit off at connection initiation time provided the database supports transactions.

All connection constructors implicitly start a new transaction when connecting to a database in transactional mode.

When connecting to a database with transaction support, you should explicitly do a `.rollback()` or `.commit()` prior to closing the connection. mxODBC does an automatic rollback of the transaction when the connection is closed if the driver supports transactions.

6.4.1 Overriding the Default

The value of the `clear_auto_commit` connection parameter overrides this default behavior. Passing a `0` as value disables the clearing of the auto-commit flag and lets the connection use the database's default commit behavior. Please see the database documentation for details on its default transaction setting.

Use the connection method `connection.setconnectoption(SQL.AUTOCOMMIT, SQL.AUTOCOMMIT_ON|OFF|DEFAULT)` to adjust the connection's behavior to your needs after the connection has been established, but before you have opened a database cursor.

With auto-commit turned on, transactions are effectively disabled. The `rollback()` method will raise a `NotSupportedError` when used on such a connection.

6.4.2 Errors due to missing Transaction Support

If you get an exception during connect telling you that the driver is not capable or does not support transactions, e.g. `mxODBC.NotSupportedError: ('S1C00', 84, '[Microsoft][ODBC Excel Driver]Driver not capable ', 4226)`, try to connect with `clear_auto_commit` set to 0. mxODBC will then keep auto-commit switched on and the connection will operate in auto-commit mode.

6.5 Connection objects as context managers

6.5.1 Introduction to Context Managers

Python 2.5 introduced the new concept of context manager to Python. Context managers are Python objects implementing the context manager API based on the methods `__enter__()` and `__exit__()`.

The context managers can be used together with the Python with-statement to wrap sections of a program into a block (the context) that is entered and exited in a controlled way:

```
with context_manager as context:
    context.do_something()
```

When entering the block, the `context_manager's __enter__()` method is called and the returned object assigned to `context`. When exiting the block, the `context.__exit__()` is called, either with the exception that caused the block to be left or without exception in case the block was left normally.

6.5.2 Using connection objects as context object

Connection objects implement this API and use it to automatically commit or roll back the current transaction.

```
from mx.ODBC.Manager import DriverConnect
connection = DriverConnect(...)
with connection:
    cursor = connection.cursor()
    cursor.execute('INSERT INTO table VALUES (?, ?)', (1, 2))
    ... other tasks ...
    cursor.close()
```

This code will automatically commit the INSERT to the database backend in case the with-block is left without exception. If the other tasks trigger an unhandled transaction, the connection is rolled back when leaving the block.

For code which doesn't have to do more complex error handling, using the with-statement block can greatly simplify the resulting code. It also gives the transaction section a visible resemblance in the code.

6. mxODBC Connection Objects

Cursors also support the context manager API, so the above could be simplified even more to:

```
with connection:
    with connection.cursor() as cursor:
        cursor.execute('INSERT INTO table VALUES (?, ?)', (1, 2))
    ... other tasks ...
```

6.6 Unicode/ANSI Connections

Starting with mxODBC 3.1, it is possible to tell the ODBC driver manager whether to use the Unicode ODBC interface of a supporting ODBC driver or the ANSI (8-bit string) ODBC interface at connection time.

6.6.1 Unicode ODBC Interface

If the ODBC driver supports the ODBC Unicode interface and you select the Unicode interface by using a Unicode string as connection parameter, the ODBC manager will subsequently convert all ANSI-parameters to Unicode and then call the Unicode APIs of the ODBC driver. Unicode parameters are passed through as-is to the ODBC driver.

For ODBC drivers that natively support the ODBC Unicode interface, connecting using a Unicode connection string and subsequently using Unicode parameters for all execution and catalog methods may result in better performance or improved compatibility.

Example:

```
# Use the Unicode ODBC API of the driver by using a Unicode connection
# string
db = mx.ODBC.Windows.DriverConnect(u'DSN=mydb;UID=uid;PWD=pwd')
```

6.6.2 ANSI ODBC Interface

If the ODBC driver does not support the ODBC Unicode interface, or you connect using an ANSI (8-bit string), the ODBC driver manager will subsequently convert all Unicode parameters to the connection's ANSI code page before calling the ANSI API on the ODBC driver. ANSI parameters are passed through as-is to the ODBC driver.

For ODBC drivers that do not support the ODBC Unicode interface, connecting using an ANSI connection string and subsequently using ANSI parameters for all execution and catalog methods may result in better performance or improved compatibility.

Example:

```
# Use the ANSI ODBC API of the driver by using an 8-bit connection
```

```
# string
db = mx.ODBC.Windows.DriverConnect('DSN=mydb;UID=uid;PWD=pwd')
```

6.7 Connection Object Methods

`.close()`

Close the connection now (rather than automatically at garbage collection time). The connection will be unusable from this point on; an `Error` (or subclass) exception will be raised if any operation is attempted with the connection. The same applies to all cursor objects trying to use the connection.

`.commit()`

Commit any pending changes and implicitly start a new transaction.

For connections which do not provide transaction support or operate in auto-commit mode, this method does nothing.

`.cursor(name=None, cursor_options=())`

Constructs a new [Cursor Object](#) with the given name using the connection and initializes any provided cursor options.

If no name is given, the ODBC driver or database backend will determine a unique name on its own. You can query this name with `cursor.getcursorname()` (see the [Cursor Object](#) section 7).

The `cursor_options` may be given as list of `(option, value)` tuples. These are then passed to the cursor's `cursor.setconnectoption()` API (see the [Cursor Object](#) section 7) and allow configuring the cursor upfront to a specific need.

`.getconnectoption(option)`

Get information about the connection.

`option` must be an integer. Suitable option values are available through the `SQL` object (see the [Constants](#) section 10.5 for details).

The method returns the data as 32-bit integer. It is up to the user to decode the integer value using the `SQL` defines available through the `SQL` constant.

This API gives you a very wide range of information about the underlying database and its capabilities. See the [ODBC SQLGetConnectAttr API Documentation](#) for more information.

`.getinfo(info_id)`

Get general information about the database, the ODBC driver and the ODBC driver manager.

The `info_id` must be an integer. Suitable values are available through the `SQL` object (see the [Constants](#) section 10.5 for details).

6. mxODBC Connection Objects

The method returns a tuple (`integer`, `string`) giving an integer decoding (in native integer byte order) of the first bytes of the API's result as well as the raw buffer data as string. It is up to the caller to decode the data (e.g. using the `struct` module).

This API gives you a very wide range of information about the underlying database and its capabilities. See the [ODBC SQLGetInfo API Documentation](#) for more information.

`.nativesql(command)`

This method returns the `command` as it would have been modified by the driver to pass to the database engine. It is a direct interface to the ODBC API `SQLNativeSql()`.

In many cases it simply returns the `command` string unchanged. Some drivers unescape ODBC escape sequences in the command string. Syntax checking is usually not applied by this method and errors are only raised in case of command string truncation.

Not all mxODBC subpackages support this API.

`.rollback()`

In case the database connection has transactions enabled, this method causes the database to roll back any changes to the start of the current transaction.

Closing a connection without committing the changes first will cause an implicit rollback to be performed.

This method is only available if the ODBC driver database subpackage was compiled with transaction support. For ODBC manager subpackages it is always available, but may raise a `NotSupportedError` in case the connection does not support transactions.

`.setconnectoption(option, value)`

This method lets you set some ODBC integer options to new values, e.g. to set the transaction isolation level or to turn on auto-commit.

`option` must be an integer. Suitable option values are available through the `SQL` object, e.g. `SQL.ATTR_AUTOCOMMIT` corresponds to the SQL option `SQL_ATTR_AUTOCOMMIT` in C (see the [Constants](#) section 10.5 for details).

The method is a direct interface to the ODBC `SQLSetConnectOption()` function. Please refer to the [ODBC Documentation](#) for more information.

Note that while the API function also supports setting character fields, the method currently does not know how to handle these.

Note for ADABAS/SAP DB/MAX DB users:

Adabas, SAP DB and MAX DB can emulate several different SQL dialects. They have introduced an option for this to be set. These are the values you can use: 1 = ADABAS, 2 = DB2, 3 = ANSI, 4 = ORACLE, 5 = SAPR3. The option code is `SQL.CONNECT_OPT_DRV_START + 2` according to the Adabas documentation. Please consult your driver documentation for details.

`.__enter__()`

Returns the connection itself. This method makes connection objects usable as context manager (together with the `.__exit__()` method) and is called when entering a *with*-block (new in Python 2.5).

`.__exit__(exc_type, exc_value, exc_tb)`

Returns `True` in case `exc_type` is set to `None` (no exception set) and commits the current transaction. Returns `False` in case `exc_type` is set to an exception and rolls back the current transaction. This method is part of the context manager API and is called when leaving a *with*-block (new in Python 2.5).

6.8 Connection Object Attributes

`.autocommit`

Writable attribute to query and set the auto-commit status of the connection.

Returns `True` if the connection is operating in auto commit (non-transactional) mode. Returns `False` if the connection is operating in manual commit (transactional) mode.

Setting the attribute to `True` or `False` adjusts the connection's mode accordingly.

This attribute is a shortcut to using `connection.setconnectoption(SQL.AUTO_COMMIT, value)` and can raise the same exceptions, e.g. in case of a closed connection.

`.bindmethod`

Attribute to query and set the input variable binding method used by the connection. This can either be `BIND_USING_PYTHONTYPE` or `BIND_USING_SQLTYPE` (see the [Constants](#) section 10.5 for details).

`.closed`

Read-only attribute that is true in case the connection is closed. Any action on a closed connection will result in a `ProgrammingError` to be raised. This variable can be used to conveniently test for this state.

`.converter`

Read/write attribute that sets the converter callback default for all newly created cursors using the connection. It is `None` per default (meaning to use the standard conversion mechanism). See the [Supported Data Types](#) section for details.

`.cursortype`

Read/write attribute that sets the default ODBC cursor type for cursors created on this connection. Possible values are:

6. mxODBC Connection Objects

`SQL.CURSOR_FORWARD_ONLY`

The cursor only scrolls forward. This is the default setting in case mxODBC finds that the database does not support scrollable cursors.¹⁰

`SQL.CURSOR_STATIC`

The result set is made static by creating a static copy of the result set after opening the cursor. As a result, any changes to the result set after opening the cursor will not be visible to the client. mxODBC uses these cursors as default for backends which support scrollable cursors.¹⁰

`SQL.CURSOR_KEYSET_DRIVEN`

Keysets are sets of columns in the result set that provide unique keys to the rows in the result set. Keyset driven cursors fix the memberships and order of the rows in the result set using these keysets. Unlike static cursors, they don't create a copy of the result set.

`SQL.CURSOR_DYNAMIC`

Dynamic cursors are the opposite of static cursors. All changes to the result set after opening it are visible on the next fetch operation.

Please refer to section 5.7 ODBC Cursor Types for more details on cursor types.

Performance Warning:

Please note that using cursor types other than `SQL.CURSOR_FORWARD_ONLY` may have a significant effect on the performance of fetch operations.

`.datetimeformat`

Use this instance variable to set the default output format for date/time/timestamp columns of all cursors created using this connection object.

Possible values are (see the [Constants](#) section 10.5 for details):

`DATETIME_DATETIMEFORMAT` (default)

DateTime and DateTimeDelta instances.

`PYDATETIME_DATETIMEFORMAT`

datetime.date, datetime.time, datetime.datetime instances. Only available using Python 2.4 and later.

`TIMEVALUE_DATETIMEFORMAT`

Ticks (number of seconds since the epoch) and tocks (number of seconds since midnight).

`TUPLE_DATETIMEFORMAT`

Python tuples as defined in the [Supported Data Types](#) section.

¹⁰ Please note that in mxODBC 3.3, this will always be the default value.

`STRING_DATETIMEFORMAT`

Python strings. The format used depends on the internal settings of the database. See your database's manuals for the exact format and ways to change it.

We strongly suggest always using the `DateTime/DateTimeDelta` instances. Note that changing the values of this attribute will not change the date/time format for existing cursors using this connection.

This value is inherited by all cursors created from the connection at creation time. Note that changing the value of this attribute will not change the date/time format for existing cursors using this connection.

`.dbms_name`

String identifying the database manager system.

`.dbms_version`

String identifying the database manager system version.

`.decimalformat`

Use this instance variable to set the default output format for decimal and numeric columns of all cursors created using this connection object.

Possible values are (see the [Constants](#) section 10.5 for details):

`FLOAT_DECIMALFORMAT` (default)

Values are returned as Python floats.

`DECIMAL_DECIMALFORMAT`

Values are returned as Python `decimal.Decimal` instances. Only available using Python 2.4 and later.

This value is inherited by all cursors created from the connection at creation time. Note that changing the value of this attribute will not change the decimal format for existing cursors using this connection.

`.driver_name`

String identifying the ODBC driver.

`.driver_version`

String identifying the ODBC driver version.

`.encoding`

Read/write attribute which defines the encoding to use for converting Unicode to 8-bit strings and vice-versa. If set to `None` (default), Python's default encoding will be used, otherwise it has to be a string providing a valid encoding name, e.g. `'latin-1'` or `'utf-8'`.

6. mxODBC Connection Objects

`.errorhandler`

Read/write attribute which defines the error handler function to use. If set to `None`, the default handling is used, i.e. errors and warnings all raise an exception and get appended to the `.messages` list.

An error handler must be a callable object taking the arguments (`connection`, `cursor`, `errorclass`, `errorvalue`) where `connection` is a reference to the connection, `cursor` a reference to the cursor (or `None` in case the error does not apply to a cursor), `errorclass` is an error class which to instantiate using `errorvalue` as construction argument.

See the [Error Handlers](#) section 10 for details.

`.license`

String with the license information of the installed mxODBC license.

`.messages`

This is a Python list object to which mxODBC appends tuples (`exception class`, `exception value`) for all messages which the interfaces receives from the underlying ODBC driver or manager for this connection.

The list is cleared automatically by all connection methods calls (prior to executing the call) except for the info and connection option methods calls to avoid excessive memory usage and can also be cleared by executing `del connection.messages[:]`.

All error and warning messages generated by the ODBC driver are placed into this list, so checking the list allows you to verify correct operation of the method calls.

`.paramstyle`

Sets the default parameter binding style for cursors created on this connection, i.e. all cursors created on the connection will use `connection.paramstyle` as their default `cursor.paramstyle` value.

The attribute can be set or queried and takes the following string values (following the `paramstyle` module global as defined in the DB-API):

`'qmark'` (default)

This is the default ODBC parameter binding style and also used as native database binding style by MS SQL Server and IBM DB2.

Parameters in SQL statements used on `cursor.execute*()` methods are marked with the question mark letter ('?') and the variables are bound to these parameter locations using a positional mapping. Parameter values for a SQL statement must be specified as sequence, normally a list or a tuple.

Example: `'SELECT * FROM MyTable WHERE A=? AND B=?'` used with a parameter tuple `(1, 2)` would result in the database executing the query `'SELECT * FROM MyTable WHERE A=1 AND B=2'`.

`'named'`

The 'named' parameter binding style is used by the native database interfaces of e.g. Oracle.

Parameters in SQL statements used on `cursor.execute*()` methods are marked with a colon followed by a name, e.g. `':a'` or `':1'`. The variables are bound to these parameter locations using a name based mapping. Parameter values for a SQL statement must be specified as mapping, normally a dictionary, and are bound to the locations based on the names used in the SQL statement.

Example: `'SELECT * FROM MyTable WHERE A=:a AND B=:b'` used with a parameter dictionary `{'a': 1, 'b': 2}` would result in the database executing the query `'SELECT * FROM MyTable WHERE A=1 AND B=2'`.

`.stringformat`

Use this attribute to set or query the default input and output handling for string columns of all cursors created using this connection object. Data conversion on input is dependent on the input binding type.

Possible values are (see the [Constants](#) section 10.5 for details):

`EIGHTBIT_STRINGFORMAT` (default)

This format tells mxODBC to convert all data passed to and read from the ODBC driver to 8-bit strings.

On input, Python 8-bit strings are passed to the ODBC driver as-is. Unicode objects are converted to Python 8-bit strings assuming the connection's encoding setting (see the `.encoding` attribute of connection objects) prior to passing them to the ODBC driver.

On output, all string columns are fetched as strings and passed back as Python 8-bit string objects. Unicode data from the database is converted to Python 8-bit string objects assuming the connection's encoding setting (see the `.encoding` attribute of connection objects).

This setting emulates the behavior of previous mxODBC versions and is the default.

`MIXED_STRINGFORMAT`

This format lets the ODBC driver decide which string format to use for the communication, providing the most efficient way of communicating with the driver.

Input and output conversion is dependent on the data format the ODBC driver expects or returns for a given column. If the driver returns a string, a Python string is created; if it returns Unicode data, a Python Unicode object is used.

`UNICODE_STRINGFORMAT`

This format can be used to emulate Unicode support with a database backend that doesn't have a native Unicode data type or where the ODBC driver cannot handle Unicode data.

On input, Python strings are passed to the ODBC driver as-is. Unicode objects are converted to 8-bit strings using the connection's encoding setting (see the `.encoding` attribute of connection objects) and then passed to the ODBC driver.

6. mxODBC Connection Objects

On output, string data is converted to Python Unicode objects, based on the same conversion technique.

Use this setting if you plan to use Unicode objects with non-Unicode aware databases (e.g. by setting the encoding to UTF-8 -- be careful though: multibyte character encodings usually take up more space and are not necessarily compatible with the database's string functions).

`NATIVE_UNICODE_STRINGFORMAT`

This format should be used for databases and applications that support native Unicode data communication.

String columns are converted to Python Unicode objects assuming the connection's encoding setting (see the `.encoding` attribute of connection objects) and then passed as Unicode to the ODBC driver.

On output, string data is always fetched as Unicode data from the ODBC driver and returned using Python Unicode objects.

Note that even though mxODBC may report that Unicode support is enabled (default in Python 2.0 and later; `HAVE_UNICODE_SUPPORT` is set to 1), the ODBC driver may still reject Unicode data. In this case, an `InternalError` of type `'s1003'` is raised whenever trying to read data from the database in this `.stringformat` mode.

You can use the included `mx/ODBC/Misc/test.pyc` script to find out whether the database backend support Unicode or not.

Binary and other plain data columns will still use 8-bit strings for interfacing, since storing this data in Unicode objects would cause trouble. mxODBC will eventually use buffer/memoryview or some form of binary objects to store binary data in some future version, e.g. the new bytes type which was introduced with Python 3.0.

This value is inherited by all cursors created from the connection at creation time. Note that changing the value of this attribute will not change the string format for existing cursors using this connection.

`.timestampresolution`

Use this attribute to adjust the rounding applied when passing second values with fractions to the database, i.e. from Python to the database¹¹. Some databases complain about their data types not being capable of representing the precision as given in the fraction value. With others, it is possible to get rounding errors due to truncation, e.g. of 0.4999 to 0.49 instead of 0.50.

The attribute value must be given as integer and defines the resolution of the timestamp values in nanoseconds (ns). Default is 1 ns. Setting the attribute to 1000 would result in Python seconds values to get rounded to the nearest microsecond prior to passing the value to the database. Setting it to $250 * 1000000$ would result in seconds to get rounded to the nearest $\frac{1}{4}$ second.

¹¹ mxODBC applies this rounding when using the ODBC timestamp interface structures and also applies the rounding to `mxDateTime` input objects in case the database requests the date/time value as string. It currently does not apply the rounding for strings in case Python `datetime` objects are used on input.

Note: Rounding to a full second is prevented to not cause possibly illegal time values.

This value is inherited by all cursors created from the connection at creation time. Note that changing the value of this attribute will not change the timestamp resolution for existing cursors using this connection.

`.warningformat`

Use this attribute to change the default warning reporting behavior of mxODBC, in case you don't want to define your own `.errorhandler`.

The DB-API 2.0 mandates that database warnings must be raised as `mx.ODBC.Warning` exception, but mostly because at the time of writing, the Python warning module did not yet exist.

For some applications it may be more useful to report warnings via Python warnings. The application could then use the standard Python warning filters to report or filter the warnings in an appropriate way.

Another alternative is to simply ignore such warnings. Some ODBC are rather verbose when it comes to warnings.

Note that a possibly registered `.errorhandler` will still be called in all these cases, however, the mxODBC default error handler will use the `.warningformat` to determine how to react to database warnings.

Possible values are (see the [Constants](#) section 10.5 for details):

`ERROR_WARNINGFORMAT` (default)

Report warnings in the usual DB-API 2.0 way and raise a `Warning` exception.

`WARN_WARNINGFORMAT`

Instead of raising a `Warning` exception, issue a `mx.ODBC.DatabaseWarning` which is a Python `Warning` subclass and can be filtered using the standard Python [warnings module](#) mechanisms.

`IGNORE_WARNINGFORMAT`

Silently ignore the database warning.

The warning will still be added to the `.message` attribute, but no further action is taken.

This value is inherited by all cursors created from the connection at creation time. Note that changing the value of this attribute will not change the warning format for existing cursors using this connection.

6.8.1 Additional Attributes

In addition to the above attributes, all exception objects used by the connection's subpackage are also exposed on the connection objects as attributes, e.g. `connection.Error` gives the `Error` exception of the subpackage which was used to create the connection object.

6. mxODBC Connection Objects

See the [Exceptions and Error Handling](#) section 10 for details and names of these error attributes.

7. mxODBC Cursor Objects

These objects represent a database cursor: an object which is used to manage the context of a database query operation.

This includes preparing and parsing the query or command to be executed on the connection, executing the query or command one or multiple times and providing a pointer into the result set or sets generated by queries.

7.1 Relationship between Cursors and Connections

7.1.1 Dependency on the Connection Object

Cursors are created through a database connection. As a result, cursor objects are only usable as long as the connection object exists and the associated database connection is open and working.

All operations of a cursor are done through the connection that was used to create it. The scope and default settings of a cursor are defined by the connection. Once created, you can change various settings of the cursor, e.g. the `cursor.datetimeformat`. Such changes do not affect the connection or any other cursor objects created on the connection.

Using cursors on a closed connection will result in a `ProgrammingError` to be raised.

7.1.2 Using multiple Cursor Objects on a single Connection

Depending on the capabilities of the database and the used ODBC driver, you can have multiple cursors open on a single connection and execute queries and commands on each at will. This makes it possible to e.g. prepare and then cache often used commands.

7.2 Subpackage Support

Cursor objects are supported by all subpackages included in mxODBC.

The extent to which the functionality and number of methods is supported may differ from subpackage to subpackage, so you have to verify the functionality of the used methods (esp. the catalog methods) for each subpackage and database that you intend to use.

7.3 Cursor objects as context managers

Please see section 6.5.1. Introduction to Context Managers for an introduction to context managers and the Python *with*-statement.

7.3.1 Using cursor objects as context objects

Cursor objects implement this API and use it to automatically close the cursor and freeing resources in the ODBC driver when leaving a *with*-block. Instead of writing:

```
cursor = connection.cursor()
try:
    cursor.execute('INSERT INTO table VALUES (?, ?)', (1, 2))
    ... other tasks ...
finally:
    cursor.close()
```

you can write:

```
with connection.cursor() as cursor:
    cursor.execute('INSERT INTO table VALUES (?, ?)', (1, 2))
    ... other tasks ...
```

This not only looks a lot better and also takes care of freeing the resources in case of an error in the block.

7.4 Cursor Type Object

mxODBC uses a dedicated object type for cursors.

Each subpackage defines its own object type, but all share the same name: `CursorType`.

7.5 Cursor Object Constructors

Cursor objects are created using the connection method `connection.cursor()`.

```
connection.cursor(name=None, cursor_options=())
```

Constructs a new [Cursor Object](#) with the given name using the connection and initializes any provided cursor options. If no name is given, the ODBC driver or database backend will create one dynamically.

Please see section 6.7 Connection Object Methods for details.

7.6 Cursor Object Methods

The following cursor methods are defined in the DB API:

```
.callproc(procname[, parameters])
```

Call a stored database procedure with the given name. The sequence of parameters must contain one entry for each argument that the procedure expects. The result of the call is returned as modified copy of the input sequence. Input parameters are left untouched, output and input/output parameters replaced with possibly new values.

The procedure may also provide a result set as output. This must then be made available through the standard `fetch*()` methods.

This method is only implemented for input parameters in mxODBC for reasons explained in 5.6 [Stored Procedures](#). Future versions of mxODBC may also support in/out and output parameters.

```
.close()
```

Close the cursor now (rather than automatically at garbage collection time).

The cursor will be unusable from this point forward; an `Error` (or subclass) exception will be raised if any operation is attempted with the cursor.

```
.execute(sqlcmd, parameters=(), direct=-1)
```

Prepare and execute a database operation (query or command).

Parameters must be provided as sequence¹² and will be bound to variables found in the `sqlcmd` string on a positional basis.

Variables in the `sqlcmd` string are specified using the ODBC variable placeholder '?', e.g. `'SELECT name,id FROM table WHERE amount > ?`

¹² Note that in mxODBC 3.0 and earlier, the `.execute()` methods used to work like `.executemany()` when passing a list of tuples as parameter (a feature inherited from Python DB-API 1.0). Starting with mxODBC 3.1 this behavior was removed to avoid confusion.

7. mxODBC Cursor Objects

`AND amount < ?'`, and get bound in the order they appear in the SQL statement `sqlcmd` from left to right.

A reference to the `sqlcmd` string will be retained by the cursor and made available to Python as `cursor.command`. If the same `sqlcmd` object is passed in again, the cursor will optimize its behavior by reusing the previously prepared statement. This is most effective for algorithms where the same `sqlcmd` is used, but different parameters are bound to it, e.g. in loops iterating over input data items.

Use `.executemany()` if you want to apply the `sqlcmd` to a sequence of parameters in one call, e.g. to insert multiple rows in a single call.

`sqlcmd` may be a Unicode object in case the ODBC driver and/or database support this.

`direct` specifies whether to use direct, unprepared execution or not (see `.executedirect()` for details). It defaults to `-1`, meaning that direct execution is used if no parameters are given, non-direct otherwise.

Return values are not defined.

```
.executedirect(sqlcmd, parameters=())
```

This method works just like `.execute()`, except that no prepare step is issued and the `sqlcmd` is not cached. This can result in better performance with some ODBC driver setups, but also implies that Python type binding mode is used to bind the parameters. All SQL command parsing is then pushed from the client side to the server side.

`sqlcmd` may be a Unicode object in case the ODBC driver and/or database support this.

Return values are not defined.

```
.executemany(sqlcmd, batch=(), direct=0)
```

Prepare a database operation (query or command) and then execute it against all parameter sequences found in the sequence `batch`.

The same comments as for `.execute()` also apply accordingly to this method.

If the optional integer `direct` is given and true, mxODBC will not cache the `sqlcmd`, but submit it for one-time execution to the database. This can result in better performance with some ODBC driver setups, but also implies that Python type binding mode is used to bind the parameters.

`sqlcmd` may be a Unicode object in case the ODBC driver and/or database support this.

Return values are not defined.

```
.fetchall()
```

Fetch all (remaining) rows of a query result, returning them as a sequence of sequences (e.g. a list of tuples).

An `Error` (or subclass) exception is raised if the previous call to `.execute*()` did not produce any result set or no call was issued yet.

`.fetchmany([size=cursor.arraysize])`

Fetch the next set of rows of a query result, returning a sequence of sequences (e.g. a list of tuples). An empty sequence is returned when no more rows are available.

The number of rows to fetch per call is specified by the parameter. If it is not given, the cursor's `.arraysize` determines the number of rows to be fetched. The method will try to fetch as many rows as indicated by the size parameter. If this is not possible due to the specified number of rows not being available, fewer rows may be returned.

An `Error` (or subclass) exception is raised if the previous call to `.execute*()` did not produce any result set or no call was issued yet.

`.fetchone()`

Fetch the next row of a query result set, returning a single sequence, or `None` when no more data is available.

An `Error` (or subclass) exception is raised if the previous call to `.execute*()` did not produce any result set or no call was issued yet.

mxODBC will move the associated database cursor forward by one row only.

`.flush()`

Frees any pending result set used by the cursor. If you only fetch some of the rows of large result sets you can optimize memory usage by calling this method.

Note that `.execute*()` and all the catalog methods do an implicit `.flush()` prior to executing a new query.

`.getcolattribute(position, info_id)`

Get information about the result set column `position`. The column index must be given as 0-based integer, i.e. the first result setup column has the index 0.

`info_id` must be an integer and identifies the requested field information. Suitable values are available through the `SQL` object (see the [Constants](#) section 10.5 for details).

The method returns a tuple (`integer, string`) giving an integer decoding (in native integer byte order) of the first bytes of the API's result as well as the raw buffer data as string. It is up to the caller to decode the data (e.g. using the `struct` module).

This API gives you a wide range of information about the result set column. See the [ODBC SQLColAttribute API Documentation](#) for more information.

Some of these values are also available through the `cursor.description` attribute.

This is a list of useful info ids:

<i>Option</i>	<i>Comment</i>
---------------	----------------

7. mxODBC Cursor Objects

<i>Option</i>	<i>Comment</i>
SQL.DESC_AUTO_UNIQUE_VALUE	<p>Check whether the result set column refers to an auto-increment column of the table.</p> <p>The check only returns valid values for numeric columns that can be defined as auto-increment column in the database.</p> <p>Returns an integer value:</p> <p>SQL.TRUE - column is auto-increment</p> <p>SQL.FALSE - column is not an auto-increment column or not numeric</p>
SQL.DESC_BASE_COLUMN_NAME	<p>Base column name of the result set column. If the base column name cannot be determined, e.g. for expressions, an empty string is returned.</p> <p>Returns a string..</p>
SQL.DESC_BASE_TABLE_NAME	<p>Base table name of the result set column. If the base table name cannot be determined, e.g. for expressions, an empty string is returned.</p> <p>Returns a string..</p>
SQL.DESC_DISPLAY_SIZE	<p>Returns the maximum number of characters needed to display the column data.</p> <p>Returns an integer.</p>
SQL.DESC_LENGTH	<p>Returns the maximum length of the column data in characters.</p> <p>Returns an integer.</p>
SQL.DESC_OCTET_LENGTH	<p>Returns the maximum length of the column data in bytes.</p> <p>Returns an integer.</p>
SQL.DESC_PRECISION	<p>Returns the precision of a numeric column.</p> <p>For date/time columns, this returns the precision of the seconds fraction, if applicable.</p> <p>Returns an integer.</p>
SQL.DESC_SCALE	<p>Returns the scale of a numeric column.</p> <p>Returns an integer.</p>

<i>Option</i>	<i>Comment</i>
SQL.DESC_TABLE_NAME	Table name of the table containing the result set column. If the table name cannot be determined, e.g. for expressions, an empty string is returned. Returns a string..
SQL.DESC_TYPE_NAME	Data source dependent type name of the result set column or an empty string if the value cannot be determined. Returns a string..
SQL.DESC_UNSIGNED	Checks whether the result set column is unsigned numeric data or not. Returns an integer value: SQL.TRUE - column data is unsigned or not numeric SQL.FALSE - column data is signed

If the ODBC driver doesn't support an `info_id` or cannot determine the requested value, it either raises an exception, or returns an empty string where applicable.

`.getcursorname()`

Returns the current cursor name associated with the cursor object. This may either be the name given to the cursor at creation time or a name generated by the ODBC driver for it to use.

`.getcursoroption(option)`

Returns the given cursor option. This method interfaces directly to the ODBC function `SQLGetCursorOption()`.

`option` must be an integer. Suitable option values are available through the `SQL` object.

Possible values are:

<i>Option</i>	<i>Comment</i>
SQL.ATTR_QUERY_TIMEOUT	Returns the query timeout in seconds used for the cursor. Note that not all ODBC drivers support this option.
SQL.ATTR_ASYNC_ENABLE	Check whether asynchronous execution of commands is enabled.

7. mxODBC Cursor Objects

<i>Option</i>	<i>Comment</i>
	Possible values: SQL.ASYNC_ENABLE_OFF (default) SQL.ASYNC_ENABLE_ON SQL.ASYNC_ENABLE_DEFAULT
SQL.ATTR_MAX_LENGTH	Returns the length limit for fetching column data. Possible values: Any positive integer or SQL.MAX_LENGTH_DEFAULT (no limit)
SQL.ATTR_MAX_ROWS	Returns the maximum number of rows a .fetchall() command would return from the result set. Possible values: Any positive integer or SQL.MAX_ROWS_DEFAULT (no limit)
SQL.ATTR_NOSCAN	Check whether the ODBC driver will scan the SQL commands for ODBC escape sequences or not. Possible values: SQL.NOSCAN_OFF (default) SQL.NOSCAN_ON SQL.NOSCAN_DEFAULT
SQL.ROW_NUMBER	Returns the row number of the current row in the result set or 0 if it cannot be determined.

The method returns the data as 32-bit integer. It is up to the caller to decode the integer using the `SQL` defines.

`.next()`

Works like `.fetchone()` to make cursors compatible to the iterator interface (new in Python 2.2). Raises a `StopIteration` at the end of a result set.

`.nextset()`

This method will make the cursor skip to the next available set, discarding any remaining rows from the current set.

If there are no more sets, the method returns `None`. Otherwise, it returns a true value and subsequent calls to the fetch methods will return rows from the next result set.

An `Error` (or subclass) exception is raised if the previous call to `.execute*()` did not produce any result set or no call was issued yet.

`.prepare(sqlcmd)`

Prepare a database operation (query or command) statement for later execution and set `cursor.command`.

To execute a prepared statement, pass `cursor.command` to one of the `.execute*()` methods.

`sqlcmd` may be a Unicode object in case the ODBC driver and/or database support this.

Return values are not defined.

This method is may not be available in all mxODBC subpackages. Even if it is available, the used ODBC driver or database may not support preparing database operations for later reuse.

`.scroll(value, mode='relative')`

Scroll the cursor in the result set according to `mode`.

If `mode` is `'relative'` (default), `value` is taken as offset to the current position in the result set, if set to `'absolute'`, `value` gives the absolute position.

An `IndexError` is raised in case the scroll operation leaves the result set. In this case, the cursor position is not changed.

This method will use native scrollable cursors, if the data source provides these, or revert to an emulation for forward-only scrollable cursors. Please check whether the data source supports this method using the included [mx/ODBC/Misc/test.pyc](#) script.

Warning:

Some ODBC drivers have trouble scrolling in result sets which use BLOBs or other data types for which the data size cannot be determined at prepare time. mxODBC currently raises a `NotSupportedError` in case a request for backward scrolling is made in such a result set. Hopefully, this will change as ODBC drivers become more mature.

`.setconverter(converter)`

This method sets the converter function to use for subsequent fetches. Passing `None` as `converter` will reset the converter mechanism to its default setting. See the [Supported Data Types](#) section 8 for details on how user-defined converters work.

`.setcursorname(name)`

Sets the name to be associated with the cursor object.

7. mxODBC Cursor Objects

There is a length limit for names in SQL at 18 characters. An `InternalError` will be raised if the name is too long or otherwise not useable.

```
.setcursoroption(option, value)
```

Sets a cursor option to a new value.

Only a subset of the possible option values defined by ODBC are available since this method could otherwise easily cause mxODBC to segfault – it makes changes possible which effect the way mxODBC interfaces to the ODBC driver.

Only options with numeric values are currently supported.

<i>Option</i>	<i>Comment</i>
<code>SQL.ATTR_QUERY_TIMEOUT</code>	<p>Sets the query timeout in seconds used for the cursor. Queries that take longer raise an exception after the timeout is reached.</p> <p>Possible values:</p> <p>Any positive integer or</p> <p><code>SQL.QUERY_TIMEOUT_DEFAULT</code></p> <p>Note that not all ODBC drivers support this option.</p>
<code>SQL.ATTR_ASYNC_ENABLE</code>	<p>Enable asynchronous execution of commands.</p> <p>Possible values:</p> <p><code>SQL.ASYNC_ENABLE_OFF</code> (default)</p> <p><code>SQL.ASYNC_ENABLE_ON</code></p> <p><code>SQL.ASYNC_ENABLE_DEFAULT</code></p>
<code>SQL.ATTR_MAX_LENGTH</code>	<p>Maximum length of any fetched column. Default is no limit.</p> <p>Possible values:</p> <p>Any positive integer or</p> <p><code>SQL.MAX_LENGTH_DEFAULT</code> (no limit)</p>
<code>SQL.ATTR_MAX_ROWS</code>	<p>Limit the maximum number of rows to fetch in a result set. Default is no limit.</p> <p>Possible values:</p> <p>Any positive integer or</p> <p><code>SQL.MAX_ROWS_DEFAULT</code> (no limit)</p>

<i>Option</i>	<i>Comment</i>
<code>SQL.ATTR_METADATA_ID</code>	<p>Tell the ODBC driver to interpret the catalog method parameters as case-insensitive identifiers. Default is to interpret them as case-sensitive SQL search patterns.</p> <p>Possible values:</p> <p><code>SQL.TRUE</code> - case-insensitive identifiers</p> <p><code>SQL.FALSE</code> - case-sensitive search patterns (default)</p>
<code>SQL.ATTR_NOSCAN</code>	<p>Tell the ODBC driver not to scan the SQL commands and unescape (expand) any ODBC escape sequences it finds. Default is to scan for them.</p> <p>Possible values:</p> <p><code>SQL.NOSCAN_OFF</code> (default)</p> <p><code>SQL.NOSCAN_ON</code></p> <p><code>SQL.NOSCAN_DEFAULT</code></p>

`.setinputsizes(sizes)`

This methods does nothing in mxODBC, it is just needed for DB API compliance.

`.setoutputsize(size[, column])`

This methods does nothing in mxODBC, it is just needed for DB API compliance.

`.__iter__()`

Returns the cursor itself. This method makes cursor objects usable as iterators (new in Python 2.2).

`.__enter__()`

Returns the cursor itself. This method makes cursor objects usable as context manager (together with the `.__exit__()` method) and is called when entering a *with*-block (new in Python 2.5).

`.__exit__(exc_type, exc_value, exc_tb)`

Returns True in case `exc_type` is set to None (no exception set) and closes the cursor. Returns False in case `exc_type` is set to an exception and also closes the cursor. This method is part of the context manager API and is called when leaving a *with*-block (new in Python 2.5).

7.6.1 Catalog Methods

Catalog methods allow you to access meta-level and structural information about a data source in a portable way.

Some ODBC drivers do not support all of these methods or return unusable data. As a result, you should verify correct operation for your target data sources prior to relying on these methods.

Common Interface

All of the following catalog methods use the same interface: they do an implicit call to `cursor.execute()` and return their output in form of a list of rows which that can be fetched with the `cursor.fetch*()` methods in the usual way. The number of available rows is available via `cursor.rowcount`¹³. All catalog methods support keywords and use the indicated default values for parameters which are omitted in the call.

Please refer to the [ODBC Documentation](#) for more detailed information about parameters (if you pass `None` as a value where a string would be expected, that entry is converted to NULL before passing it to the underlying ODBC API).

Result Set Layouts

Note that the result set layouts described here may not apply to your data source. Some databases do not provide all the information given here and thus generate slightly different result sets. Expect column additions and even omissions and do not rely on the column names used in the result set descriptions.

Search Pattern Parameters

The standard catalog method parameters `qualifier`, `owner` and `table` accept SQL search patterns as input, e.g. `table='SYS%'` would return all tables whose name starts with `SYS`.

In some cases, the catalog functions provide additional search parameters such as `procedure` or `column`. These parameters then also accept SQL search pattern strings.

Case-sensitivity of Search Patterns

The search patterns given as parameters to these catalog methods are usually interpreted in a **case-sensitive** way. This means that even if the database itself behaves case-insensitive for identifiers, you may still not find what you're looking for if you don't use the case which the database internally uses to store the identifier.

¹³ Note that this was changed in mxODBC 3.0. Previously the catalog methods used to return the number of rows in the result set.

As an example take the SAP DB: it stores all unquoted identifiers using uppercase letters. Trying to fetch e.g. information about a table using a lowercase version of the name will result in an empty result set. You can use `connection.getinfo(SQL.IDENTIFIER_CASE)` to determine how the database stores identifiers. See the [ODBC Documentation](#) for details.

Switching between Search Patterns and Identifier Matching

Some ODBC drivers support adjusting the catalog method interface to interpret the parameters as case-insensitive identifiers instead.

In mxODBC, this can be enabled using:

```
cursor.setcursoroption(SQL.ATTR_METADATA_ID, SQL.TRUE)
```

The setting persists on the cursor. It can be switched off again using:

```
cursor.setcursoroption(SQL.ATTR_METADATA_ID, SQL.FALSE)
```

which then causes the catalog methods to interpret the parameters as case-sensitive search patterns again.

Whether this really helps with the problem described above depends on the application.

Unicode

All catalog methods accept Unicode parameters, if the ODBC drivers provide the necessary support for this.

Available Catalog Methods

Please note that the drivers may not implement all catalog methods that mxODBC supports. In such a case, you will get a `NotSupportedError` or `AttributeError` exception when trying to use a method that is not supported by the ODBC driver.

The following catalog methods are supported by mxODBC:

```
.columns(qualifier=None, owner=None, table=None, column=None)
```

Query the database schema for information on table columns.

`column` allows restricting the results to a single column of a table.

Depending on the used query options, the result set will contain information for only one table, the whole database or just a single column.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_CAT	VARCHAR(128)	Always NULL.

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128) not NULL	The name of the table, or view, or alias, or synonym.
COLUMN_NAME	VARCHAR(128) not NULL	Name of the column of the specified table, view, alias, or synonym.
DATA_TYPE	SMALLINT not NULL	SQL data type of column identified by COLUMN_NAME.
TYPE_NAME	VARCHAR(128) not NULL	Character string representing the name of the data type corresponding to DATA_TYPE.
COLUMN_SIZE	INTEGER	<p>If the DATA_TYPE column value denotes a character or binary string, then this column contains the maximum length in characters for the column.</p> <p>For date, time, timestamp data types, this is the total number of characters required to display the value when converted to character.</p> <p>For numeric data types, this is either the total number of digits, or the total number of bits allowed in the column, depending on the value in the NUM_PREC_RADIX column in the result set.</p>
BUFFER_LENGTH	INTEGER	The maximum number of bytes for the associated C buffer to store data from this column if SQL_C_DEFAULT were specified on the SQLBindCol(), SQLGetData() and SQLBindParameter() calls. This length does not include any null-terminator. For exact numeric data types, the length accounts for the decimal and the sign.
DECIMAL_DIGITS	SMALLINT	The scale of the column. NULL is returned for data types where scale is not applicable.
NUM_PREC_RADIX	SMALLINT	<p>Either 10 or 2 or NULL. If DATA_TYPE is an approximate numeric data type, this column contains the value 2, then the COLUMN_SIZE column contains the number of bits allowed in the column.</p> <p>If DATA_TYPE is an exact numeric data type, this column contains the value 10 and the COLUMN_SIZE contains the number of</p>

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		<p>decimal digits allowed for the column.</p> <p>For numeric data types, the database can return a NUM_PREC_RADIX of either 10 or 2.</p>
NULLABLE	SMALLINT not NULL	SQL.NO_NULLS if the column does not accept NULL values.
REMARKS	VARCHAR(254)	<p>May contain descriptive information about the column or NULL.</p> <p>It is possible that no usable information is returned in this column (due to optimizations).</p>
COLUMN_DEF	VARCHAR(254)	<p>The column's default value. If the default value is a numeric literal, then this column contains the character representation of the numeric literal with no enclosing single quotes. If the default value is a character string, then this column is that string enclosed in single quotes. If the default value a pseudo-literal, such as for DATE, TIME, and TIMESTAMP columns, then this column contains the keyword of the pseudo-literal (e.g. CURRENT DATE) with no enclosing quotes.</p> <p>If NULL was specified as the default value, then this column returns "NULL". If the default value cannot be represented without truncation, then this column contains "TRUNCATED" with no enclosing single quotes. If no default value was specified, then this column is NULL.</p> <p>It is possible that no usable information is returned in this column (due to optimizations).</p>
SQL_DATA_TYPE	SMALLINT not NULL	SQL data type. This column is the same as the DATA_TYPE column.
SQL_DATETIME_SUB	SMALLINT	The subtype code for datetime data types: SQL.CODE_DATE, SQL.CODE_TIME, SQL.CODE_TIMESTAMP. For all other data types this column returns NULL.
CHAR_OCTET_LENGTH	INTEGER	Contains the maximum length in octets for a character data type column. For Single Byte character sets, this is the same as COLUMN_SIZE. For all other data types it is NULL.

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
ORDINAL_POSITION	INTEGER not NULL	The ordinal position of the column in the table. The first column in the table is number 1.
IS_NULLABLE	VARCHAR(254)	Contains the string "NO" if the column is known to be not nullable; and "YES" otherwise.

```
.columnprivileges(qualifier=None, owner=None, table=None,
column=None)
```

Query the database schema for information on column privileges for the given table. This is useful to determine the authorizations granted to a table or column.

`column` allows restricting the results to a single column of a table.

Note that the `table` parameter is mandatory.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_CAT	VARCHAR(128)	Always NULL.
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128) not NULL	The name of the table, or view, or alias, or synonym.
COLUMN_NAME	VARCHAR(128) not NULL	Name of the column of the specified table, view, alias, or synonym.
GRANTOR	VARCHAR(128)	Authorization ID of the user who granted the privilege.
GRANTEE	VARCHAR(128)	Authorization ID of the user to whom the privilege is granted.
PRIVILEGE	VARCHAR(128)	The table privilege. This may be one of the following strings: "INSERT", "REFERENCES", "SELECT", "UPDATE".
IS_GRANTABLE	VARCHAR(3)	Indicates whether the grantee is permitted to grant the privilege to other users. This can be "YES", "NO" or NULL.

```
.foreignkeys(primary_qualifier=None, primary_owner=None,
             primary_table=None, foreign_qualifier=None, foreign_owner=None,
             foreign_table=None)
```

Query the database schema for information on foreign keys. The method has two modes of operation, depending on which parameter is set:

`primary_table`

The method returns a list of foreign key columns in other tables that refer to the primary key column of the given table and the primary key column of the given table itself.

`foreign_table`

The method returns a list of foreign key columns in a table that refer to the primary keys of other tables and the primary key columns of those other tables.

This is useful to determine the relationships between the tables in a database schema.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
PKTABLE_CAT	VARCHAR(128)	Always NULL.
PKTABLE_SCHEMA	VARCHAR(128)	The name of the schema containing PKTABLE_NAME.
PKTABLE_NAME	VARCHAR(128) not NULL	Name of the table containing the primary key.
PKCOLUMN_NAME	VARCHAR(128) not NULL	Primary key column name.
FKTABLE_CAT	VARCHAR(128)	Always NULL.
FKTABLE_SCHEMA	VARCHAR(128)	The name of the schema containing FKTABLE_NAME.
FKTABLE_NAME	VARCHAR(128) not NULL	Name of the table containing the foreign key.
FKCOLUMN_NAME	VARCHAR(128) not NULL	Foreign key column name.
ORDINAL_POSITION	SMALLINT not NULL	The ordinal position of the column in the key, starting at 1.

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
UPDATE_RULE	SMALLINT	Action to be applied to the foreign key when the SQL operation is UPDATE: SQL.RESTRICT, SQL.NO_ACTION, SQL.CASCADE, SQL.SET_NULL.
DELETE_RULE	SMALLINT	Action to be applied to the foreign key when the SQL operation is DELETE: SQL.CASCADE, SQL.NO_ACTION, SQL.RESTRICT, SQL.SET_DEFAULT, SQL.SET_NULL.
FK_NAME	VARCHAR(128)	Foreign key identifier. NULL if not applicable to the data source.
PK_NAME	VARCHAR(128)	Primary key identifier. NULL if not applicable to the data source.
DEFERRABILITY	SMALLINT	Possible values: SQL.INITIALY_DEFERRED, SQL.INITIALY_IMMEDIATE, SQL.NOT_DEFERRABLE.

`.gettypeinfo(sqltype)`

Query the data source for information on a supported data type `sqltype`.

`sqltype` must be one of the SQL type codes as returned in `cursor.description[1]`. See section 8. Data Types supported by mxODBC for a list of SQL type codes and details about their use.

This method is useful to determine characteristics of the given SQL data type and how it is defined in the SQL dialect supported by the data source.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TYPE_NAME	VARCHAR(128) not NULL	Character representation of the SQL data type name, e.g. "VARCHAR", "DATE", "INTEGER".
DATA_TYPE	SMALLINT not NULL	SQL data type of column identified by COLUMN_NAME.
COLUMN_SIZE	INTEGER	If the DATA_TYPE column value denotes a character or binary string, then this column contains the maximum length in characters for the column. For date, time, timestamp data types, this is the total number of characters required to

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		<p>display the value when converted to character.</p> <p>For numeric data types, this is either the total number of digits, or the total number of bits allowed in the column, depending on the value in the NUM_PREC_RADIX column in the result set.</p>
LITERAL_PREFIX	VARCHAR(128)	Prefix for a literal of this data type. This column is NULL for data types where a literal prefix is not applicable.
LITERAL_SUFFIX	VARCHAR(128)	Suffix for a literal of this data type. This column is NULL for data types where a literal prefix is not applicable.
CREATE_PARAMS	VARCHAR(128)	<p>The text of this column contains a list of keywords, separated by commas, corresponding to each parameter the application may specify in parenthesis when using the name in the TYPE_NAME column as a data type in SQL.</p> <p>The keywords in the list can be any of the following: "LENGTH", "PRECISION", "SCALE". They appear in the order that the SQL syntax requires that they be used.</p> <p>NULL is returned if there are no parameters for the data type definition, (such as INTEGER).</p> <p>Note: The intent of CREATE_PARAMS is to enable an application to customize the interface for a DDL builder.</p>
NULLABLE	SMALLINT not NULL	<p>Indicates whether the data type accepts a NULL value</p> <p>SQL.NO_NULLS - NULL values are disallowed.</p> <p>SQL.NULLABLE - NULL values are allowed.</p>
CASE_SENSITIVE	SMALLINT not NULL	Indicates whether the data type can be treated as case sensitive for collation purposes; valid values are SQL.TRUE and SQL.FALSE.
SEARCHABLE	SMALLINT not NULL	<p>Indicates how the data type is used in a WHERE clause. Valid values are:</p> <p>SQL.UNSEARCHABLE: if the data type cannot be used in a WHERE clause.</p>

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		<p>SQL.LIKE_ONLY: if the data type can be used in a WHERE clause only with the LIKE predicate.</p> <p>SQL.ALL_EXCEPT_LIKE: if the data type can be used in a WHERE clause with all comparison operators except LIKE.</p> <p>SQL.SEARCHABLE: if the data type can be used in a WHERE clause with any comparison operator.</p>
UNSIGNED_ATTRIBUTE	SMALLINT	Indicates where the data type is unsigned. The valid values are: SQL.TRUE, SQL.FALSE or NULL. A NULL indicator is returned if this attribute is not applicable to the data type.
FIXED_PREC_SCALE	SMALLINT not NULL	Contains the value SQL.TRUE if the data type is exact numeric and always has the same precision and scale; otherwise, it contains SQL.FALSE.
AUTO_INCREMENT	SMALLINT	Contains SQL.TRUE if a column of this data type is automatically set to a unique value when a row is inserted; otherwise, contains SQL.FALSE.
LOCAL_TYPE_NAME	VARCHAR(128)	<p>This column contains any localized (native language) name for the data type that is different from the regular name of the data type. If there is no localized name, this column is NULL.</p> <p>This column is intended for display only. The character set of the string is locale-dependent and is typically the default character set of the database.</p>
MINIMUM_SCALE	INTEGER	The minimum scale of the SQL data type. If a data type has a fixed scale, the MINIMUM_SCALE and MAXIMUM_SCALE columns both contain the same value. NULL is returned where scale is not applicable.
MAXIMUM_SCALE	INTEGER	The maximum scale of the SQL data type. NULL is returned where scale is not applicable. If the maximum scale is not defined separately in the database, but is defined instead to be the same as the maximum length of the column, then this column contains the same value as the COLUMN_SIZE column.

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
SQL_DATA_TYPE	SMALLINT not NULL	SQL data type. This column is the same as the DATA_TYPE column.
SQL_DATETIME_SUB	SMALLINT	The subtype code for datetime data types: SQL.CODE_DATE, SQL.CODE_TIME, SQL.CODE_TIMESTAMP. For all other data types this column returns NULL.
NUM_PREC_RADIX	SMALLINT	<p>Either 10 or 2 or NULL. If DATA_TYPE is an approximate numeric data type, this column contains the value 2, then the COLUMN_SIZE column contains the number of bits allowed in the column.</p> <p>If DATA_TYPE is an exact numeric data type, this column contains the value 10 and the COLUMN_SIZE contains the number of decimal digits allowed for the column.</p> <p>For numeric data types, the database can return a NUM_PREC_RADIX of either 10 or 2.</p>
INTERVAL_PRECISION	SMALLINT	Datetime interval precision or NULL is interval types are not supported by the database.

`.primarykeys(qualifier=None, owner=None, table=None)`

Query the data source for information on the primary keys of a given table. The `table` parameter is mandatory.

The method is useful when inspecting unknown database schemas. It only supports returning the primary key column(s) for a single table.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_CAT	VARCHAR(128)	Always NULL.
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128) not NULL	The name of the table, or view, or alias, or synonym.
COLUMN_NAME	VARCHAR(128) not	Primary Key column name.

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
	NULL	
ORDINAL_POSITION	SMALLINT not NULL	Column sequence number in the primary key, starting with 1.
PK_NAME	VARCHAR(128)	Primary key identifier. NULL if not applicable to the data source.

`.procedures(qualifier=None, owner=None, procedure=None)`

Query the data source for information on procedures stored in a data source.

`procedure` can be used to limit the results to a set of procedures or a single procedure.

The method is useful for determining the availability of stored procedures and also for database schema introspection purposes.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
PROCEDURE_CAT	VARCHAR(128)	Always NULL.
PROCEDURE_SCHEMA	VARCHAR(128)	The name of the schema containing PROCEDURE_NAME.
PROCEDURE_NAME	VARCHAR(128) not NULL	The name of the procedure.
NUM_INPUT_PARAMS	INTEGER not NULL	Number of input parameters.
NUM_OUTPUT_PARAMS	INTEGER not NULL	Number of output parameters.
NUM_RESULT_SETS _RESULT_SETS	INTEGER not NULL	Number of result sets returned by the procedure.
REMARKS	VARCHAR(254)	Contains the descriptive information about the procedure.
PROCEDURE_TYPE	SMALLINT	Defines the procedure type: SQL.PT_UNKNOWN: It cannot be determined whether the procedure returns a value. SQL.PT_PROCEDURE: The returned object

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		<p>is a procedure; that is, it does not have a return value.</p> <p>SQL.PT_FUNCTION: The returned object is a function; that is, it has a return value.</p>

```
.procedurecolumns(qualifier=None, owner=None, procedure=None,
column=None)
```

Query the data source for information on parameter details of procedures stored in a data source.

`procedure` can be used to limit the results to a set of procedures or a single procedure. `column` allows restricting the results to a single procedure parameter.

The method can be used to e.g. determine whether a parameter is an input, output or input/output parameter.

The catalog method generates a result set having the following schema (the term "*column*" used here refers to the procedure's call parameters):

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
PROCEDURE_CAT	VARCHAR(128)	Always NULL.
PROCEDURE_SCHEMA	VARCHAR(128)	The name of the schema containing PROCEDURE_NAME.
PROCEDURE_NAME	VARCHAR(128)	The name of the table, or view, or alias, or synonym.
COLUMN_NAME	VARCHAR(128)	Name of the column of the specified table, view, alias, or synonym.
COLUMN_TYPE	SMALLINT not NULL	<p>Identifies the type information associated with this column. Possible values:</p> <p>SQL.PARAM_TYPE_UNKNOWN: the parameter type is unknown.</p> <p>SQL.PARAM_INPUT: this parameter is an input parameter.</p> <p>SQL.PARAM_INPUT_OUTPUT: this parameter is an input / output parameter.</p> <p>SQL.PARAM_OUTPUT: this parameter is an output parameter.</p>

7. mxODBC Cursor Objects

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		<p>SQL.RETURN_VALUE: the procedure column is the return value of the procedure.</p> <p>SQL.RESULT_COL: this parameter is actually a column in the result set.</p>
DATA_TYPE	SMALLINT not NULL	SQL data type of column.
TYPE_NAME	VARCHAR(128) not NULL	Character string representing the name of the data type corresponding to DATA_TYPE.
COLUMN_SIZE	INTEGER	<p>If the DATA_TYPE column value denotes a character or binary string, then this column contains the maximum length in characters for the column.</p> <p>For date, time, timestamp data types, this is the total number of characters required to display the value when converted to character.</p> <p>For numeric data types, this is either the total number of digits, or the total number of bits allowed in the column, depending on the value in the NUM_PREC_RADIX column in the result set.</p>
BUFFER_LENGTH	INTEGER	<p>The maximum number of bytes for the associated C buffer to store data from this column if SQL.C_DEFAULT were specified on the SQLBindCol(), SQLGetData() and SQLBindParameter() ODBC calls used internally by mxODBC. This length does not include any null-terminator. For exact numeric data types, the length accounts for the decimal and the sign.</p> <p>Note: This column is of little value to Python applications.</p>
DECIMAL_DIGITS	SMALLINT	The scale of the column. NULL is returned for data types where scale is not applicable.
NUM_PREC_RADIX	SMALLINT	<p>Either 10 or 2 or NULL. If DATA_TYPE is an approximate numeric data type, this column contains the value 2, then the COLUMN_SIZE column contains the number of bits allowed in the column.</p> <p>If DATA_TYPE is an exact numeric data type, this column contains the value 10 and the COLUMN_SIZE contains the number of decimal digits allowed for the column.</p> <p>For numeric data types, the database can return a NUM_PREC_RADIX of either 10 or 2.</p>

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
NULLABLE	SMALLINT not NULL	SQL.NO_NULLS if the column does not accept NULL values.
REMARKS	VARCHAR(254)	May contain descriptive information about the column or NULL. It is possible that no usable information is returned in this column (due to optimizations).
COLUMN_DEF	VARCHAR(3)	The column's default value. If the default value is a numeric literal, then this column contains the character representation of the numeric literal with no enclosing single quotes. If the default value is a character string, then this column is that string enclosed in single quotes. If the default value a pseudo-literal, such as for DATE, TIME, and TIMESTAMP columns, then this column contains the keyword of the pseudo-literal (e.g. CURRENT DATE) with no enclosing quotes. If NULL was specified as the default value, then this column returns "NULL". If the default value cannot be represented without truncation, then this column contains "TRUNCATED" with no enclosing single quotes. If no default value was specified, then this column is NULL. It is possible that no usable information is returned in this column (due to optimizations).
SQL_DATA_TYPE	SMALLINT not NULL	ODBC3 SQL data type. This column is the same as the DATA_TYPE column, except for date/time types.
SQL_DATETIME_SUB	SMALLINT	The subtype code for datetime data types: SQL.CODE_DATE, SQL.CODE_TIME, SQL.CODE_TIMESTAMP. For all other data types this column returns NULL.
CHAR_OCTET_LENGTH	INTEGER	Contains the maximum length in octets for a character data type column. For Single Byte character sets, this is the same as COLUMN_SIZE. For all other data types it is NULL.
ORDINAL_POSITION	INTEGER not NULL	The ordinal position of the parameter column in the procedure call. The first column has an ordinal position of 1.
IS_NULLABLE	VARCHAR(254)	Contains the string "NO" if the column is known to be not nullable, "" if this cannot be determined, or "YES" if it is known to be nullable.

7. mxODBC Cursor Objects

```
.specialcolumns(qualifier=None, owner=None, table=None,  
coltype=SQL.BEST_ROWID, scope=SQL.SCOPE_SESSION,  
nullable=SQL.NO_NULLS)
```

Query the data source for information on "special" columns of a given table. The `table` parameter is mandatory.

Special columns in this sense are columns which can be used to uniquely identify a row in the table (e.g. primary keys) or which are automatically updated by the database (e.g. auto-increment columns).

Possible input values for `coltype`:

`SQL.BEST_ROWID`

Return the optimal column or set of columns for uniquely identifying a row in the table (the *rowid*).

`SQL.ROWVER`

Return columns that are automatically updated by the database when the row is updated.

Possible input values for `scope`:

`SQL.SCOPE_CURROW`

The *rowid* column(s) are only guaranteed to be valid as long as the rows remain unchanged.

`SQL.SCOPE_TRANSACTION`

The *rowid* is guaranteed to be valid for the duration of the current transaction.

`SQL.SCOPE_SESSION`

The *rowid* is guaranteed to be valid for the duration of the connection.

Possible input values for `nullable`:

`SQL.NO_NULLS`

Exclude special columns that nullable. Using this option can result in an empty result set, if the table, driver or database don't support such requirements.

`SQL.NULLABLE`

Return special columns, even if they can have NULL values.

The method is useful to determine columns that can be used as to determine query columns that allow retrieving rows which have been inserted in a table without primary key or in a table with a primary key which is defined as auto-increment column.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
SCOPE	SMALLINT	The duration for which the name in COLUMN_NAME is guaranteed to point to the same row. Contains one of the following values: SQL.SCOPE_CURROW, SQL.SCOPE_TRANSACTION, SQL.SCOPE_SESSION.
COLUMN_NAME	VARCHAR(128) not NULL	Name of the column that is (or part of) the table's primary key.
DATA_TYPE	SMALLINT not NULL	SQL data type of column identified by COLUMN_NAME.
TYPE_NAME	VARCHAR(128) not NULL	Character string representing the name of the data type corresponding to DATA_TYPE.
COLUMN_SIZE	INTEGER	<p>If the DATA_TYPE column value denotes a character or binary string, then this column contains the maximum length in characters for the column.</p> <p>For date, time, timestamp data types, this is the total number of characters required to display the value when converted to character.</p> <p>For numeric data types, this is either the total number of digits, or the total number of bits allowed in the column, depending on the value in the NUM_PREC_RADIX column in the result set.</p>
BUFFER_LENGTH	INTEGER	<p>The maximum number of bytes for the associated C buffer to store data from this column if SQL.C_DEFAULT were specified on the SQLBindCol(), SQLGetData() and SQLBindParameter() ODBC calls used internally by mxODBC. This length does not include any null-terminator. For exact numeric data types, the length accounts for the decimal and the sign.</p> <p>Note: This column is of little value to Python applications.</p>
DECIMAL_DIGITS	SMALLINT	The scale of the column. NULL is returned for data types where scale is not applicable.
PSEUDO_COLUMN	SMALLINT	Indicates whether or not the column is a pseudo-column. Possible values: SQL.PC_NOT_PSEUDO, SQL.PC_UNKNOWN, SQL.PC_PSEUDO.

7. mxODBC Cursor Objects

```
.statistics(qualifier=None, owner=None, table=None,
            unique=SQL.INDEX_ALL, accuracy=SQL.QUICK)
```

Query the data source for information on statistics and available indexes for a given table. The `table` parameter is mandatory.

Possible input values for `unique`:

`SQL.INDEX_UNIQUE`

Return only unique indexes.

`SQL.INDEX_ALL`

Return all indexes.

Possible input values for `accuracy`:

`SQL.ENSURE`

The data returned for `CARDINALITY` and `PAGES` must be current and accurate. This mode is not widely supported and its use is discouraged.

`SQL.QUICK`

The data for `CARDINALITY` and `PAGES` is returned if available, but must not be current.

This method is mainly useful for identifying the indexes of a table in a database schema.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_CAT	VARCHAR(128)	Always NULL.
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128) not NULL	The name of the table, or view, or alias, or synonym.
NON_UNIQUE	SMALLINT	Indicates whether the index prohibits duplicate values. Returns: SQL.TRUE if the index allows duplicate values. SQL.FALSE if the index values must be unique. NULL is returned if the TYPE column indicates that this row is SQL.TABLE_STAT (statistics information on the table itself).
INDEX_QUALIFIER	VARCHAR(128)	The string that would be used to qualify the index name in the DROP INDEX statement. Appending a period (.) plus the INDEX_NAME

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
		results in a full specification of the index.
INDEX_NAME	VARCHAR(128)	The name of the index. If the TYPE column has the value SQL.TABLE_STAT, this column has the value NULL.
TYPE	SMALLINT not NULL	Indicates the type of information contained in this row of the result set: SQL.TABLE_STAT - Indicates this row contains statistics information on the table itself. SQL.INDEX_CLUSTERED - Indicates this row contains information on an index, and the index type is a clustered index. SQL.INDEX_HASHED - Indicates this row contains information on an index, and the index type is a hashed index. SQL.INDEX_OTHER - Indicates this row contains information on an index, and the index type is other than clustered or hashed.
ORDINAL_POSITION	SMALLINT	Ordinal position of the column within the index whose name is given in the INDEX_NAME column. A NULL value is returned for this column if the TYPE column has the value of SQL.TABLE_STAT.
COLUMN_NAME	VARCHAR(128)	Name of the column in the index. A NULL value is returned for this column if the TYPE column has the value of SQL.TABLE_STAT.
ASC_OR_DESC	CHAR(1)	Sort sequence for the column; "A" for ascending, "D" for descending. NULL value is returned if the value in the TYPE column is SQL.TABLE_STAT.
CARDINALITY	INTEGER	If the TYPE column contains the value SQL.TABLE_STAT, this column contains the number of rows in the table. If the TYPE column value is not SQL.TABLE_STAT, this column contains the number of unique values in the index. A NULL value is returned if the information cannot be determined.
PAGES	INTEGER	If the TYPE column contains the value SQL.TABLE_STAT, this column contains the number of pages used to store the table. If the TYPE column value is not

7. mxODBC Cursor Objects

Column Name	Column Datatype	Comment
		SQL.TABLE_STAT, this column contains the number of pages used to store the indexes. A NULL value is returned if the information cannot be determined.
FILTER_CONDITION	VARCHAR(128)	If the index is a filtered index, this is the filter condition. NULL is returned if TYPE is SQL.TABLE_STAT or the database does not support filtered indexes.

`.tables(qualifier=None, owner=None, table=None, type=None)`

Query the data source for information on tables stored in the database.

`type` may be set to a comma-separated string of database table types using all uppercase characters. The exact list of available types is data source dependent. Common types include: `TABLE`, `VIEW`, `SYSTEM TABLE`, `GLOBAL TEMPORARY`, `LOCAL TEMPORARY`, `ALIAS`, `SYNONYM`.

This method is useful for checking whether a table exists and is accessible by the current user or not. It also aids in database schema introspection.

The catalog method generates a result set having the following schema:

Column Name	Column Datatype	Comment
TABLE_CAT	VARCHAR(128)	The name of the catalog containing TABLE_SCHEM. This column contains a NULL value.
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128)	The name of the table, or view, or alias, or synonym.
TABLE_TYPE	VARCHAR(128)	Identifies the type given by the name in the TABLE_NAME column. It can have the string values "TABLE", "VIEW", "INOPERATIVE VIEW", "SYSTEM TABLE", "ALIAS", or "SYNONYM".
REMARKS	VARCHAR(254)	Contains the descriptive information about the table.

`.tableprivileges(qualifier=None, owner=None, table=None)`

Query the data source for information on table privileges associated with database tables.

The method is useful for determining and extracting table access permissions from the database.

The catalog method generates a result set having the following schema:

<i>Column Name</i>	<i>Column Datatype</i>	<i>Comment</i>
TABLE_CAT	VARCHAR(128)	Always NULL.
TABLE_SCHEMA	VARCHAR(128)	The name of the schema containing TABLE_NAME.
TABLE_NAME	VARCHAR(128) not NULL	The name of the table, or view, or alias, or synonym.
GRANTOR	VARCHAR(128)	Authorization ID of the user who granted the privilege.
GRANTEE	VARCHAR(128)	Authorization ID of the user to whom the privilege is granted.
PRIVILEGE	VARCHAR(128)	The table privilege. This may be one of the following strings: "ALTER", "CONTROL", "INDEX", "DELETE", "INSERT", "REFERENCES", "SELECT", "UPDATE".
IS_GRANTABLE	VARCHAR(3)	Indicates whether the grantee is permitted to grant the privilege to other users. This can be "YES", "NO" or NULL.

7.7 Cursor Object Attributes

`.arraysize`

This read/write attribute specifies the number of rows to fetch at a time with `.fetchmany()`. It defaults to 1 meaning to fetch a single row at a time.

mxODBC observes this value with respect to the `.fetchmany()` method, but currently interacts with the database a single row at a time.

`.closed`

This read-only attribute is true if the cursor or the underlying connection was closed by calling the `.close()` method.

Any action on a closed connection or cursor will result in a `ProgrammingError` to be raised. This variable can be used to conveniently test for this state.

7. mxODBC Cursor Objects

`.colcount`

This read-only attribute specifies the number of columns in the current result set.

The attribute is `-1` in case no `.execute*()` has been performed on the cursor.

`.command`

Provides access to the last SQL command string or Unicode object that was passed to `.prepare()` or `.execute*()`. If no such command is available, `None` is returned.

It is set by `.prepare()` and `.execute*()` and reset by calling one of the catalog methods or `.close()` on the cursor.

Note that `.command` may be a Unicode object in case a Unicode object was passed to one of the above methods.

`.connection`

Connection object on which the cursor operates.

`.cursortype`

Read/write attribute that sets the ODBC cursor type this cursor. It takes the same values as the `connection.cursortype` instance variable and defaults to the creating connection object's settings for `connection.cursortype`. For possible values, please see the connection `.cursortype` attribute in section 6.8 Connection Object Attributes.

Changes to the cursor type must be made before opening the cursor, ie. before executing a statement on it.

Please refer to section 5.7 ODBC Cursor Types for more details on cursor types.

`.datetimeformat`

Attribute to set the output format for date/time/timestamp columns on a per cursor basis. It takes the same values as the `connection.datetimeformat` instance variable and defaults to the creating connection object's settings for `connection.datetimeformat`.

`.decimalformat`

Attribute to set the output format for decimal/numeric columns on a per cursor basis. It takes the same values as the `connection.decimalformat` instance variable and defaults to the creating connection object's settings for `connection.decimalformat`.

`.description`

This read-only attribute is a sequence of 7-item sequences for operations that produce a result set (which may be empty).

Each of these sequences contains information describing one result column: `(name, type_code, display_size, internal_size, precision, scale, null_ok)`.

This attribute will be `None` for operations that do not return rows or if the cursor has not had an operation invoked via the `.execute*()` method yet.

mxODBC always returns `None` for `display_size` and `internal_size`. This information can be obtained via `connection.gettypeinfo()`, if needed.

The `type_code` can be interpreted by comparing it to the type objects specified in the section 8 [Type Objects and Constructors](#) below. mxODBC returns the SQL type integers in this field. These are described in the section 8 [Supported Data Types](#) and are available through the `SQL` singleton defined at module level.

`.messages`

This is a Python list object to which the standard mxODBC error handler appends tuples (`exception class, exception value`) for all messages which the interfaces receives from the underlying ODBC driver or manager for this cursor. See section 10. [Error Handlers](#) for details.

The list is cleared by all cursor methods calls (prior to executing the call) except for the `.fetch*()` calls to avoid excessive memory usage and can also be cleared explicitly by executing `del cursor.messages[:]`.

An application can use the information in this list to verify correct operation of the method calls. This is particularly useful if the ODBC driver or database splits the error information across multiple error messages. In such a case, only one of the messages will be used to raise the exception by mxODBC (usually the top-most), but this message may not provide enough information to track down the problem.

`.paramcount`

This read-only attribute specifies the number of parameters in the current prepared command.

The attribute is `-1` in case this information is not available.

`.paramstyle`

Sets the default parameter binding style of the cursor. The value is initially set to the value of `connection.paramstyle` of the creating connection. The value takes affect on the next call to a `cursor.execute*()` method.

The attribute can be set or queried and takes the following string values (following the `paramstyle` module global as defined in the DB-API):

`'qmark'` (default)

This is the default ODBC parameter binding style and also used as native database binding style by MS SQL Server and IBM DB2.

Parameters in SQL statements used on `cursor.execute*()` methods are marked with the question mark letter ('?') and the variables are bound to these parameter locations using a positional mapping. Parameter values for a SQL statement must be specified as sequence, normally a list or a tuple.

Example: `'SELECT * FROM MyTable WHERE A=? AND B=?'` used with a parameter tuple `(1, 2)` would result in the database executing the query `'SELECT * FROM MyTable WHERE A=1 AND B=2'`.

7. mxODBC Cursor Objects

`'named'`

The 'named' parameter binding style is used by the native database interfaces of e.g. Oracle.

Parameters in SQL statements used on `cursor.execute*()` methods are marked with a colon followed by a name, e.g. `':a'` or `':1'`. The variables are bound to these parameter locations using a name based mapping. Parameter values for a SQL statement must be specified as mapping, normally a dictionary, and are bound to the locations based on the names used in the SQL statement.

Example: `'SELECT * FROM MyTable WHERE A=:a AND B=:b'` used with a parameter dictionary `{'a': 1, 'b': 2}` would result in the database executing the query `'SELECT * FROM MyTable WHERE A=1 AND B=2'`.

`.rowcount`

This read-only attribute specifies the number of rows that the last `.execute*()` produced (for DQL statements like `select`) or affected (for SQL DML statements like `update` or `insert`).

The attribute is `-1` in case no `.execute*()` has been performed on the cursor or the rowcount of the last operation is not determinable by the interface or the database.

You should check whether the database you are interfacing to supports `.rowcount` before writing code which relies on it. Many databases such as MS Access and Oracle do not provide this information to the ODBC driver, so `.rowcount` will always be `-1`.

`.rownumber`

This read-only attribute provides the current 0-based row position of the cursor in the result set. The next `.fetch*()` will return rows starting at the given position.

The row position is automatically updated whenever the cursor moves through the result set, either due to fetches or scrolls.

The attribute is `None` in case no `.execute*()` has been performed on the cursor or the cursor position cannot be determined.

You should check whether the database you are interfacing to supports `.rownumber` before writing code which relies on it. Many databases such as MS Access and Oracle do not provide this information to the ODBC driver, so `.rownumber` will always be `None`.

`.stringformat`

Attribute to set the conversion format for string columns on a per cursor basis. It takes the same values as the `connection.stringformat` instance variable and defaults to the creating connection object's settings for `connection.stringformat`.

`.timestampresolution`

Attribute to set the timestamp resolution for timestamp input columns on a per cursor basis. It works in the same ways as the `connection.timestampresolution` instance variable and defaults to the creating connection object's settings for `connection.timestampresolution`.

`.warningformat`

Attribute to set the database warning reporting method used by the mxODBC default error handler. It takes the same values as the `connection.warningformat` instance variable and defaults to the creating connection object's settings for `connection.warningformat`.

8. Data Types supported by mxODBC

mxODBC tries to maintain as much of the available information across the Python-ODBC bridge as possible. In order to implement this, mxODBC converts between the ODBC and the Python world by using native data types in both worlds.

You should note however, that some ODBC drivers return data using different types than the ones accepted for input, e.g. a database might accept a time value, convert it internally to a timestamp and then return it in a subsequent SELECT as timestamp value.

mxODBC cannot know that the value only contains valid time information and no date information and thus converts the output data into an `mxDateTime DateTime` instance instead of an `mx.DateTime.DateTimeDelta` instance (which would normally be returned for time values).

The included `mx/ODBC/Misc/test.pyc` can help to check for this behavior. It tests many common column types and other database features which are useful to know when writing applications for a particular database backend.

8.1 mxODBC Parameter Binding

When defining SQL statements that use parameters, mxODBC provides a way to bind Python values to those parameters called parameter binding.

Instead of using the literal parameter values in the SQL statement passed to the `cursor.execute*()` methods, you can use a parameter binding character or character sequence to define the parameter locations in the SQL statement and then pass the Python parameter values to the `cursor.execute*()` methods as additional parameter. The ODBC driver or the database backend will then take the values and use them to run the SQL statement.

Example:

```
Use "SELECT * FROM MyTable WHERE A=? AND B=?" and (1, 2)
(parameter binding) instead of "SELECT * FROM MyTable WHERE A=1 AND
B=2" (embedding parameters literally).
```

This has both a performance and a security advantage.

Performance is much better if the database backend can easily identify whether it has already created an access plan for a SQL statement by simply looking at the parameterized version of the statement, than first having to convert a SQL

statement with embedded literal parameters to a normalized form and then find that it already has an access plan.

If you plan to run the same statement over and over again or use `cursor.executemany()`, then the ODBC driver only has to pass the SQL statement and the list of parameters to the database, rather than build and send hundreds of statements across the wire to the database.

Security is better since the ODBC driver or database backend based building of the final SQL statement prevents the popular *SQL injection attack* on applications.

With this attack method, an attacker tries to trick an application into inserting a specially prepared SQL statement string sequence into an application defined SQL statement template. Say the application uses `"SELECT * FROM MyTable WHERE A=%s"`. An attacker could then try to send the parameter value `"1; DROP TABLE MyTable"` to the application, which would then result in the SQL statement `"SELECT * FROM MyTable WHERE A=1; DROP TABLE MyTable"` to be executed - in case the application doesn't very carefully check, parse and quote the parameter value for A.

8.1.1 Parameter Binding Styles

mxODBC uses the *ODBC parameter style* as binding parameter marker style per default. This style is called `'qmark'` because it uses positional question mark markers (`'?'`) to locate the parameters, e.g. `'SELECT * FROM MyTable WHERE A=?'`.

Starting with mxODBC 3.2, mxODBC also provides a way to adjust the parameter style on a per connection and per cursor basis. In addition of the `'qmark'` parameter style, mxODBC also supports the Oracle style `'named'` parameter style.

The default style is still the `'qmark'` style, but you can set the `connection.paramstyle` to `'named'` to have all new cursors created on the connection default to the `'named'` style. The default `cursor.paramstyle` is set to the value `connection.paramstyle` of the connection on which the cursor was created.

It is also possible to adjust existing cursors to use the `'named'` parameter style for all subsequent `cursor.execute*()` method calls by simply setting `cursor.paramstyle` to `'named'`. This has no affect on other cursors created on the same connection.

Example:

```
cursor.paramstyle = 'qmark'
cursor.execute("SELECT * FROM MyTable WHERE A=? AND B=?",
              (1, 2))
print cursor.fetchall()

cursor.paramstyle = 'named'
cursor.execute("SELECT * FROM MyTable WHERE A=:a AND B=:b",
              {'a': 1, 'b': 2})
```

8. Data Types supported by mxODBC

```
print cursor.fetchall()
```

More information about the connection and cursor attribute `.paramstyle` is available in section 6.8 Connection Object Attributes and 7.7 Cursor Object Attributes.

8.2 mxODBC Input Binding Modes

When passing parameters to the `.execute*()` methods of a cursor, mxODBC has to apply type conversions to the parameters in order to send them to the database in an appropriate form. This process is called binding a variable.

mxODBC implements two different input variable binding modes depending on what the ODBC driver can deliver:

<i>Binding Mode</i>	<i>Value of connection.bindmethod</i>	<i>Comments</i>
SQL type binding	BIND_USING_SQLTYPE	The database is asked for the appropriate data type and mxODBC tries to convert the input variable into that type. This is the preferred binding mode since it allows to choose the right conversion before passing the data to the ODBC driver.
Python type binding	BIND_USING_PYTHONTYPE	mxODBC looks at the type of the input variable and passes its value to the database directly; conversion is done by the ODBC driver/manager as necessary.

The default depends on the capabilities of the ODBC driver being used on the connection. mxODBC will always try to use the SQL type binding mode (`BIND_USING_SQLTYPE`), since this offers more flexibility than Python type binding.

8.2.1 Adjusting the Type Binding Mode

If you run into problems when using mxODBC in SQL type binding mode, please try to use Python type binding mode by configuring the connections to use Python type binding mode:

```
connection.bindmethod = BIND_USING_PYTHONTYPE
```

8.2.2 Per-Statement Binding Mode

With some database drivers, it is also possible to trigger the Python type binding mode in a more fine-grained way by using `cursor.executedirect()` method or the `direct=1` parameters on other execution methods for running SQL statements against the database.

mxODBC will then send the statements as-is to the database server and apply Python type binding for the parameters.

8.3 SQL Type Input Binding

The following data types are used for SQL type input binding mode (`connection.bindmethod` set to `BIND_USING_SQLTYPE`).

The SQL type is what the database ODBC driver expects from mxODBC. The interface then tries to convert the Python input objects to the Python type given in the table before passing it on to the ODBC driver.

SQL Type	Python Type	Comments
SQL.CHAR, SQL.VARCHAR, SQL.LONGVARCHAR (TEXT, BLOB or LONG in SQL)	String or Unicode or stringified object	<p>The conversion truncates the string at the SQL field length. The handling of special characters depends on the codepage the database uses.</p> <p>Some database drivers/managers can't handle binary data in these column types, so you better check the database's capabilities with the included <code>mx/ODBC/Misc/test.pyc</code> first before using them.</p> <p>The handling of Unicode depends on the setting of the <code>.stringformat</code></p>

8. Data Types supported by mxODBC

SQL Type	Python Type	Comments
		<p>attribute.</p> <p>In NATIVE_UNICODE_STRINGFORMAT mode, Unicode is passed to the ODBC driver as native Unicode. Strings are converted to Unicode using the connection's character <code>.encoding</code> setting.</p> <p>In all other modes, Unicode is converted to an 8-bit string before passing it to the ODBC driver using the connection's character <code>.encoding</code> setting. Strings are passed as-is.</p> <p>Note that for DateTime input objects, seconds rounding is applied just like for SQL.TIMESTAMP SQL types. For DateTimeDelta input objects, seconds are truncated to whole seconds.</p>
<p>SQL.WCHAR, SQL.WVARCHAR, SQL.WLONGVARCHAR (TEXT, BLOB or LONG in SQL)</p>	<p>String or Unicode or stringified object</p>	<p>The conversion truncates the string at the SQL field length.</p> <p>Note that currently only very few ODBC drivers can handle native Unicode</p> <p>The only way to store Unicode data in a non-Unicode aware database is by encoding it using e.g. UTF-8.</p> <p>The handling of Unicode depends on the setting of the <code>.stringformat</code> attribute.</p> <p>In EIGHTBIT_STRINGFORMAT and UNICODE_STRINGFORMAT mode, Unicode is converted to an 8-bit string before passing it to the ODBC driver using the connection's character <code>.encoding</code> setting. Strings are passed as-is.</p> <p>In all other modes, Unicode is passed to the ODBC driver as native Unicode. Strings are converted to Unicode before passing them to the ODBC driver using the connection's character <code>.encoding</code> setting.</p> <p>Unlike for SQL.CHAR and SQL.BINARY, there is no special case for mxDateTime or mxDateTimeDelta objects</p>

SQL Type	Python Type	Comments
SQL.BINARY, SQL.VARBINARY, SQL.LONGVARBINARY (BLOB or LONG BYTE in SQL)	buffer, memoryview or String	<p>Truncation at the SQL field length. These columns can contain embedded 0-bytes and other special characters.</p> <p>Handling of these column types is database dependent. Please refer to the database's documentation for details.</p> <p>Many databases store the passed in data as-is and thus make these columns types useable as storage facility for arbitrary binary data.</p> <p>Note that for mxDateTime input objects, seconds rounding is applied just like for SQL.TIMESTAMP SQL types. For DateTimeDelta input objects, seconds are truncated to whole seconds.</p>
SQL.TINYINT, SQL.SMALLINT, SQL.INTEGER, SQL.BIT	Integer or any other object which can be converted to a Python integer	<p>Conversion from the Python integer (a C long) to the SQL type is left to the ODBC driver/manager, so expect the usual truncations.</p>
SQL.BIGINT	Long integer or any other object which can be converted to a Python long integer	<p>Conversion to and from the Python long integer is done directly, if possible, or via the string representation if the C data types are not sufficient to hold the numeric data.</p> <p>If mxODBC has to use the string representation for interfacing, you may receive errors indicating truncation or errors because the database sent string data that cannot be converted to a Python long integer.</p> <p>Not all SQL databases implement this type or impose size limits.</p>
SQL.DECIMAL, SQL.NUMERIC	Python decimal.Decimal or Float or any other object which can be converted to a Python float	<p>Conversion from the Python float (a C double) to the SQL type is left to the ODBC driver/manager, so expect the usual truncations.</p> <p>Python decimals are passed to that database as strings, so no truncation or loss of precision occurs.</p>
SQL.REAL, SQL.FLOAT,	Float or any other object which can be	<p>Conversion from the Python float (a C double) to the SQL type is left to the ODBC driver/manager, so expect</p>

8. Data Types supported by mxODBC

<i>SQL Type</i>	<i>Python Type</i>	<i>Comments</i>
SQL.DOUBLE	converted to a Python float	the usual truncations.
SQL.DATE	DateTime instance or datetime.date instance or a tuple (year, month, day) or String or a ticks value as Python number	While you should use DateTime instances, the module also accepts Python datetime.date instances, ticks (Python numbers indicating the number of seconds since the Unix Epoch; these are converted to local time and then stored in the database) and tuples (year, month, day) on input.
SQL.TIME	DateTimeDelta instance or datetime.time instance or a tuple (hour, minute, second) or String or a ticks value as Python number	<p>While you should use DateTimeDelta instances, the module also accepts Python datetime.time instances, ticks (Python numbers indicating the number of seconds since 0:00:00.00) and tuples (hour, minute, second) on input.</p> <p>Seconds are rounded to the nearest nanosecond in order to avoid issues with float second values which sometimes cannot be represented with full accuracy.</p>
SQL.TIMESTAMP	DateTime instance or datetime.datetime instance or datetime.date instance or a tuple (year, month, day, hour, minute, second) or String or a ticks value as Python number	<p>While you should use DateTime instances, the module also accepts Python datetime.datetime instances, datetime.date instances (the time part is then set to 00:00:00), ticks (Python numbers indicating the number of seconds since the epoch; these are converted to local time and then stored in the database) and tuples (year, month, day, hour, minute, second) on input.</p> <p>Seconds are rounded according to the setting of the .timestampresolution setting, which defines the resolution of the timestamps in nanoseconds.</p> <p>mxODBC will round the timestamp's second value to the nearest nanosecond fraction defined by this setting in order to avoid issues with float second values which sometimes cannot be represented with full accuracy. If not set, the .timestampresolution attribute defaults to 1 nanosecond, so rounding usually is done to the nearest nanosecond, which is also the smallest fraction supported by the ODBC standard.</p>

SQL Type	Python Type	Comments
Any nullable column	None	The Python None singleton is converted to the special SQL NULL value.
Unsupported Type	String or stringified object	Input binding to these columns is done via strings (or stringified versions of the input data). Note that for mxDateTime input objects, seconds rounding is applied just like for SQL.TIMESTAMP SQL types.

8.4 Python Type Input Binding

The following mappings are used for input variables in Python type input binding mode (`connection.bindmethod` set to `BIND_USING_PYTHONTYPE`). The table shows how the different Python types are converted to SQL types.

Python Type	SQL Type	Comments
String	SQL.VARCHAR, SQL.LONGVARCHAR, SQL.VARBINARY, SQL.LONGVARBINARY (char *)	The conversion truncates the string at the SQL field length. If the string contains binary data, SQL.VARBINARY is used for passing the data to the ODBC driver/manager. The long variants are used for strings longer than 256 characters.
Unicode	SQL.WVARCHAR, SQL.WLONGVARCHAR (wchar_t *)	The conversion truncates the string at the SQL field length. Note that not all ODBC drivers/managers support Unicode data at C level. This binding is used for all cursors which do not have the <code>.stringformat</code> attribute set to <code>EIGHTBIT_STRINGFORMAT</code> or <code>UNICODE_STRINGFORMAT</code> . In <code>EIGHTBIT_STRINGFORMAT</code> mode (default) and <code>UNICODE_STRINGFORMAT</code> mode, Unicode objects are converted to a 8-bit strings first and then passed to the ODBC driver/manager. The long variant is used for Unicode data longer than 256 code points.

8. Data Types supported by mxODBC

<i>Python Type</i>	<i>SQL Type</i>	<i>Comments</i>
buffer or memoryview	SQL . VARBINARY , SQL . LONGVARBINARY (char *)	<p>The conversion truncates the string at the SQL field length. The string may contain binary data.</p> <p>If the ODBC driver/manager doesn't support processing binary data using strings, wrap the data object using Python buffers (via the <code>buffer ()</code> constructor) or Python memory views (via the <code>memoryview ()</code> constructor) to have mxODBC use a binary SQL type for interfacing to the driver/manager. The Oracle ODBC drivers usually need this.</p> <p>The long variant is used for binary data longer than 256 bytes.</p>
Integer	SQL . SLONG (signed long)	Conversion from the signed long to the SQL column type is left to the ODBC driver/manager, so expect the usual truncations.
Long Integer	SQL . CHAR (char *)	Conversion from the Python long integer is done via the string representation since there usually is no C type with enough precision to hold the value.
Float	SQL . DOUBLE (double)	Conversion from the Python float (a C double) to the SQL column type is left to the ODBC driver/manager, so expect the usual truncations.
decimal.Decimal	SQL . VARCHAR, SQL . LONGVARCHAR (char *)	<p>Conversion from a Python decimal.Decimal instance is done via the string representation to avoid losing precision.</p> <p>The long variant is used for decimal representations longer than 256 characters.</p>
DateTime	SQL . TIMESTAMP or SQL . DATE	<p>Converts the DateTime instance into a TIMESTAMP or DATE struct defined by the ODBC standard.</p> <p>The ODBC driver may use the time part of the instance or not depending on the SQL column type (DATE or TIMESTAMP).</p> <p>Seconds are rounded according to the setting of the <code>.timestampresolution</code> setting, which defines the resolution of the timestamps in nanoseconds.</p> <p>mxODBC will round the timestamp's second value to the nearest nanosecond fraction defined by this setting in order to avoid issues with float second values which sometimes cannot be represented with full accuracy. If not</p>

<i>Python Type</i>	<i>SQL Type</i>	<i>Comments</i>
		set, the .timestampresolution attribute defaults to 1 nanosecond, so rounding usually is done to the nearest nanosecond, which is also the smallest fraction supported by the ODBC standard.
DateTimeDelta	SQL . TIME	Converts the DateTimeDelta instance into a TIME struct defined by the ODBC standard. Fractions of a second will be lost in this conversion.
datetime.date	SQL . DATE	Converts the datetime.date instance into a DATE struct defined by the ODBC standard. Note that some database backends don't support date column types and give an error when using datetime.date objects. MS SQL Server 2000 and 2005 are examples. MS SQL Server 2008 introduced a date column type.
datetime.time	SQL . TIME	Converts the datetime.time instance into a TIME struct defined by the ODBC standard.
datetime.datetime	SQL . TIMESTAMP	Converts the datetime.datetime instance into a TIMESTAMP struct defined by the ODBC standard. Seconds are rounded to the nearest nanosecond in order to avoid issues with float second values which sometimes cannot be represented with full accuracy.
None	Any nullable column	The Python None singleton is converted to the special SQL NULL value.
Any other type	SQL . VARCHAR, SQL . LONGVARCHAR, SQL . VARBINARY, SQL . LONGVARBINARY (char *)	Conversion is done by calling str(variable) and then passing the resulting string value to the ODBC driver/manager. Same notes as for strings apply.

See the [ODBC Documentation](#) and your ODBC driver's documentation for more information on how these C data types are mapped to SQL column types.

8.5 Output Conversions

The following data types are used per default for output variable:

SQL Type	Python Type	Comments
SQL.CHAR, SQL.VARCHAR, SQL.LONGVARCHAR (TEXT, BLOB or LONG in SQL)	String	The handling of special characters depends on the codepage the database uses. In NATIVE_UNICODE_STRINGFORMAT and UNICODE_STRINGFORMAT mode, the string data is converted to a Python Unicode object based on the connection's encoding setting.
SQL.WCHAR, SQL.WVARCHAR, SQL.WLONGVARCHAR (TEXT, BLOB or LONG in SQL)	String or Unicode	Whether a Python string or Unicode object is returned depends on the setting of the .stringformat attribute of the cursor fetching the data. In EIGHTBIT_STRINGFORMAT mode, the Unicode data is converted to a Python string object based on the connection's encoding setting.
SQL.BINARY, SQL.VARBINARY, SQL.LONGBINARY (BLOB or LONG BYTE in SQL)	String	These can contain embedded 0-bytes and other special characters. Handling of these column types is database dependent. Please refer to the database's documentation for details.
SQL.TINYINT, SQL.SMALLINT, SQL.INTEGER, SQL.BIT	Integer or Long Integer	Bits are converted to Python integers 0 and 1 resp. Unsigned short integers are fetched as Python integers, unsigned integers as Python long integers.
SQL.BIGINT	Long Integer	mxODBC tries to fetch the long integer data directly and falls back to using string interfacing, if the platform does not provide the necessary C types for this.
SQL.DECIMAL, SQL.NUMERIC	Float or decimal.Decimal	In FLOAT_DECIMALFORMAT mode (default), mxODBC will fetch the numeric data as Python float. Since Python stores floats as double precision C float, rounding errors may occur during the

mxODBC - Python ODBC Database Interface

SQL Type	Python Type	Comments
		conversion. In DECIMAL_DECIMALFORMAT mode, mxODBC will fetch the numeric data as string and create a Python decimal.Decimal instance from it which is then returned. This avoids any rounding errors.
SQL.REAL, SQL.FLOAT, SQL.DOUBLE	Float	Python stores floats as double precision C float, so rounding errors may occur during the conversion.
SQL.DATE	DateTime instance or datetime.date instance or ticks or (year, month, day) or String	The type of the return values depends on the setting of <code>cursor.datetimeformat</code> and whether the ODBC driver/manager does return the value with proper type information. Default is to return DateTime instances.
SQL.TIME	DateTimeDelta instance or datetime.time instance or ticks or (hour, minute, second) or String	The type of the return values depends on the setting of <code>cursor.datetimeformat</code> and whether the ODBC driver/manager does return the value with proper type information. Default is to return DateTimeDelta instances.
SQL.TIMESTAMP	DateTime instance or datetime.datetime instance or ticks or (year, month, day, hour, minute, second) or String	The type of the return values depends on the setting of <code>cursor.datetimeformat</code> and whether the ODBC driver/manager does return the value with proper type information. Default is to return DateTime instances.
SQL NULL value	None	The Python None singleton is used to represent the special SQL NULL value in Python.
Unsupported Type	String	mxODBC will try to fetch data from columns using unsupported SQL data types as strings. This is likely to always work but may cause unwanted conversions and or truncations or loss of precision.

8. Data Types supported by mxODBC

Output bindings can only be applied using the above mapping by mxODBC if the database correctly identifies the type of the output variables.

The SQL type given in the above table is also made available through the cursor's `.description` tuple as `type_code` entry (position 1) for result set generating SQL commands. You can compare this value directly to the appropriate SQL object values, e.g. test for `SQL.CHAR` or `SQL.VARCHAR`.

8.6 Output Type Converter Functions

The last section defined the standard mapping mxODBC applies when fetching output data from the database.

You can modify this mapping on-the-fly by defining a cursor converter function which takes three arguments and has to return a 2-tuple:

```
def converter(position, sqltype, sqllen):
    # modify sqltype and sqllen as appropriate
    return sqltype, sqllen

# Now tell the cursor to use this converter:
cursor.setconverter(converter)
```

or 3-tuple:

```
def converter(position, sqltype, sqllen):
    # modify sqltype and sqllen as appropriate, provide binddata as
    # input (e.g. for file names which should be used for file
    # binding)
    return sqltype, sqllen, binddata

# Now tell the cursor to use this converter:
cursor.setconverter(converter)
```

The converter function is called for each output column prior to the first `.fetch*()` operation executed on the cursor. The returned values are then interpreted as defined in the table in section 8.3 [Output Conversions and SQL Type Input Binding](#).

The parameters have the following meanings:

`position`

identifies the 0-based position of the column in the result set.

`sqltype`

is usually one of the SQL data type constants, e.g. `SQL.CHAR` for string data, but could also have database specific values. mxODBC only understands the ones defined in the above table, so this gives you a chance to map user defined types to ones that Python can process.

`sqlllen`

is only used for string data and defines the maximum length of strings that can be read in that column (mxODBC allocates a memory buffer of this size for the data transfer).

Returning 0 as `sqlllen` will result in mxODBC dynamically growing the data transfer buffer when fetching the column data. This is sometimes handy in case you want to fetch data that can vary in size.

`binddata`

is optional and only needed for some special `sqltypes`. It will be used in future versions to e.g. allow binding output columns to files which some ODBC drivers support (the column data is transferred directly to a file instead of copied into memory).

Cursor objects will use the connection's `.converter` attribute as default converter. It defaults to `None`, meaning that no converter function is in effect. `None` can also be used to disable the converter function on a cursor:

```
# Don't use a converter function on the cursor
cursor.setconverter(None)
```

You can switch converter functions even in between fetches. mxODBC will then reallocate and rebind the column buffers for you.

Example (always return INTEGER values as FLOATS):

```
def converter(position,sqltype,sqlllen):
    if sqltype == SQL.INTEGER:
        sqltype = SQL.FLOAT
    return sqltype,sqlllen

# Now tell the cursor to use this converter:
cursor.setconverter(converter)
```

8.7 Auto-Conversions

While you should always try to use the above Python types for passing input values to the respective columns, the package will try to automatically convert the types you give into the ones the database expects when using the SQL Type bind method, e.g. an integer literal '123' will be converted into an integer 123 by mxODBC if the database ODBC driver requests an integer.

The situation is different in Python type binding mode (`BIND_USING_PYTHONTYPE`): the Python type used in the parameter is passed directly to the database, thus passing '123' or 123 does make a difference and could result in an error from the database.

8.8 Unicode and String Data Encodings

mxODBC also supports Unicode objects to interface with databases. As more databases and ODBC drivers support Unicode natively, using Unicode for text data stored in database becomes more attractive than ever and allows you to avoid the problems you typically face when having to deal with different text encodings and code pages in databases.

Even if you don't have access to an ODBC capable of dealing with Unicode natively, you can still take advantage of the auto-conversion mechanisms in mxODBC to simulate Unicode capabilities.

mxODBC provides several different run-time configurations to deal with passing Unicode to and fetching it from an ODBC driver. The `.stringformat` attribute of connection and cursor objects allows defining how to convert string data into Python objects and vice-versa.

Unicode conversions to and from 8-bit strings in Python usually assume the Python default encoding (which is ASCII unless you modify the Python installation). Since the database may be using a different encoding, mxODBC allows defining the encoding to be used on a per-connection basis.

The `.encoding` attribute of connection objects is writeable for this purpose. Its default value is `None`, meaning that Python's default encoding (usually *ASCII*) is to be used. You can change the encoding by simply assigning a valid encoding name to the attribute. Make sure that Python supports the encoding (you can test this using the `unicode()` built-in).

The **default conversion mechanism** used in mxODBC is `EIGHTBIT_STRINGFORMAT` (Unicode gets converted to 8-bit strings before passing the data to the driver, output is always an 8-bit string), the default encoding Python's default encoding.

To store Unicode in a database, one possibility is to use the `UNICODE_STRINGFORMAT` and set the encoding attribute to e.g. `'utf-8'`. mxODBC will then convert the Unicode input data to UTF-8, store this in the database and convert it back to Unicode during fetch operations. Note however that UTF-8 encoded data usually takes up more room in the database than the Unicode equivalent, so may experience data truncations which then cause the decoding process to fail.

Another possibility is to use the `MIXED_STRINGFORMAT` which allows mxODBC to interface to the database using the best suitable data type. For e.g. MS SQL Server this usually means passing all string data as Unicode data to and from the database. In `MIXED_STRINGFORMAT` mode mxODBC will return string data in the default format of the database driver, leaving the conversion to the Python program.

Note:

mxODBC only supports Unicode objects at the data storage interface level meaning that it can insert and fetch Unicode data from a database provided that the database can handle Unicode and that the used mxODBC subpackage was

configured with Unicode support. It also supports SQL commands given as Unicode data. However, it does *not* handle Unicode at the schema interface level, that is e.g. `cursor.description` will not return Unicode objects for the column names. This may be added to a future version of mxODBC, but is currently not supported by the package.

8.9 Additional Comments

The above SQL types are provided by each subpackage in form of SQL type code integers through attributes of the singleton object `SQL`, e.g. `SQL.CHAR` is the type integer for a CHAR column.

You can decode the `type_code` value in the `cursor.description` tuple by comparing it to one of those constants. A reverse mapping of integer codes to code names is provided by the dictionary `sqltype` which is provided by all subpackages.

Note:

You may run into problems when using the tuple versions for date/time/timestamp arguments. This is because some databases (notably MySQL) want these arguments to be passed as strings. mxODBC does the conversion internally but tuples turn out as: `'(1998,4,6)'` which it will refuse to accept. The solution: use `DateTime[Delta]` instances instead. These convert themselves to ISO dates/times which most databases (including MySQL) do understand.

To check the ODBC driver/manager capabilities and support for the above column types, run the included `mx/ODBC/Misc/test.pyc` test script.

9. DB-API Type Objects and Constructors

Since many database have problems recognizing some column's or parameter's type beforehand (e.g. for LONGs and date/time values), the Python DB-API provides a set of standard constructors to create objects that can hold special values. When passed to the cursor methods, the module can then detect the proper type of the input parameter and bind it accordingly.

In mxODBC these constructors are not needed: it uses the objects defined in [mxDateTime](#) for date/time values and is able to pass strings, buffer and memoryview objects to LONG and normal CHAR columns without problems. You only need them to write code that is portable across database interfaces.

A Cursor Object's `description` attribute returns information about each of the result columns of a query. The `type_code` compares *equal* to one of Type Objects defined below. Type Objects may be equal to more than one type code (e.g. DATETIME could be equal to the type codes for date, time and timestamp columns).

mxODBC returns more detailed description about type codes in the `description` attribute. See the section 8 [Supported Data Types](#) for details. The type objects are only defined for compatibility with the DB API standard and other database interfaces.

Each subpackage exports the following constructors and singletons:

`Date(year, month, day)`

This function constructs an mxDateTime DateTime object holding the given date value. The time is set to 0:00:00.

`Time(hour, minute, second)`

This function constructs an mxDateTime DateTimeDelta object holding the given time value.

`Timestamp(year, month, day, hour, minute, second)`

This function constructs an mxDateTime DateTime object holding a time stamp value.

`DateFromTicks(ticks)`

This function constructs an mxDateTime DateTime object holding the date value from the given ticks value (number of seconds since the epoch; see the documentation of the standard Python `time` module for details).

Usage of Unix ticks (number of seconds since the Epoch) for date/time database interfacing can cause troubles because of the limited date range they cover.

`TimeFromTicks(ticks)`

This function constructs an `mxDateTime DateTimeDelta` object holding a time value from the given ticks value (number of seconds since the epoch; see the documentation of the standard Python `time` module for details).

`TimestampFromTicks(ticks)`

This function constructs an `mxDateTime DateTime` object holding a time stamp value from the given ticks value (number of seconds since the epoch; see the documentation of the standard Python `time` module for details).

Usage of Unix ticks (number of seconds since the Epoch) for date/time database interfacing can cause troubles because of the limited date range they cover.

`Binary(string)`

This function constructs a buffer object pointing to the (long) string value. On Python versions without buffer objects (prior to 1.5.2), the string is taken as is.

STRING

This type object is used to describe columns in a database that are string-based: `SQL.CHAR`, `SQL.BINARY`.

BINARY

This type object is used to describe (long) binary columns in a database: `SQL.LONGVARCHAR`, `SQL.LONGVARBINARY` (e.g. LONG, RAW, BLOB, TEXT).

NUMBER

This type object is used to describe numeric columns in a database: `SQL.DECIMAL`, `SQL.NUMERIC`, `SQL.DOUBLE`, `SQL.FLOAT`, `SQL.REAL`, `SQL.DOUBLE`, `SQL.INTEGER`, `SQL.TINYINT`, `SQL.SMALLINT`, `SQL.BIT`, `SQL.BIGINT`.

DATETIME

This type object is used to describe date/time columns in a database: `SQL.DATE`, `SQL.TIME`, `SQL.TIMESTAMP`.

ROWID

This type object is used to describe the "Row ID" column in a database. mxODBC does not support this special column type and thus no type code is equal to this type object.

SQL NULL values are represented by the Python `None` singleton on input and output.

10. mxODBC Exceptions and Error Handling

The mxODBC package and all its subpackages use the DB API 2.0 exceptions layout. All exceptions are defined in the submodule `mx.ODBC.Error` but also imported into the top-level package module `mx.ODBC` as well as all sub-packages.

Note that all sub-packages use the same exception classes, so writing cross-database applications is simplified this way.

The exception values are either

- a single string, or
- a tuple having the format `(sqlstate, sqltype, errortext, lineno)`

SQL state (`sqlstate`) and type (`sqltype`) are defined by the ODBC standard and may be extended by the specific ODBC driver handling the connection. Please see the ODBC driver manual for details. `lineno` refers to the line number in the `mxODBC.c` file to ease debugging the package.

Note on the `mx.ODBC.Error` Module

If you want to import the exception classes from the `mx.ODBC.Error` submodule, you have to use the `from...import` form:

```
from mx.ODBC.Error import ProgrammingError
```

The reason is that the `Error` base class is imported into the top-level `mx.ODBC` package when loading it, shadowing the module of the same name. With the above form, Python will lookup `mx.ODBC.Error` in the module dictionary instead of the `mx.ODBC` package and find the module instead of the `mx.ODBC.Error` exception class.

10.1 Exception Classes

These exceptions are defined in the modules scope and also available as attributes of the connection objects to easy writing applications using different mxODBC sub-packages.

`Error`

Baseclass for all other exceptions related to database or interface errors.

You can use this class to catch all errors related to database or interface failures. `error` is just an alias to `Error` needed for DB-API 1.0 compatibility.

Error is a subclass of `exceptions.StandardError`.

Warning

Exception raised for important warnings like data truncations while inserting, etc.

Warning is a subclass of `exceptions.StandardError`. This may change in a future release to some other baseclass indicating warnings.

InterfaceError

Exception raised for errors that are related to the interface rather than the database itself.

DatabaseError

Exception raised for errors that are related to the database.

DataError

Exception raised for errors that are due to problems with the processed data like division by zero, numeric out of range, etc.

OperationalError

Exception raised for errors that are related to the database's operation and not necessarily under the control of the programmer, e.g. an unexpected disconnect occurs, the data source name is not found, a transaction could not be processed, a memory allocation error occurred during processing, etc.

IntegrityError

Exception raised when the relational integrity of the database is affected, e.g. a foreign key check fails.

InternalError

Exception raised when the database encounters an internal error, e.g. the cursor is not valid anymore, the transaction is out of sync, etc.

ProgrammingError

Exception raised for programming errors, e.g. table not found or already exists, syntax error in the SQL statement, wrong number of parameters specified, performing operations on closed connections etc.

NotSupportedError

Exception raised in case a method or database API was used which is not supported by the database, e.g. requesting a `.rollback()` on a connection that does not support transaction or has transactions turned off.

This is the exception inheritance layout:

```
StandardError
|__Warning
|__Error
|   |__InterfaceError
|   |__DatabaseError
|   |   |__DataError
```

10. mxODBC Exceptions and Error Handling

```
|__OperationalError  
|__IntegrityError  
|__InternalError  
|__ProgrammingError  
|__NotSupportedError
```

10.2 SQL Error Mappings

If you are interested in the exact mapping of SQL error codes to exception classes, have a look at the `errorclass` dictionary which is defined at subpackage scope, e.g. `mx.ODBC.Windows.errorclass`.

`errorclass`

The `errorclass` dictionary maps SQLSTATE strings to error classes and is used by mxODBC to determine which Python exception class to use for reporting the database error within the Python application.

If you need to specify your own SQLSTATE to exception mappings, you can assign to the `errorclass` dictionary.

10.3 Exception Value Format

All ODBC driver generated exceptions use a standard exception value layout.

The error value will always be a tuple (`sqlstate`, `sqlcode`, `messagetext`, `lineno`) with the following meanings:

`sqlstate`

SQL state as string; these values are defined in the [ODBC Documentation](#) and by the ODBC driver/manager.

`sqlcode`

Numeric SQL error code as integer; these values are defined in the [ODBC Documentation](#) and by the ODBC driver/manager.

`messagetext`

Message text as string explaining the error. These strings usually have the format "[Vendor][Driver][Database] Message Text".

`lineno`

Line number in the mxODBC source code which generated the message. This is very useful for support purposes.

10.4 Error Handlers

If you want to provide your own error handler, e.g. to mask database warnings, you can do so by assigning to the `.errorhandler` attribute of connections and cursors or passing a callback function to the connection constructors at connection creation time using the `errorhandler` keyword argument.

Error handlers are inherited from connections to cursors, so it normally suffices to set an error handler on the connection object to have it take affect for all subsequently created cursors.

Cursors created prior to setting the error handler on the connection will not see or use the new error handler.

An error handler has to be a callable object taking the arguments (`connection`, `cursor`, `errorclass`, `errorvalue`) where `connection` is a reference to the connection, `cursor` a reference to the cursor (or `None` in case the error does not apply to a cursor), `errorclass` is an error class which to instantiate using `errorvalue` as construction argument.

The default handler will append the tuple (`errorclass`, `errorvalue`) to the `.messages` list of the cursor or connection (if cursor is `None`) and then raise the exception by instantiating `errorclass` with `errorvalue`.

Note that only database and ODBC driver/manager related errors are processed through the error handlers. Other errors such as mxODBC internal or `AttributeErrors` are not processed by these handlers.

10.4.1 Examples

Here's an example of an error handler that allows to flexibly ignore warnings or only record messages.

```
# Error handler configuration
record_messages_only = 0
ignore_warnings = 0

# Error handler function
def myerrorhandler(connection, cursor, errorclass, errorvalue):

    """ Default mxODBC error handler.
        The default error handler reports all errors and warnings
        using exceptions and also records these in
        connection.messages as list of tuples (errorclass,
        errorvalue).

    """
    # Append to messages list
    if cursor is not None:
        cursor.messages.append((errorclass, errorvalue))
    elif connection is not None:
        connection.messages.append((errorclass, errorvalue))

    # Ignore warnings
```


10. mxODBC Exceptions and Error Handling

```
if (record_messages_only or
    (ignore_warnings and
     isinstance(errorclass, mx.ODBC.Error.Warning))):
    return

# Raise the exception
raise errorclass, errorvalue

# Installation of the error handler on the connection
connection.errorhandler = myerrorhandler
```

In case the connection or one of the cursors created from it cause an error, mxODBC will call the `myerrorhandler()` function to let it decide what to do about the error situation.

Possible error resolutions are to raise an exception, log the error in some way, ignore it or to apply a work-around.

Typical use-cases for error handlers are situations where warnings need to be masked or an application requires an on-demand reconnect.

If you need to catch errors or warnings at connection time, you can use the optional keyword argument `errorhandler` to have the error handler installed early enough to be able to deal with such errors or warnings:

```
connection = mx.ODBC.Windows.DriverConnect('DSN=test',
                                           errorhandler=myerrorhandler)
```

10.5 Warning Classes

The Python DB-API 2.0 does not define a warning class hierarchy. At the time the DB-API 2.0 was defined, the Python warning was not yet in existence. It is expected that a future revision will add such a hierarchy.

Until then mxODBC uses it's own warning hierarchy which currently just has one warning class:

`DatabaseWarning`

Warning issued for important warnings like data truncations while inserting, etc., if the mxODBC default error handler is active and the `connection.warningformat` or `cursor.warningformat` as set to `WARN_WARNINGFORMAT`.

`DatabaseWarning` is a subclass of the standard Python Warning base class. This may change in a future release if the DB-API is changed to provide a warning class hierarchy as well.

10.6 Database Warnings

The default behavior of mxODBC is to raise all errors, including `Warnings`, which many ODBC drivers issue for truncations, loss of precision in data conversions, etc.

This may not always be desirable. For this reason, mxODBC provides a way to handle database warnings in different ways.

10.6.1 Default Error Handler

The mxODBC default error handler can be adjusted to handle database warnings in three different ways:

1. raise a `Warning` exception for all database warnings (this is the default),
2. issue a Python `Warning` for all database warnings (compatible with the warning framework in Python),
3. ignore all database warnings.

Adjusting the mxODBC behavior is possible using the `connection.warningformat` or `cursor.warningformat` attributes. As always for these format settings, the cursors inherit the setting from the connection they were created from using the value set on the connection at creation time.

These `mx.ODBC` constants are available for the `.warningformat` attribute:

`ERROR_WARNINGFORMAT` (default)

Report warnings in the usual DB-API 2.0 way and raise a `Warning` exception.

`WARN_WARNINGFORMAT`

Instead of raising a `Warning` exception, issue a `mx.ODBC.DatabaseWarning` which is a Python `Warning` subclass and can be filtered using the standard Python [warnings module](#) mechanisms.

`IGNORE_WARNINGFORMAT`

Silently ignore the database warning.

The warning will still be added to the `.message` attribute, but no further action is taken.

10. mxODBC Exceptions and Error Handling

10.6.2 Custom Warning Error Handler

If you need a more fine-grained approach to dealing with warnings, you can also setup a special error handler which then overrides the behavior of the default handler.

If you want to mask only certain `Warnings`, simply set a `connection.errorhandler` like the one below to disable raising exceptions for database warnings:

```
# Error handler function
def myerrorhandler(connection, cursor, errorclass, errorvalue):

    """ This error handler ignores (but logs) 01000 warnings issued
        by the database.

    """
    # Append to messages list
    if cursor is not None:
        cursor.messages.append((errorclass, errorvalue))
    elif connection is not None:
        connection.messages.append((errorclass, errorvalue))

    # Ignore 01000 database warning
    if (issubclass(errorclass, connection.Warning) and
        errorvalue[0] == '01000'):
        return

    # Raise all other database errors and warnings
    raise errorclass, errorvalue

# Installation of the error handler
connection.errorhandler = myerrorhandler
```

If you need to catch errors or warnings at connection time, you can use the optional keyword argument `errorhandler` to have the error handler installed early enough to be able to deal with such errors or warnings:

```
connection = mx.ODBC.Windows.DriverConnect('DSN=test',
                                           errorhandler=myerrorhandler)
```

11. mxODBC Functions

mxODBC includes a few helper functions and generic APIs which aid in everyday ODBC database programming or allow introspection at the ODBC manager level. The next sections describe these functions in detail.

11.1 Subpackage Functions

For some subpackages, mxODBC also defines a few helpers which you can use to query additional information from the ODBC driver or manager. These are available through the subpackage, e.g. as `mx.ODBC.Windows.DataSources()`.

`DataSources()`

This helper function is only available for ODBC managers and some ODBC drivers which have internal ODBC manager support, e.g. IBM's DB2 ODBC driver, and allows you to query the available data sources.

It returns a dictionary mapping data source names to descriptions

Notes:

Older versions of unixODBC had a bug in some versions which makes the manager only return information about data sources on the first call to this function. Older versions of iODBC truncated the descriptions to two characters.

`getenvattr(option)`

Returns the given ODBC environment option. This method interfaces directly to the ODBC function `SQLGetEnvAttr()`.

`option` must be an integer. Suitable option values are available through the `SQL` singleton object.

The method returns the data as 32-bit integer. It is up to the caller to decode the integer using the `SQL` defines.

This function is only available for ODBC 3.x compatible managers and ODBC drivers.

`setenvattr(option, value)`

This function lets you set ODBC environment attributes which are encoded as 32-bit integers.

This method interfaces directly to the ODBC function `SQLSetEnvAttr()`.

`option` must be an integer. Suitable option values are available through the `SQL` singleton object.

11. mxODBC Functions

This function is only available for ODBC 3.x compatible managers and ODBC drivers.

Note:

The function allows setting environment attributes which mxODBC itself uses to define the way it interfaces to the database. Changing these attributes can result in unwanted behavior or even segmentation faults. USE AT YOUR OWN RISK !

```
statistics()
```

Returns a tuple (connections, cursors) stating the number currently open connections and cursors for this subpackage.

Note that broken connections or cursors are not correctly counted.

11.2 mx.ODBC Functions

In addition to subpackage specific helpers, mxODBC also provides a few additional functions available through the top-level `mx.ODBC` package. These are:

```
format_resultset(cursor, headers=None, colsep=' | ', headersep='-  
' , stringify=repr)
```

Fetch the result set from cursor and format it into a list of strings (one for each row):

```
-header-  
-headersep-  
-row1-  
-row2-  
...
```

headers may be given as list of strings. It defaults to the header names from `cursor.description`. The function will add numbered columns as appropriate if it finds more columns than given in headers.

Columns are separated by `colsep`; the header is separated from the result set by a line of `headersep` characters.

The function calls `stringify` to format the value data returned by the driver into a string. It defaults to `repr()`.

```
print_resultset(cursor, headers=None)
```

Pretty-prints the current result set available through cursor.

See `format_resultset()` for details on formatting.

12. mxODBC Globals and Constants

12.1 Subpackage Globals and Constants

Each mxODBC subpackage exports the following constants:

`SQL`

Singleton object which defines nearly all values available in the ODBC 3.5 header files. The "SQL_" part of the ODBC symbols is omitted, e.g. `SQL_AUTOCOMMIT` is available as `SQL.AUTOCOMMIT`.

`errorclass`

Writeable dictionary mapping SQL error code strings (ODBC's `SQLSTATE`) to exception objects used by the module.

If you need to specify your own `SQLSTATE` to exception class mappings, you can assign to this dictionary. Changes will become visible immediately.

`sqltype`

Dictionary mapping SQL type codes (these are returned in the `type` field of `cursor.description`) to type strings. All natively supported SQL type codes are included in this dictionary. The contents may vary depending on whether the ODBC driver/manager defines these types or not.

`CHAR, VARCHAR, LONGVARCHAR, BINARY, VARBINARY, LONGVARBINARY, TINYINT, SMALLINT, INTEGER, BIGINT, DECIMAL, NUMERIC, BIT, REAL, FLOAT, DOUBLE, DATE, TIME, TIMESTAMP [, CLOB, BLOB, TYPE_DATE, TYPE_TIME, TYPE_TIMESTAMP, UNICODE, UNICODE_LONGVARCHAR, UNICODE_VARCHAR, WCHAR, WVARCHAR, WLONGVARCHAR]`

ODBC 2.0 type code integers for the various natively supported SQL types. These map to integers as returned in the `type` field of `cursor.description`.

They are also available through the SQL singleton, e.g. `SQL.CHAR`. The dictionary `sqltype` provides the inverse mapping.

The codes mentioned in square brackets are optional and only available if the ODBC driver/manager supports a later ODBC version than 2.5.

Note that mxODBC has support for unknown SQL types: it returns these types converted to strings. The conversion is done by the ODBC driver and may be driver dependent.

`threadsafety`

Integer constant stating the level of thread safety the interface supports. It is always set to `1`, meaning that each thread must use its own connection.

12. mxODBC Globals and Constants

`apilevel`

String constant stating the supported DB API level. This is set to '2.0', since mxODBC supports nearly all features of the DB API 2.0 standard. Many DB API 1.0 features are still supported too for backward compatibility.

`paramstyle`

String constant stating the type of parameter marker formatting expected by the interface. This is set to 'qmark', since ODBC interfaces always expect '?' to be used as positional placeholder for variables in an SQL statement.

Parameters are bound to these placeholders in the order they appear in the SQL statement, e.g. the first parameter is bound to the first question mark, the second to the second and so on.

`BIND_USING_SQLTYPE`, `BIND_USING_PYTHONTYPE`

Integer values returned by `connection.bindmethod`.

SQL type binding means that the interface queries the database to find out which conversion to apply and which input type to expect, while Python type binding looks at the parameters you pass to the methods to find out the type information and then lets the database apply any conversions.

The bind method is usually set at compilation time, but can also differ from database to database when accessing them via an ODBC manager.

`DATETIME_DATETIMEFORMAT`, `PYDATETIME_DATETIMEFORMAT`, `TIMEVALUE_DATETIMEFORMAT`, `TUPLE_DATETIMEFORMAT`, `STRING_DATETIMEFORMAT`

Integer values which are used by `connection.datetimeformat` and `cursor.datetimeformat`.

mxODBC can handle different output formats for date/time values on a per connection and per cursor basis. See the documentation of the two attributes for more information.

`EIGHTBIT_STRINGFORMAT`, `MIXED_STRINGFORMAT`, `UNICODE_STRINGFORMAT`, `NATIVE_UNICODE_STRINGFORMAT`

Integer values which are used by `connection.stringformat` and `cursor.stringformat`.

mxODBC can handle different string conversion methods on a per connection and per cursor basis. See the documentation of the two attributes for more information.

`ERROR_WARNINGFORMAT`, `WARN_WARNINGFORMAT`, `IGNORE_WARNINGFORMAT`

Integer values which are used by `connection.warningformat` and `cursor.warningformat`.

mxODBC can use different ways of reporting database warnings on a per connection and per cursor basis. See the documentation of the two attributes for more information.

`FLOAT_DECIMALFORMAT`, `DECIMAL_DECIMALFORMAT`

Integer values which are used by `connection.decimalformat` and `cursor.decimalformat`.

mxODBC can handle different output formats for numeric and decimal database column types on a per connection and per cursor basis. See the documentation of the two attributes for more information.

`HAVE_UNICODE_SUPPORT`

Integer flag which is either 0 or 1 depending on whether mxODBC was compiled with Unicode support or not. Unicode support is always available in mxODBC 3.1 and later so this flag is always set to 1.

`license`

String with the license information for the installed mxODBC license.

12.2 mx.ODBC Globals and Constants

At the top-level, the mx.ODBC package defines these globals and constants:

`Error`, `Warning`, `InterfaceError`, `DatabaseError`, `DataError`,
`OperationalError`, `IntegrityError`, `InternalError`,
`ProgrammingError`, `NotSupportedError`

Exception objects used by the mxODBC subpackages. See section 10. mxODBC Exceptions and Error Handling for details.

13. mx.ODBC Subpackages

This section includes specific notes for preconfigured subpackages and setups.

13.1 Subpackage Notes

The following sections provide hints that apply to all mx.ODBC sub-packages. Please read carefully.

13.1.1 Windows Platform Notes

You should always use the `mx.ODBC.Windows` subpackage and access the databases through the MS ODBC Driver Manager. The other packages provide Unix based interfaces to the databases.

13.1.2 Unix Platform Notes

Even though there are many subpackages for specific databases which then sometimes provide more functionality for that particular database, we would like to encourage the use of ODBC managers such as the iODBC, unixODBC or DataDirect ODBC managers, since these provide the best flexibility in terms of database setup and configuration.

Using ODBC managers also enables you to easily switch from local databases to cross-network databases by adding additional tiers in-between.

The binary distributions of mxODBC for Unix platforms usually only contain the `mx.ODBC.unixODBC` and `mx.ODBC.iODBC` subpackages. For some platforms, the `mx.ODBC.DataDirect` subpackage is also included, e.g. Linux x86 and x86_64.

13.2 mx.ODBC.Manager -- Generic ODBC Driver Manager

In order to make writing cross-platform application easier with mxODBC, the package provides a meta-subpackage to access the default platform ODBC driver manager.

Windows Platforms

mxODBC selects the subpackage by trying to import the available ODBC driver subpackages in the following order:

1. [mx.ODBC.Windows](#)

No other subpackage is currently tried, since the Windows ODBC manager is always present in all recent Windows versions.

Unix Platforms

mxODBC selects the subpackage by trying to import the available ODBC driver subpackages in the following order:

1. [mx.ODBC.unixODBC](#)
2. [mx.ODBC.iODBC](#)
3. [mx.ODBC.DataDirect](#)

The `mx.ODBC.Manager` package then behaves just like the driver manager chosen by this process.

Please note: The order was changed in mxODBC 3.2. Previous mxODBC versions preferred iODBC over unixODBC. Since unixODBC is widely supported nowadays and provides better Unicode support, selecting unixODBC over iODBC when both are present provides a better user experience.

13.3 mx.ODBC.Windows -- Windows ODBC Driver Manager

Tested with Windows XP, Vista, 7.

mxODBC links against the Windows ODBC driver manager on Windows. This is the only mxODBC interface subpackage available on Windows.

13.3.1 Connecting to a Database

Always use the `DriverConnect()` API to connect to the data source if you need to pass in extra configuration information such as names of log files, etc.

13. mx.ODBC Subpackages

13.3.2 Supported Datatypes

The subpackage defaults to SQL type binding mode (see the [Datatypes](#) section for details), but reverts to Python type binding in case the connection does not support the ODBC SQLDescribeParam() API. **MS Access** is one candidate for which this API is not useable.

13.3.3 File Data Sources

If you want to connect to a file data source (without having to configure it using the ODBC manager), you can do so by using the FILEDSN= parameter instead of the DSN= parameter:

```
DriverConnect('FILEDSN=test.dsn;UID=test;PWD=test')
```

This is sometimes useful when you want to dynamically setup a data source, e.g. a MS Access database.

For more information about the FILEDSN-keyword and the other Windows ODBC manager features, see the [Microsoft SQLDriverConnect\(\) documentation](#).

Also note that ODBC drivers working on single files, e.g. the **MS Excel** file driver, usually do not support transactions. mxODBC will not clear auto-commit for these drivers (it may sometimes still be necessary to set the `clear_auto_commit` flag in the connect constructors to 0).

13.4 mx.ODBC.iODBC -- [iODBC Driver Manager](#)

Tested with iODBC 3.52.7.

iODBC is an Open Source ODBC manager for Unix maintained by [OpenLink](#). It compiles against mxODBC without problems and is the preferred way of talking to an ODBC data source from Unix using mxODBC.

13.4.1 Notes

General Recommendations

- Please always use the `DriverConnect()` API to connect to the data source if you need to pass in extra configuration information such as names of log files, etc.

- When interfacing to MySQL using the MySQL ODBC driver, we have observed problems with using Unicode statements passed to `cursor.execute()` when using iODBC 3.52.5. These problems appear to be related to iODBC. As work-around, you can use unixODBC, which works fine with Unicode statements.
- You may experience problems when trying to connect to MySQL via MyODBC hooked to iODBC in case you are using the binary RPMs available from www.mysql.com. For some reason, the MyODBC driver does not reference the MySQL shared libs it needs to connect to the MySQL server and there's no way to tell iODBC to load two shared libs. Here's a hack which will allow you to create an import lib which solves the problem on Linux:

```
rm -f /usr/local/lib/libmyodbc.so
ld -shared --whole-archive \
    /usr/local/lib/libmyodbc-2.50.34.so \
    /usr/lib/libmysqlclient.so.10 \
    -o /usr/local/lib/libmyodbc.so
ldconfig
```

64-bit Platforms

- You may run into problems with iODBC since it uses 64-bit SQL Unicode types. Most ODBC drivers follow the Windows standard of using 32-bit Unicode types. Support for Unicode with iODBC is therefore limited.
- You may also run into problems with ODBC drivers compiled against unixODBC. While iODBC follows the ODBC standard of using 64-bit SQL length types, unixODBC has only recently (starting with version 2.2.13) switched to these longer types. As a result ODBC drivers compiled against older versions of unixODBC will not work reliably with iODBC.
- Commercial ODBC drivers for Unix are often compiled using 64-bit SQL length types and 32-bit Unicode types. iODBC uses 64-bit types for both.

13.5 mx.ODBC.unixODBC -- [unixODBC Driver Manager](#)

Tested with unixODBC 2.3.1.

unixODBC is an alternative Open Source ODBC manager for originally designed for Linux and later extended to other Unices maintained by [EasySoft](#). It compiles against mxODBC without problems.

Many open-source ODBC drivers are compiled against this driver manager per default, so it may provide better support for those drivers than iODBC.

13.5.1 Notes

General Recommendations

- Please always use the `DriverConnect()` API to connect to the data source if you need to pass in extra configuration information such as names of log files, etc.
- Between **unixODBC 2.3.0** and **unixODBC 2.3.1**, the unixODBC project switched the library name of the ODBC manager library from `libodbc.so.1` to `libodbc.so.2` to signal the change in their ABI on 64-bit platforms (see below). This renaming affects both 32- and 64-bit versions of unixODBC.

Since eGenix.com compiles against unixODBC 2.3.1, mxODBC will look for a **libodbc.so.2** library file and this may not be available if your system comes with unixODBC 2.3.0. If you have unixODBC 2.3.0 installed you can safely create a symlink from the `libodbc.so.1` library to the new name `libodbc.so.2` to overcome this problem. Please see the [unixODBC website](#) for instructions.

64-bit Platforms

- On 64-bit platforms you may run into problems with unixODBC since it uses 32-bit SQL length types for versions prior to 2.2.13. Some ODBC drivers on Unix instead use 64-bit SQL length values and will therefore not return correct results when used with unixODBC.

The binary version eGenix.com ships was compiled against **unixODBC 2.3.1** (or later) and expects 64-bit SQL length types. If you need a version for unixODBC 2.2.12 or earlier, please either use our older mxODBC 3.0 release or write to support@egenix.com for help.

- Commercial ODBC drivers for Unix are often compiled using 64-bit SQL length types and 32-bit Unicode types. unixODBC uses the same types starting with version 2.3.
- You may run into problems with ODBC drivers compiled against iODBC. While unixODBC follows the ODBC standard of using 32-bit Unicode types, iODBC defaults to using the Unix 64-bit standard. As a result, ODBC drivers compiled against iODBC will not work reliably with Unicode data when used with unixODBC.

Threading

- In unixODBC versions 2.3.0 and below, the ODBC manager used a little known `odbc.ini` setting called "Threading" which determined the default thread level protection of the ODBC data source.

- The default used to be lock level 3 (the ODBC driver does not allow multiple threads to use it and everything is serialized). This could result in the application using mxODBC and unixODBC to hang during long running queries. Fixing this was easy, but not well documented in unixODBC. Setting the thread lock level to 0 (driver is fully thread safe) allowed the application to run other queries in parallel, e.g.

```
[PostgreSQL]
Description   = PostgreSQL driver for Linux & Win32
Driver        = /usr/local/lib/libodbcpsql.so
Setup         = /usr/local/lib/libodbcpsqlS.so
Threading     = 0
```

- Starting with unixODBC 2.3.1, the default thread lock level now is 0, so the above is no longer necessary.
- These are the available thread lock levels (from unixODBC's `__handle.c`):

```
Level 0 - Only the DM internal structures are protected
the driver is assumed to take care of it's self
```

```
Level 1 - The driver is protected down to the statement level
each statement will be protected, and the same for the connect
level for connect functions, note that descriptors are considered
equal to statements when it comes to thread protection.
```

```
Level 2 - The driver is protected at the connection level. only
one thread can be in a particular driver at one time
```

```
Level 3 - The driver is protected at the env level, only one thing
at a time.
```

```
By default the driver open connections with a lock level of 3,
this can be changed by adding the line
```

```
Threading = N
```

```
to the driver entry in odbcinst.ini, where N is the locking level
(0-3)
```

13.6 mx.ODBC.DataDirect -- DataDirect ODBC Manager

Tested with DataDirect ODBC Manager 5.1 and 6.0.

DataDirect is a proprietary ODBC manager for Unix developed by DataDirect. It is used by a number of ODBC drivers available for Unix platforms.

13. mx.ODBC Subpackages

eGenix.com provides binary subpackages for this ODBC driver manager **only on Linux x86 and x64** platforms. If you need the subpackage on other platforms as well, please contact support@egenix.com for help.

13.6.1 Notes

General Recommendations

- Please always use the `DriverConnect()` API to connect to the data source if you need to pass in extra configuration information such as names of log files, etc.
- The DataDirect ODBC manager may not work correctly with Unicode data, even though the driver may support Unicode.

This is due to the fact that the DataDirect manager provides three different options of encoding Unicode data: UTF-8, UTF-16 (ODBC standard on Windows) and UTF-32. Most drivers assume UTF-16, but don't necessarily implement the special call needed to configure the DataDirect manager to assume this as well. The manager then defaults to UTF-8 and this causes the Unicode transport to fail.

You can try to work around this by adding an entry

```
# Needed by the DataDirect ODBC manager,  
# possible values: 1=UTF-16, 2=UTF-8  
DriverUnicodeType = 1
```

to the driver section in your `.odbc.ini` file. See this page for details:

<http://web.datadirect.com/resources/odbc/unicode/unix.html>

- In some cases we have observed segfaults when using ODBC drivers with the DataDirect ODBC manager. These were related to the `~/.odbc.ini` being too large. Reducing the size of the ODBC configuration file resolved the problem. It is not clear whether the segfaults were caused by the driver or the driver manager or just a specific combination of both.

64-bit Platforms

- There are no known issues regarding 64-bit platforms.

13.7 ODBC Driver Subpackages

In previous mxODBC releases, eGenix.com included a limited set of additional subpackages with support for directly linking against specific ODBC drivers on Unix platforms.

Since these setups caused a lot of support requests due to configuration problems and version mismatches between the driver versions we used to build the binary mxODBC distribution and the ones deployed at customer sites, **we have decided to drop general support for these additional subpackages.**

It is usually better to use one of the available ODBC driver manager packages to configure and manage the data sources. These driver managers also provide a further abstraction layer between ODBC applications and the drivers, removing ODBC level compatibility issues, which makes the ODBC setup a lot less error prone.

eGenix.com can still provide specific subpackages or build custom ones on request, if there is a need. Please contact support@egenix.com for details.

14. Hints & Links to other Resources

14.1 Running mxODBC from a CGI script

ODBC drivers and managers are usually compiled as a shared library. When running CGI scripts most HTTP daemons (or web servers) don't pass through the path for the dynamic loader (e.g. `LD_LIBRARY_PATH`) to the script, thus importing the mxODBC C extension will fail with unresolved symbols because the loader doesn't find the ODBC driver/manager's libs.

To have the loader find the path to those shared libs you can either wrap the Python script with a shell script that sets the path according to your system configuration or tell the HTTP daemon to set or pass these through (see the daemon's documentation for information on how to do this; for Apache the directives are named `SetEnv` and `PassEnv`).

On Windows, you also have to take into account that the ODBC data sources defined in the ODBC manager are usually restricted to specific user accounts. You can work around this by either setting up the ODBC data sources for the web server service account or by configuring the data as *system data sources*.

14.2 Running mxODBC with `mod_wsgi`

Using mxODBC with `mod_wsgi` is generally possible. However, since the script will run under a restricted user account, some care has to be taken to make the setup work. Please see 14.1 Running mxODBC from a CGI script for more details on getting ODBC drivers to work in such an environment.

mod_wsgi and Python 2.7

On Windows, there is also another Python issue to consider when running the combination Apache, `mod_wsgi` and Python 2.7. Due to changes in Python 2.7, manifests for the Visual C++ runtime environment, needed by Windows to find the right DLL to load, are no longer added to Python extensions, since this caused problems with loading them into Python processes (see [Python Issue 4120](#)).

Unfortunately, neither `mod_wsgi` nor Apache appear to include the required manifests either. This causes an import error when trying to load mxODBC into a `mod_wsgi` run process, since Windows cannot resolve the DLL references in mxODBC without the manifest.

Since this affects not only mxODBC, but other Python C extensions as well, you may want to use a work-around until either Apache or the `mod_wsgi` team solves the problem:

Manifest work-around

Adding the VC++ manifests to the Apache process is explained in [this posting](#).

You will also have to install the [MS VC++ 2008 CRT SP1 redistributable package](#) on the server running Apache.

With those changes in place, mxODBC should load without problems.

14.3 Freezing mxODBC using py2exe

Thomas Heller has written a great tool which is based on distutils. The tool allows you to freeze your application into a single standalone Windows application and is called py2exe.

Note:

Freezing mxODBC together with an application and redistributing the resulting executables requires that you have obtained developer licenses from eGenix.com permitting you to redistribute mxODBC along with a product. Please see the [license section](#) for more information.

When freezing mxODBC you may experience problems with py2exe related to py2exe not finding the DLLs needed by mxODBC. In this case you have to help py2exe to find the correct subpackage for Windows, ie. `mx.ODBC.Windows` and `mx.DateTime`. This can be done by adding `-i mx.ODBC.Windows,mx.DateTime` to the py2exe command line:

```
python py2exe -i mx.ODBC.Windows,mx.DateTime yourapp.py
```

After doing so, py2exe should have no problem finding the files `mxODBC.pyd` and `mxDateTime.pyd` needed by `mx.ODBC.Windows` and `mx.DateTime`.

mxODBC also uses the `md5` or `hashlib` module (depending on the Python version) and the license module `mxodbc_license` internally. You will have to add them to the above list, if you run into license verification problems when running the py2exe compiled application.

14.4 More Sources of Information

There are several resources available online that should help you getting started with ODBC. Here is a small list of links useful for further reading:

14. Hints & Links to other Resources

[Microsoft MDAC Site](#)

Microsoft is constantly developing new forms of database access. For a close up on what they have come up recently take a look at their ODBC site. Note that they now call their ODBC SDK "Microsoft Data Access Components SDK" (MDAC). It does not only focus on ODBC but also on OLE DB and ADO.

Note: If you are not happy about the size of the SDK download (over 31MB), you can also grab the older 3.0 SDK which might still be available from a FTP server. Look for "odbc3sdk.exe" using e.g. FTP Search.

Microsoft also supports a whole range of (desktop) ODBC drivers for various databases and file formats. These are available under the name "ODBC Desktop Database Drivers" (search the MS web-site for the exact URL) [wx1350.exe] and also included in the more up-to-date "Microsoft Data Access Components" (MDAC) archive [mdac_typ.exe].

[Microsoft ODBC Portal](#)

This portal page has a few interesting links into the Microsoft ODBC site. If you're looking for the latest SQL Server or Oracle ODBC drivers this is the place to look first.

[ODBC Documentation](#)

The ODBC documentation is included in the free MS MDAC SDK which you can download from their [ODBC site](#).

[SQLSummit List of ODBC drivers](#)

A collection of available ODBC driver packages. This should be the first place to look in case you are searching for ODBC connectivity to your database.

15. Examples

Here is a very simple example of how to use mxODBC. More elaborate examples of using Python Database API compatible database interfaces can be found in the [Database Topic Guide on http://www.python.org/](http://www.python.org/). [Andrew Kuchling's introduction to the Python Database API](#) is an especially good reading. There are also a few books on using Python DB API compatible interfaces, some of them cover mxODBC explicitly.

On Unix:

```
>>> import mx.ODBC.iODBC
>>> db = mx.ODBC.iODBC.DriverConnect('DSN=database;UID=user;PWD=passwd')
>>> c = db.cursor()
>>> c.execute('select count(*) from test')
>>> c.fetchone()
(305,)
>>> c.tables(None,None,None,None)
8
>>> mx.ODBC.print_resultset(c)
Column 1 | Column 2 | Column 3 | Column 4 | Column 5
-----|-----|-----|-----|-----
''      | ''      | 'test'   | 'TABLE'  | 'MySQL table'
''      | ''      | 'test1'  | 'TABLE'  | 'MySQL table'
''      | ''      | 'test4'  | 'TABLE'  | 'MySQL table'
''      | ''      | 'testblobs' | 'TABLE' | 'MySQL table'
''      | ''      | 'testblobs2' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdate' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdates' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdatetime' | 'TABLE' | 'MySQL table'
>>> c.close()
>>> db.close()
>>>
```

On Windows:

```
>>> import mx.ODBC.Windows
>>> db =
mx.ODBC.Windows.DriverConnect('DSN=database;UID=user;PWD=passwd')
>>> c = db.cursor()
>>> c.execute('select count(*) from test')
>>> c.fetchone()
(305,)
>>> c.tables(None,None,None,None)
8
>>> mx.ODBC.print_resultset(c)
Column 1 | Column 2 | Column 3 | Column 4 | Column 5
-----|-----|-----|-----|-----
''      | ''      | 'test'   | 'TABLE'  | 'MySQL table'
''      | ''      | 'test1'  | 'TABLE'  | 'MySQL table'
''      | ''      | 'test4'  | 'TABLE'  | 'MySQL table'
''      | ''      | 'testblobs' | 'TABLE' | 'MySQL table'
''      | ''      | 'testblobs2' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdate' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdates' | 'TABLE' | 'MySQL table'
''      | ''      | 'testdatetime' | 'TABLE' | 'MySQL table'
>>> c.close()
>>> db.close()
>>>
```

As you can see, mxODBC has the same interface on Unix and Windows which makes it an ideal basis for writing cross-platform database applications.

15. Examples

Note:

When connecting to a database with transaction support, you should explicitly do a `.rollback()` or `.commit()` prior to closing the connection. In the example this was omitted since the used MySQL database backend does not support transactions and we were only reading from the database.

16. Testing the Database Connection

The package includes a test script that checks some of the database's features. As side effect this also provides a good regression test for the mxODBC interface.

To start the test, simply run the script in `mx/ODBC/Misc/test.pyc`.

```
python mx/ODBC/Misc/test.pyc
```

The script will generate a few temporary tables (named `mxODBC0001`, `mxODBC0002`, etc; no existing tables will be overwritten) and then test the interface - database communication including many database related features such as data types and support of various SQL dialects. The tables are automatically removed after the tests have run through.

17. mxODBC Package Structure

This is the Python package structure setup when installing mxODBC:

```
[ODBC]
  Doc/
  [Misc]
    proc.py
    test.pyc
  [DataDirect]
    dbi.py
    dbtypes.py
  [Manager]
  [Windows]
    dbi.py
    dbtypes.py
  [iODBC]
    dbi.py
    dbtypes.py
  [unixODBC]
    dbi.py
    dbtypes.py
  LazyModule.py
  ODBC.py
```

Entries enclosed in brackets are packages (i.e. they are directories that include a `__init__.py` file). Ones with slashes are just simple subdirectories that are not accessible via `import`.

18. Support

eGenix.com provides commercial support for this package, including adapting it to special needs for use in customer projects. If you are interested in receiving information about this service please contact support@egenix.com for details.

This section describes methods which are useful to track down interoperability problems with ODBC drivers. eGenix support may ask you to apply some of the methods when working with you to resolve driver-related problems.

18.1 ODBC Call Level Tracing

In support some cases, eGenix may ask you to create an ODBC trace of a session demonstrating a problem you may have with a particular ODBC driver. This section explains how to enable ODBC call level tracing.

The ODBC trace log is a text file that ODBC managers (and some drivers) can generate in order to help with debugging the interaction between the driver, the driver manager and the application.

The method of how to enable tracing depends on the used ODBC driver manager.

18.1.1 Windows ODBC Manager

Open the *Windows ODBC Data Source Administrator* on Windows. This can be found in the in the *Control Panel* as *Administrative Tools* and is called *Data Sources (ODBC)*. See the [Windows ODBC documentation](#) for details.

Go to the *Tracing* tab and select a trace output file under *Log File Path* and then click on [Start Tracing](#) to enable ODBC tracing output.

After that is done, start you application or script using mxODBC and run the code that is causing problems with the driver in question.

After you've run the application or script, open the ODBC administrator again and click on the same button, now called [Stop Tracing](#).

Finally, pick up the ODBC trace file from the location you've chosen and email it to support@egenix.com.

18. Support

18.1.2 iODBC Driver Manager

To enable ODBC level tracing, open the `/etc/odbc.ini` or `~/odbc.ini` file and add this section to it:

```
[ODBC]
Trace = 1
TraceFile = /tmp/odbc.log
```

If you already have such entries in the `[ODBC]` section, make sure that the settings are correct and that `Trace` is set to 1.

After that is done, start you application or script using mxODBC and run the code that is causing problems with the driver in question.

After you've run the application or script, open the `odbc.ini` file again and set `Trace` to 0. This will disable ODBC call level tracing.

Finally, pick up the ODBC trace file from the location you've chosen (`/tmp/odbc.log` in the example) and email it to support@egenix.com.

18.1.3 unixODBC Driver Manager

To enable ODBC level tracing, open the `/etc/odbcinst.ini` or `~/odbcinst.ini` file and add this section to it:

```
[ODBC]
Trace = 1
TraceFile = /tmp/odbc.log
```

If you already have such entries in the `[ODBC]` section, make sure that the settings are correct and that `Trace` is set to 1.

After that is done, start you application or script using mxODBC and run the code that is causing problems with the driver in question.

After you've run the application or script, open the `odbcinst.ini` file again and set `Trace` to 0. This will disable ODBC call level tracing.

Finally, pick up the ODBC trace file from the location you've chosen (`/tmp/odbc.log` in the example) and email it to support@egenix.com.

18.1.4 DataDirect ODBC Driver Manager

Please use the same approach as for the iODBC Driver Manager.

18.1.5 Mac OS X ODBC Driver Manager

Open the *Mac OS X ODBC Administrator*. This can be found under *Applications/Utilities*.

Go to the *Tracing* tab and select a trace output file under *Log File* and then click the checkbox *Enable Tracing* to enable ODBC tracing output. Click on [Apply](#) have the change take effect.

After that is done, start you application or script using mxODBC and run the code that is causing problems with the driver in question.

After you've run the application or script, open the ODBC administrator again and disable the *Enable Tracing* checkbox.

Finally, pick up the ODBC trace file from the location you've chosen and email it to support@egenix.com.

18.2 mxODBC Call Level Tracing

To simplify debugging the mxODBC package can generate debugging output in several important places. The feature is only enabled if the mxODBC package was compiled with debug support and output is only generated if Python is run in debugging mode (use the Python interpreter flag `-d`):

```
python -d script.py
```

The resulting log file is named `mxODBC.log`. It will be created in the current working directory; messages are always appended to the file so no trace is lost until you explicitly erase the log file. If the log file can not be opened, the module will use `stderr` for reporting.

To obtain a debugging version of mxODBC, please contact support@egenix.com for help.

19. History & Changes

For more [recent changes](#), please visit the [product page](#) on the eGenix.com website.

Changes from 3.2.1 to 3.2.2

Feature Enhancements:

- Backported the **new .cursortype attribute** from the upcoming mxODBC 3.3.

The new attribute **allows easily adjusting and inspecting the ODBC cursor type** to be used for an mxODBC cursor object.

The reason for this unusual backport and inclusion in a patch level release is that we found a serious performance issue with MS SQL Server when using it with mxODBC 3.2 (see below). This needed to be addressed immediately.

Driver Compatibility:

- **MS SQL Server performance can now be much enhanced**, and increased to levels beyond that of mxODBC 3.1 and previous releases, by adjusting the default cursor type to forward-only cursors:

```
connection = mx.ODBC.Windows.DriverConnect(...)
connection.cursortype = mx.ODBC.Windows.SQL.CURSOR_FORWARD_ONLY
# Cursors created on this connection will then default to forward
# only cursors, instead of the mxODBC 3.2 default for SQL Server
# of using static cursors
cursor = connection.cursor()
```

The **performance increase** compared to mxODBC 3.2.1 is enormous: **from 2-3x faster** executes/fetches for average queries, **up to 300x faster** for simple cases.

In mxODBC 3.3, we will switch to using forward-only cursors per default for all database backends.

- **IBM DB2** can benefit from the same performance enhancements using forward-only cursors.

The effect is a lot smaller, but still noticeable: up to 2x faster executes/fetches with forward-only cursors, compared to mxODBC 3.2.1.

- **Added documentation to explain the different cursor types**, compatibility with different database backends and effects on performance.

Fixes:

- **Fixed a problem with using mxODBC cursors as context managers:** these worked fine in Python 2.6, but had stopped working in Python 2.7 due to changes in the Python internals.

Changes from 3.2.0 to 3.2.1

Feature Enhancements:

- The next SQLAlchemy release will be fully compatible with mxODBC 3.2.1. Many thanks go to Michael Bayer for working with us to make this happen.

Driver Compatibility:

- Added support for returning SQL Server TIME columns as time value instead of as string.
- Added a work-around to prevent truncation warnings with the SQL Server ODBC driver when using `.executemany(..., direct=1)`.

Changes from 3.1.2 to 3.2.0

Features:

- mxODBC **connection objects can now be used as context managers** to implicitly commit/rollback transactions.
- mxODBC **cursor objects can now be used as context managers** to implicitly close the cursor when leaving the block (regardless of whether an exception was raised or not)
- mxODBC added support for **adjustable .paramstyles**. Both **'qmark'** (default) and **'named'** styles are supported and can be set on connections and cursors. The **'named'** style allows easier porting of e.g. Oracle native interface code to mxODBC.
- mxODBC now supports a writable **connection.autocommit attribute** to easily turn on/off the connection's auto commit mode.
- mxODBC added support for adjustable **TIMESTAMP precision** via the new **connection/cursor.timestampresolution attribute**.
- mxODBC will **round to nearest nanosecond** fraction instead of truncating the value. This will result in fewer conversion errors due to floating point second values.
- mxODBC's connect APIs `Connect()` and `DriverConnect()` support setting connection options prior to connecting to the database via a new **connection_options parameter**. This allows enabling e.g. the MARS feature in

19. History & Changes

SQL Server Native Client.

- The `connection.cursor()` constructor now has a new **cursor_options parameters** which allows configuring the cursor with a set of cursor options.
- The `.scroll()` method supports far more ODBC drivers than before.
- The `.scroll()` method no longer needs a working `.rownumber` and `.rowcount` implementation from the ODBC drivers (in most cases)
- Updated the SQL lookup object to include **more ODBC SQL parameter codes**, including special ones for SQL Server and IBM DB2.
- Added DataDirect specific SQL lookup object attributes.
- **mx.ODBC.Manager will now prefer unixODBC over iODBC.** Previous mxODBC releases used the order iODBC, unixODBC, DataDirect when looking for a suitable ODBC manager on Unix platforms. unixODBC is more widely supported nowadays and provides better Unicode support than iODBC.

Driver Compatibility:

- Added work-around for **Oracle Instance Client** to prevent use of direct execution. `cursor.executedirect()` will still work, but won't actually use direct execution with the Oracle driver.
- Added work-around for Oracle Instant Client to prevent segfaults in the driver when querying the `cursor.rowcount` or `cursor.rownumber`.
- Added check to make sure that Python type binding mode is not used with Oracle Instance Client as this can cause segfaults with the driver and generally doesn't work.
- Added a work-around to have the **IBM DB2 driver** return correct `.rowcount` values.
- Improved **Sybase ASE driver** compatibility: this only supports Python type binding, which is now enabled per default.
- Added work-around for **PostgreSQL driver**, which doesn't support scrollable cursors.
- Add support for **MS SQL Server ODBC Driver 1.0 for Linux** to mxODBC
- Improved compatibility of the **mxODBC native Unicode string format** handling with Unix ODBC drivers when running UCS4 builds of Python. This allows using the NVARCHAR and NCHAR types of SQL Server with the new MS SQL Server Native Client for Linux with UCS4 Python builds. UCS2 Python builds don't exhibit this issue.
- mxODBC 3.2 now always uses direct execution with the **FreeTDS ODBC driver**. This results in better compatibility with SQL Server and faster execution across the board.

- Add work-around to have FreeTDS work with 64-bit integers outside the 32-bit signed integer range.
- Fixed linker error in FreeTDS subpackage. Note that this is not supported; please use the unixODBC/iODBC packages instead.
- FreeTDS' .rowcount attribute gave misleading values for SELECTs. This now always returns -1 (until they hopefully fix the driver to return usable data).

Fixes:

- Better error message in case .executemany() parameters is found not to be a sequence.
- Enhanced error message when passing non-sequence items in a parameters list to cursor.executemany()
- Fixed a small memory leak in the mxODBC connection constructor.
- Added back mx.ODBC.unixODBC packages for the Mac OS X PPC and i386 builds.
- Fixed a problem where the mx.ODBC.DataDirect package could load an iODBC shared lib. This will now result in an ImportError.
- Added note about **Sybase ASE 15 ODBC driver** and using NULL with SQL_CHAR columns
- Fix a rare case of truncation of Unicode data when working with ODBC drivers/manager that use sizeof(SQLWCHAR) == 1 (standard is 2 or 4).

Misc:

- mxODBC now uses PyObject_MALLOC() for memory allocation which should make memory allocation a little faster in a few places.
- Added egenix-mx-base dependency to the mxODBC egg archives. Note that relying on this to automatically install egenix-mx-base is not a good idea, since easy_install will download and install the source archive, so a compiler is needed and the compilation can easily fail.

Changes from 3.1.1 to 3.1.2

- **Fixed a compatibility problem with Python 2.7's distutils** that was introduced in Python 2.7.3
- **Improved compatibility of the mxODBC native Unicode string format** handling with Unix ODBC drivers when running UCS4 builds of Python.

This allows using the NVARCHAR and NCHAR types of SQL Server with the **new MS SQL Server Native Client for Linux** with UCS4 Python builds. UCS2 Python builds don't exhibit this issue. The new driver has proven to be much more feature complete than the **FreeTDS ODBC driver**, so it's definitely worth

19. History & Changes

a try.

Note that the MS driver currently has an issue with Unicode connection strings which causes stack corruption. Please don't use Unicode connection strings with the **MS SQL Server Native Client for Linux** driver, since there's no way we can work around this problem: we only know the type of driver after connection and then it's already too late.

Changes from 3.1.0 to 3.1.1

- Added compatibility with [eGenix.com mx Base Distribution 3.2.0 GA](#), which now also supports **Python2.7** and **Windows x64**.

Changes from 3.0.4 to 3.1.0

- Added native **Win64 support** to mxODBC.
- Added **Python 2.7** support and builds for all platforms.
- Added workarounds for **Oracle Instant Client** ODBC driver. This is now fully supported by mxODBC.
- We found that `cursor.executedirect()` is not supported by the Oracle Instance Client ODBC driver. Please use `.execute()` instead.
- Updated support for the latest **IBM DB2 9.7** ODBC drivers.
- Enhanced compatibility of mxODBC with the **Sybase ASE 15** ODBC drivers on Unix.
- mxODBC will now accept `datetime.date` objects for `datetime/timestamp` columns in SQL type binding mode by using `00:00:00` as time value. This is useful when working with **MS SQL Server 2000 and 2005** which don't support DATE columns.
- Added support for **Netezza** to mxODBC.
- Added new ODBC manager subpackage `mx.ODBC.DataDirect` for the **DataDirect ODBC manager**. This is currently only available on 32-bit and 64-bit Linux platforms.
- mxODBC now supports the **Teradata** database via the new `mx.ODBC.DataDirect` subpackage.
- mxODBC now supports **unixODBC 2.3.1 and later** on 64-bit platforms. Previous versions are no longer supported.
- Added **much improved documentation** on how to connect to various popular databases, including tips & tricks for each database/driver.
- mxODBC can now be licensed to single database backends (**mxODBC Standard Edition Licenses**), reducing licensing costs.

- We have simplified the licensing terms for multi-core processors and virtual machines. In most cases, this results in greatly reduced licensing costs.
- mxODBC now clearly separates **ODBC 2.x** and **ODBC 3.x** support for date/time types. This improves compatibility with a few ODBC drivers, notably the one for Netezza.
- mxODBC now always uses ODBC 3.x APIs where available instead of ODBC2 APIs.
- mxODBC now also accepts Python 2.7 **memoryview object** where buffer objects were already supported. This is useful when writing code in preparation for the transition to Python 3.x.
- mxODBC now uses the read data buffer interface for buffer objects, rather than the character data interface, in order to enhance support for binary buffer data objects.
- Added a work-around for unixODBC issuing warnings instead of errors when not finding ODBC driver shared libraries.
- Added a direct parameter to **.execute()**.
- Turned **.execute()**, **.executemany()** and **.executedirect()** into keyword parameter methods.
- Setting **.bindmethod = BIND_USING_PYTHONTYPE** will now have mxODBC ignore the SQL type information completely. This makes it easier to work with drivers such as the **SQL Server Native Client** which have a few client-side limitations that do not appear to be present on the server-side.
- **Changed** the license module name to **mxodbc_license.py**, so that it can be installed as top-level module anywhere on the **sys.path**. Note that installing it in **mx/ODBC/** will no longer work.
- mxODBC cursors and connection objects now provide a **new .warningformat attribute** which allows easily turning SQL warnings into Python warnings or completely ignoring them.
- Added **native support for BIGINT** (both signed and unsigned) which avoids strings conversions if supported by the platform.
- Added support for **non-standard SQLWCHAR** types in order to better support drivers and manager on Unix platforms.
- mxODBC now allows choosing between the **Unicode and ANSI ODBC driver APIs** of supporting ODBC drivers at connection time.
- All **catalog methods** now support Unicode parameters as well as strings parameters.
- Added support for adjusting the way catalog methods interpret their parameters (as identifiers or as search patterns).

19. History & Changes

- Catalog methods now check for arguments required by the ODBC API standard, rather than letting the ODBC manager or driver raise an error.
- Added **new cursor.getcolattribute()** method to allow access to result set column meta-data beyond what is already available via cursor.description. See <http://msdn.microsoft.com/en-us/library/ms713558.aspx> for details on what kind of information is available. Many drivers extend this list with additional database specific information.
- Renamed "mxODBC Distribution" to "mxODBC for Python".
- mxODBC now uses PyObject_MALLOC() for memory allocation which should make memory allocation a little faster in a few places.
- Improved the documentation of the catalog methods and included hints for their use.
- cursor.execute() will no longer treat lists passed in as parameters as emulation for cursor.executemany(). This was a Python DB-API 1.0 related feature which was kept for backwards compatibility, but has recently caused some confusion among new users. If you want to run multiple parameter sets against a single SQL command (e.g. for inserts), please use cursor.executemany().
- Added a new section on the ODBC configuration files and environment variables to the documentation.
- mxODBC will now be more careful when trying to determine the row position of the first row in the result set. This enhances compatibility with the **SQL Server 2000** drivers and possibly others as well.
- mx.ODBC.Manager will now use the mx.ODBC.DataDirect package if no other ODBC managers are found.
- Fixed a bug that prevented .prepare() from accepting Unicode strings.
- Fixed problem with passing Unicode arguments to catalog methods.
- mx.ODBC.Misc.test now provides an option --ignore-warnings
- Fixed test script to not report bogus memory leaks.
- The mxODBC test script no longer expects the database to return rows in the same order as they were inserted into the tables.
- **Changed** cursor.statistics() to default to accuracy=SQL.QUICK, since the parameter was deprecated in ODBC3 and SQL.ENSURE value doesn't comply to the Open Group standards.
- mxODBC no longer supports being built without Unicode support.

Changes from 3.0.3 to 3.0.4

- Fixed a problem with the Mac OS X builds not working on Intel Macs.

- Added platform detection code to the prebuilt archives so that mismatches between the downloaded version and the installation platform are not reported to the user instead of causing a compilation errors.

Changes from 3.0.2 to 3.0.3

- Fixed a bug in `print_resultset()` due to a missing import in one of the modules.
- Added native iterator support to mxODBC cursor objects.
- Added a note to the documentation on hidden module dependencies when wrapping mxODBC into applications using py2exe.
- Fixed issues with prebuilt Mac OS X builds not installing on some Mac OS X versions.

Changes from 3.0.1 to 3.0.2

- mxODBC now has better support for using TEXT and VARCHAR columns with binary data, esp. for database drivers which require the Python type binding mode, such as the FreeTDS ODBC driver.
- Fixed a problem with the prebuilt packages not installing on Mac OS X.
- Corrected version number of mx.ODBC to show '3.0.2' instead of '2.1.0'
- Added work-around for crashing MySQL ODBC 3.51.20 driver
- Added work-around for Informix ODBC driver complaining about timestamp formats
- mxODBC now includes the license verification module dependencies, so you no longer have to add them manually when using e.g. py2exe
- Added a note to the documentation on hidden module dependencies when wrapping mxODBC into applications using py2exe.
- Added work-around for SQL Server 2005 to be able to retrieve >1MB Unicode data when running mxODBC in UNICODE_STRINGFORMAT string format mode.
- Enhanced the .stringformat documentation to more clearly state how the conversion processes work.
- mxODBC .stringformat set to UNICODE_STRINGFORMAT did not convert Unicode to 8-bit strings when run in Python type binding mode.
- Added Python datetime support on Python 2.3
- Added Python 2.6 support on Windows (using VC9)
- mxSetup prebuilt archives no longer need to use "... build --skip ..." to skip the build process. The build command is now smart enough to detect, check and automatically use a build pickle and the prebuilt format.

19. History & Changes

- Fixed a problem in mxSetup that caused the uninstall command not to work with prebuilt packages. Thanks to Wouter van Atteveldt for pointing out the problem.

Changes from 3.0.0 to 3.0.1

- Fixed a bug in the stringformat setting that could cause the stringformat setting not to affect the SQL type used in binding parameters
- Fixed a bug in the way binding sets the length information for Unicode data when running in Python type mode
- Use the VAR-variants of character SQL types in favor of the plain SQL type codes to work-around issues with padding in some drivers (notably the SQL Server ODBC driver)
- Added better documentation for cursor.errorhandler and how this inherits from connection.errorhandler
- Added cursor.errorhandler example to the documentation
- Updated the documentation of the SQL types used in both SQL type and Python type binding mode

Changes from 2.0.7 to 3.0.0

- Added cursor.callproc() with support for input parameters.
- Added cursor.nextset().
- Added aliasing support for platform specific ODBC managers: mx.ODBC.Manager is aliased to the most commonly used ODBC manager for the platform running mxODBC (the Windows subpackage on Windows, iODBC on all other platforms).
- Added new .messages list attribute to both connection and cursor objects. All error and warning messages (tuples (exception class, exception value)) will be appended to these lists. The lists are automatically cleared by most cursor and connection methods except the fetch methods and the connection info/option methods.
- **Changed** the type names and repr() output of connections and cursor type objects to better reflect the used interface (e.g on Windows the type name will be "mx.ODBC.Windows cursor" rather than just "mxODBC Cursor").
- Rearranged the code for fetching SMALLINTs, TINYINTs and BITs to do the fetching using a C short rather than a C long. Some ODBC drivers are buggy in that they fail to correctly convert these small integers to longs.
- Added documentation of the exception value layout.
- Added all exception objects (including the Warning exception) as attributes to the connection objects. This enables writing code which can catch exceptions

independent of the mxODBC subpackage being used.

- Added some support for CYGWIN. Thanks to Steve Holden for suggesting the needed tweaks.
- Added `cursor.connection` attribute which allows accessing the Connection object used by the cursor.
- Fixed parameter input binding to not change the SQL type due to None parameters after having already bound a different type. This should solve the problem with some Oracle drivers complaining about this.
- Added `cursor.rownumber` providing a way to query the current result set position of the cursor.
- Added `cursor.getcursoroption()` which can be used to query low-level details about the cursor such as timeouts etc.
- Added `cursor.scroll()` which enables result set scrolling.
- `cursor.executemany()` now accepts sequences of sequences as required by API 2.0.
- **Changed:** `cursor.execute()` no longer accepts list of tuples as parameter. Use `cursor.executemany()` instead.
- The new SAP DB support is now official.
- Added extensive documentation to the cursor catalog methods.
- **Changed** the `cursor.freeset()` method name to `cursor.flush()`. The old name is still available for backward compatibility.
- Fixed bug in `DataSources()` work-around for iODBC which caused the DSN names to be truncated to two characters.
- **Changed** the SQL types used for passing input data to the ODBC driver using `.executeXXX()` methods in Python type binding mode. Instead of defaulting to `SQL_CHAR` and `SQL_BINARY`, these now use the SQL types `SQL_VARCHAR`, `SQL_VARBINARY`.
- Added better support for Python type bindings: strings are now analyzed for binary content and then bound in binary mode if needed.
- Added new connection attributes `.dbms_name`, `.dbms_version`, `.driver_name`, `.driver_version`.
- Added new cursor methods `.next()` and `.__iter__()` which enable cursors to be used as iterators in Python 2.2.
- **Changed** quite a few `SQLSTATE` to exception class mappings and added new mappings for ODBC 3.x. If you need to force usage of other mappings, please assign these mappings to the modules scope dictionary `errorclass`.
- Added user definable error handlers as defined in the DB API 2.0 extensions.

19. History & Changes

- **Changed** the Windows source files from using the .cpp extension to the .c extension. This should avoid confusion with non-VC compilers since mxODBC does not include any C++ code. It also works nice with distutils.
- Added more SQL_* symbols. The list now includes all integer symbols from ODBC 3.51 and many database specific extensions (including IBM DB2 extensions and MS SQL Server extensions).
- Added new experimental subpackage mx.ODBC.FreeTDS which allows connecting to MS SQL Server from Unix. This is still far from even being called alpha due to the current lack of implementation support of many important ODBC APIs in the FreeTDS ODBC driver.
- **Changed:** Exception classes of subpackages are now identical to the base classes defined in mx.ODBC.Error. They are no longer defined on a per subpackage basis. This should make writing cross-database applications a little easier.
- Updated the Solid subpackage from Solid 2.2 to Solid 3.52. This update involved several small tweaks to make the Solid ODBC driver happy.
- Fixed a bug in the code for fetching Unicode BLOBs which caused NUL characters to be inserted into the resulting string.
- Made the BLOB fetching code a little smarter to work around bugs in ODBC drivers which don't 0-terminate character data hunks (this resulted in missing bytes at 1024 byte boundaries).
- Strings in Python binding mode will now bind as SQL_VARBINARY/SQL_LONGVARBINARY if necessary. Wrap them in buffer objects to always force binding them as VARBINARY data fields. This fixes compatibility problems with some ODBC drivers which don't support SQL type binding.
- Integrated mxLicenseManager. In order for mxODBC to work, a license.py file must be present in the mx/ODBC/ directory of the package.
- Added work-around for binding large data chunks in Python binding mode. This solves a problem with EasySoft's Oracle ODBC driver. Unfortunately, the work-around does not work for CLOB columns: if you pass in data with less than 256 bytes, an error is raised by the driver.
- Added work-around for EasySoft driver to always bind using the SQL_LONGxxx types.
- Fixed a typo in the FETCH_UNKNOWN_TYPES_AS_STRINGS and SEND_UNKNOWN_TYPES_AS_STRINGS compile time options.
- Added work-around for bug in MS Access ODBC driver to always send at least sqlen=1 for bound parameters. It rejects parameters bound with sqlen=0 and issues an HY104 error.
- Added statistics() API which allows checking the number of currently open connections and cursors.

- Ported to Python 2.5 and tested with that version.
- Fixed bugglet in mxODBC_UnicodeAsSQLWCHAR() where two parameters were switched, causing the buffer length to appear as string length.
- **Changed** HY019 error mapping from InterfaceError to ProgrammingError: MS SQL Server returns this for integer overflow errors
- PyNumber_Int() can return a Python long in Python 2.5 and later. Fixed mxODBC to deal with this case, so that binding to integer columns continues to work even if you pass in a Python long and the database requested an integer.
- Fixed 64-bit integer binding: on 64-bit platforms, SQL_C_SLONG does not map to a 64-bit type, but a 32-bit type (weird, but true, and caused by the fact that Win64 works this way: longs on Win64 only have 32 bits).
- Added test cases for BYTEA (PostgreSQL)
- Added mapping of 22P06 to Warning to make the PostgreSQL driver work with BYTEA and binary data
- Added test cases for NTEXT and NCHAR to the test suite. These two column data types are available in SQL Server and provide native Unicode storage.
- Added work-around for bug in iODBC on 64-bit platforms: it sends 0xFFFFFFFF instead of -1 for NULL data columns
- Added support for passing Unicode commands to .executeXXX().
- Added optional support for the new Decimal type introduced in Python 2.4; recognize Decimal types on input
- Added optional support for the datetime types introduced in Python 2.3; using the Python interface for Python 2.3 and the new C interface in Python 2.4; recognize datetime types on input
- mxODBC now no longer request the .rowcount per default after each .executeXXX() call - some databases are very slow when it comes to finding out the true number of rows in the result set
- Increased the default value of DEFAULT_LONG_SIZE to e.g. 32000 - this can make a big difference since it avoids network roundtrips in networked setup

Changes from 2.0.6 to 2.0.7:

- Added Python 2.4 support.
- Added UCS2 and UCS4 builds of the package.

Changes from 2.0.5 to 2.0.6:

- Added DB-API attribute threadsafety.

19. History & Changes

- Added Python 2.3 support.

Changes from 2.0.4 to 2.0.5:

- Fixed a bug in the native Unicode handling code for long object columns. mxODBC now also supports reading and writing Unicode to and from longchar and ntext columns for MS SQL Server.

Changes from 2.0.3 to 2.0.4:

- Enhanced compatibility to Unicode-aware ODBC drivers such as the latest MS SQL Server and MS Access ODBC drivers. Exchanging native Unicode data with these drivers is now supported for input parameters and output data retrieved using the .fetchXXX() APIs. Catalog methods and other APIs do not support Unicode.
- Rearranged the code for fetching SMALLINTs, TINYINTs and BITs to do the fetching using a C short rather than a C long. Some ODBC drivers are buggy in that they fail to correctly convert these small integers to longs.

Changes from 2.0.2 to 2.0.3:

- Enhanced test script (mx.ODBC.Misc.test) to show available data sources for ODBC managers before connecting.
- Added docs about usage of mxODBC with Thomas Heller's py2exe.
- Added work-around for some ODBC drivers which don't initialize the buffers for small integers correctly. This lead to wrong results when reading data from SMALLINT columns with these drivers. Writing to these column types did not pose a problem. Thanks to Villiam Manera for bringing this to my attention again (mxODBC already included a hint to the problem, but no actual fix for it).

Changes from 2.0.1 to 2.0.2:

- Added a new section on stored procedures to the docs. Thanks to Jim Vickroy for finding out about the usage of PRINT in MS SQL Server stored procedures.
- Tested under Python 2.1.

Changes from 2.0.0 to 2.0.1:

- Fixed the documentation w/r to debugging builds. The default configuration does contain the debugging code. See the debugging section for details on how to build a debugging version.
- **Changed handling of warnings during database connect:** warnings will no longer be reported as exceptions. This should allow connects to e.g. MS SQL Server to work without having to recompile mxODBC on Windows.

- Fixed a bug in the handling of direct execution (.executedirect()). **Input parameters passed to .executedirect()** will be bound using Python bindings.
- **Reverted a change** introduced in 2.0.0 which preferred the ODBC 3.5 data types for date/time values over the old ones. The MS ODBC manager has massive problems with these, which cause all queries involving date/time columns to fail. mxODBC 2.0.1 will no again use the old type codes, which work fine with all ODBC drivers/managers.
- Added experimental SAP DB support as new subpackage mx.ODBC.SAPDB.
- Added more tests to the test script.

20. Copyright & License

© 1997-2000, Copyright by IKDS Marc-André Lemburg; All Rights Reserved.
mailto: mal@lemburg.com

© 2000-2013, Copyright by eGenix.com Software GmbH, Langenfeld, Germany;
All Rights Reserved. mailto: info@egenix.com

This software is covered by the **eGenix.com Commercial License Agreement**, which is included in the following section. The text of the license is also included as file "LICENSE" in the package's main directory.

Please note that using this software in a commercial environment is **not free of charge**. You may use the software during an evaluation period as specified in the license, but subsequent use requires the ownership of a "Proof of Authorization" which you can buy online from eGenix.com.

Please see the [eGenix.com mx Extensions Page](#) for details about the license ordering process.

By downloading, copying, installing or otherwise using the software, you agree to be bound by the terms and conditions of the following eGenix.com Commercial License Agreement.

EGENIX.COM COMMERCIAL LICENSE AGREEMENT

Version 1.3.0

1. Introduction

This "License Agreement" is between eGenix.com Software, Skills and Services GmbH ("eGenix.com"), having an office at Pastor-Loeh-Str. 48, D-40764 Langenfeld, Germany, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Terms and Definitions

The "Software" covered under this License Agreement includes without limitation, all object code, source code, help files, publications, documentation and other programs, products or tools that are included in the official "Software Distribution" available from eGenix.com.

The "Proof of Authorization" for the Software is a written and signed notice from eGenix.com providing evidence of the extent of authorizations the Licensee has acquired to use the Software and of Licensee's eligibility for future upgrade program prices (if announced) and potential special or promotional opportunities. As such, the Proof of Authorization becomes part of this License Agreement.

Installation of the Software ("Installation") refers to the process of unpacking or copying the files included in the Software Distribution to an Installation Target.

"Installation Target" refers to the target of an installation operation. Targets are defined, among other parameters, in terms of the following definitions:

- 1) "CPU" refers to a central processing unit which is able to store and/or execute the Software (a server, personal computer, virtual machine, or other computer-like device) using at most two (2) processors,
- 2) "Site" refers to a single site of a company,
- 3) "Corporate" refers to an unlimited number of sites of the company,
- 4) "Developer CPU" refers to a single CPU used by at most one (1) developer.

Additional terms may be defined as part of the Proof of Authorization.

When installing the Software on a server CPU for use by other CPUs in a network, Licensee must obtain a License for the server CPU and for all client CPUs attached to the network which will make use of the Software by copying the Software in binary or source form from the server into their CPU memory. If a CPU makes use of more than two (2) processors, Licensee must obtain additional CPU licenses to cover the total number of installed processors. The number of cores per processor does not count towards this license limitation. Virtual machines always count as one (1) CPU. If a Developer CPU is used by more than one developer, Licensee must obtain additional Developer CPU licenses to cover the total number of developers using the CPU.

20. Copyright & License

“Commercial Environment” refers to any application environment which is aimed at directly or indirectly generating profit. This includes, without limitation, for-profit organizations, private educational institutions, work as independent contractor, consultant and other profit generating relationships with organizations or individuals. Governments and related agencies or organizations are also regarded as being Commercial Environments.

“Non-Commercial Environments” are all those application environments which do not directly or indirectly generate profit. Public educational institutions and officially acknowledged private non-profit organizations are regarded as being Non-Commercial Environments in the aforementioned sense.

“Educational Environments” are all those application environments which directly aim at educating children, pupils or students. This includes, without limitation, class room installations and student server installations which are intended to be used by students for educational purposes. Installations aimed at administrative or organizational purposes are not regarded as Educational Environment.

3. License Grant

Subject to the terms and conditions of this License Agreement, eGenix.com hereby grants Licensee a non-exclusive, world-wide license to

- 1) use the Software to the extent of authorizations Licensee has acquired and
- 2) distribute, make and install copies to support the level of use authorized, providing Licensee reproduces this License Agreement and any other legends of ownership on each copy, or partial copy, of the Software.

If Licensee acquires this Software as a program upgrade, Licensee’s authorization to use the Software from which Licensee upgraded is terminated.

Licensee will ensure that anyone who uses the Software does so only in compliance with the terms of this License Agreement.

Licensee may not

- 1) use, copy, install, compile, modify, or distribute the Software except as provided in this License Agreement;
- 2) reverse assemble, reverse engineer, reverse compile, or otherwise translate the Software except as specifically permitted by law without the possibility of contractual waiver; or
- 3) rent, sublicense or lease the Software.

4. Authorizations

The extent of authorization depends on the ownership of a Proof of Authorization for the Software.

Usage of the Software for any other purpose not explicitly covered by this License Agreement or granted by the Proof of Authorization is not permitted and requires the written prior permission from eGenix.com.

5. Modifications

Software modifications may only be distributed in form of patches to the original files contained in the Software Distribution.

The patches must be accompanied by a legend of origin and ownership and a visible message stating that the patches are not original Software delivered by eGenix.com, nor that eGenix.com can be held liable for possible damages related directly or indirectly to the patches if they are applied to the Software.

6. Experimental Code or Features

The Software may include components containing experimental code or features which may be modified substantially before becoming generally available.

These experimental components or features may not be at the level of performance or compatibility of generally available eGenix.com products. eGenix.com does not guarantee that any of the experimental components or features contained in the eGenix.com will ever be made generally available.

7. Expiration and License Control Devices

Components of the Software may contain disabling or license control devices that will prevent them from being used after the expiration of a period of time or on Installation Targets for which no license was obtained.

Licensee will not tamper with these disabling devices or the components. Licensee will take precautions to avoid any loss of data that might result when the components can no longer be used.

8. NO WARRANTY

eGenix.com is making the Software available to Licensee on an "AS IS" basis. SUBJECT TO ANY STATUTORY WARRANTIES WHICH CAN NOT BE EXCLUDED, EGENIX.COM MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, EGENIX.COM MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

9. LIMITATION OF LIABILITY

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL EGENIX.COM BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR (I) ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR OTHER PECUNIARY LOSS) AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE

20. Copyright & License

THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF; OR (II) ANY AMOUNTS IN EXCESS OF THE AGGREGATE AMOUNTS PAID TO EGENIX.COM UNDER THIS LICENSE AGREEMENT DURING THE TWELVE (12) MONTH PERIOD PRECEDING THE DATE THE CAUSE OF ACTION AROSE.

SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSION OR LIMITATION MAY NOT APPLY TO LICENSEE.

10. Termination

This License Agreement will automatically terminate upon a material breach of its terms and conditions if not cured within thirty (30) days of written notice by eGenix.com. Upon termination, Licensee shall discontinue use and remove all installed copies of the Software.

11. Indemnification

Licensee hereby agrees to indemnify eGenix.com against and hold harmless eGenix.com from any claims, lawsuits or other losses that arise out of Licensee's breach of any provision of this License Agreement.

12. Third Party Rights

Any software or documentation in source or binary form provided along with the Software that is associated with a separate license agreement is licensed to Licensee under the terms of that license agreement. This License Agreement does not apply to those portions of the Software. Copies of the third party licenses are included in the Software Distribution.

13. High Risk Activities

The Software is not fault-tolerant and is not designed, manufactured or intended for use or resale as on-line control equipment in hazardous environments requiring fail-safe performance, such as in the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control, direct life support machines, or weapons systems, in which the failure of the Software, or any software, tool, process, or service that was developed using the Software, could lead directly to death, personal injury, or severe physical or environmental damage ("High Risk Activities").

Accordingly, eGenix.com specifically disclaims any express or implied warranty of fitness for High Risk Activities.

Licensee agree that eGenix.com will not be liable for any claims or damages arising from the use of the Software, or any software, tool, process, or service that was developed using the Software, in such applications.

14. General

Nothing in this License Agreement affects any statutory rights of consumers that cannot be waived or limited by contract.

Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between eGenix.com and Licensee.

If any provision of this License Agreement shall be unlawful, void, or for any reason unenforceable, such provision shall be modified to the extent necessary to render it enforceable without losing its intent, or, if no such modification is possible, be severed from this License Agreement and shall not affect the validity and enforceability of the remaining provisions of this License Agreement.

This License Agreement shall be governed by and interpreted in all respects by the law of Germany, excluding conflict of law provisions. It shall not be governed by the United Nations Convention on Contracts for International Sale of Goods.

This License Agreement does not grant permission to use eGenix.com trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party.

The controlling language of this License Agreement is English. If Licensee has received a translation into another language, it has been provided for Licensee's convenience only.

15. Agreement

By downloading, copying, installing or otherwise using the Software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

For question regarding this License Agreement, please write to:

eGenix.com Software, Skills and Services GmbH

Pastor-Loeh-Str. 48

D-40764 Langenfeld

Germany

EGENIX.COM PROOF OF AUTHORIZATION

1 CPU License (Example)

This is an example of a "Proof of Authorization" for a 1 CPU License. These proofs are either wet-signed by the eGenix.com staff or digitally PGP-signed using an official eGenix.com PGP-key.

1. License Grant

eGenix.com Software, Skills and Services GmbH ("eGenix.com"), having an office at Pastor-Loeh-Str. 48, D-40764 Langenfeld, Germany, hereby grants the Individual or Organization ("Licensee")

Licensee: <name of the licensee>

a non-exclusive, world-wide license to use the software listed below in source or binary form and its associated documentation ("the Software") under the terms and conditions of this License Agreement and to the extent authorized by this Proof of Authorization.

2. Covered Software

Software Name: <product name>

Software Version: <product version>

(including all patch level releases)

Software Distribution: As officially made available by

eGenix.com on <http://www.egenix.com/>

Operating System: any compatible operating system

3. Authorizations

eGenix.com hereby authorizes Licensee to copy, install, compile, modify and use the Software on the following Installation Targets under the terms of this License Agreement.

Installation Targets: one (1) CPU

Use of the Software for any other purpose or redistribution IS NOT PERMITTED BY THIS PROOF OF AUTHORIZATION.

4. Proof

This Proof of Authorization was issued by

<name>, <title>

Langenfeld, <date>

Proof of Authorization Key:

<license key>

EGENIX.COM PROOF OF AUTHORIZATION

1 Developer CPU License (Example)

This is an example of a "Proof of Authorization" for a 1 Developer CPU License. These proofs are either wet-signed by the eGenix.com staff or digitally PGP-signed using an official eGenix.com PGP-key.

5. License Grant

eGenix.com Software, Skills and Services GmbH ("eGenix.com"), having an office at Pastor-Loeh-Str. 48, D-40764 Langenfeld, Germany, hereby grants the Individual or Organization ("Licensee")

Licensee: <name of the licensee>

a non-exclusive, world-wide license to use the software listed below in source or binary form and its associated documentation ("the Software") under the terms and conditions of this License Agreement and to the extent authorized by this Proof of Authorization.

6. Covered Software

Software Name: <product name>

Software Version: <product version>

(including all patch level releases)

Software Distribution: As officially made available by

eGenix.com on <http://www.egenix.com/>

Operating System: any compatible operating system

7. Authorizations

7.1 Application Development

eGenix.com hereby authorizes Licensee to copy, install, compile, modify and use the Software on the following Developer Installation Targets for the purpose of developing products using the Software as integral part.

Developer Installation Targets: one (1) Developer CPU

7.2 Redistribution

eGenix.com hereby authorizes Licensee to redistribute the Software bundled with a product developed by Licensee on the Developer Installation Targets ("the Product") subject to the terms and conditions of this License Agreement for installation and use in combination with the Product on the following Redistribution Installation Targets, provided that:

1. Licensee shall not and shall not permit or assist any third party to sell or distribute the Software as a separate product;
2. Licensee shall not and shall not permit any third party to
 - i. market, sell or distribute the Software to any end user except subject to the terms and conditions of this License Agreement,
 - ii. rent, sell, lease or otherwise transfer the Software or any part thereof or use it for the benefit of any third party,
 - iii. use the Software outside the Product or for any other purpose not expressly licensed hereunder;
3. the Product does not provide functions or capabilities similar to those of the Software itself, i.e. the Product does not introduce commercial competition for the Software as sold by eGenix.com;
4. Licensee has obtained Developer CPU Licenses for all developers and CPUs used in developing the Product.

Redistribution Installation Targets:

any number of CPUs capable of running the Product and the Software

8. Proof

This Proof of Authorization was issued by

<name>, <title>

Langenfeld, <date>

Proof of Authorization Key:

<license key>

20. Copyright & License